



PRODUCT CATALOG



253 N Vineland Ave
City of Industry, CA 91746
P. 626.956.4200
www.et2online.com | @et2lighting | ©ET2Lighting

LETCAT2508

© 2025 ET2 Contemporary Lighting
All rights reserved.



ET2 redefines lighting with a bold, modern approach, where sculptural forms meet cutting-edge innovation. Rooted in technical precision and architectural sophistication, each design is a statement-making fusion of sleek minimalism and expressive creativity. Designed for the daring and contemporary, ET2 transforms spaces with innovative, sophisticated lighting that pushes the boundaries of form and function.





LEGEND



ADA
Compliant



Adjustable



Emergency
Backup Battery
Included



Energy Star
Certified



CCT Select



Installs
Up or Down



Installs
Horizontally or
Vertically



California
Title 24



White Tunable



Slope



LED



Dusk Sky



For Wet Location



For Damp Location



Rotate



Dimmable using standard dimmer.
Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height

TABLE OF CONTENTS *alphabetically*

4 Square 277	Continuum Track 303	LED Mirrors Bevel 397	Revolver 328
Abyss 159	Cortex 185	LED Mirrors Elisse 389	Rhythm 235
Acropolis 429	Coulee 475	LED Mirrors Floating 393	Rinkle 147
Alcove 477	Cubed 447	LED Mirrors Sawyer 391	Ripple 365
Allen 202	Cuff 183	Link 251	Rollo 181
Alumilux Cube 491	Curvo 259	Liquid 439	Rubelle 345
Alumilux Dish 488	Cycle 265	Loom 171	Rune 427
Alumilux Glow 487	Cyclone 407	Loop 377	Sense 281
Alumilux Line 421	Delphi 13, 359	Luminance 399	Serpentine 261
Alumilux Line 5CCT 415	Dewdrop 221	Luna 11	Signature 257
Alumilux Outline 492	Diaphane 87	Lyra 31	Slant 297
Alumilux Prime 473	Dispatch 29	Maglev 459	Smokestack 469
Alumilux Sideline 5CCT Vanity 375	Dorian 211, 347	Manta 139, 361	Soji 17, 323
Alumilux Sideline Outdoor 425	Doric 343	Marsh 243, 505	Soleil 285
Alumilux Tau 490	Dwell 179	Martini 195	Sonata 143
Alumilux Tilt 489	Echo 291	Mermaid 85	Soprano 385
Amulet 129	Elysian 191	Modular 481	Souffle 293
Aragon 187, 357	Embrace 409	Moeraki 9	Spartan Indoor 331
Aura 273	Entanglement 269	Mona 341	Spartan Outdoor 449
Axle 75	Fizz III 233	Moonscapes 133	Spiral 283
Baritone 387	Fizz IV 113	Newton 81	Stealth 253
Basilica 7	Folio 455	Nimbus 197	Steppes 493
Belt 215	Frost 205	Nucleus 77	Stillo 91
Berliner 169	Fungo 175	Omni 327	Stormy 23
Big Fizz 231	Fuse 367	Orb II 67	Sven 229
Blok 445	Fuse Outdoor 433	Paddle 405	Swank 35
Blossom 25	Geist 5	Palla 175	Sway 203
Bombona 219	Global 125	Pasha 337	Syndicate 189
Bookkeeper 333	Grate 441	Pearl 127	Taylor 315
Braque 335	Gravity 471	Pebble 1	Tectonic 431
Brasilia 457	Groove 61	Penrose 247	Telstar 155
Brik 443	Half Moon 71	Perpetual 115	Terra 435
Brilliant 290	Handler 319	Phoenix 163	Torch 111
Bubble 301	Hemisphere 173	Piccolo 289	Totem 479
Burst 121	Highball 239	Pierce 103	Tower 437
Canello 383, 467	Highlander 451	Pilar 463	Traverse 53
Carmen 177	Hoopla 43	Pirouette 225, 369	Travertine 15
Cauldron Indoor 321	Hover 95, 339	Pitch 157	Tree Hugger 509
Cauldron Outdoor 485	iCorona 299	Planetary 117	Twisted 255
Celine 363	Inca 373	Pleat 201	Unity 47
Chamber 279	Interlace 423	Polo 217	Vanish 207
Chimes 57	Interval 227	Puff 461	Voto 167
Cilandro 206	Jensen 165	Quartz 107	Wimbledon 161
Citadel 453, 507	Joist 209	Quasar 137	Wink 329
Clutch 381	Landscape 499	Rampart 417	You 51
Coaster 267	Larmes 65	Reeds 99	Zephyr 290, 371
Conico 325	Latitude 379	Reveal 39, 508	Ziggurat 295
Continuum 213	LED Mirrors Aluminum Frame 395	Reveal Outdoor 465	


PEBBLE

As if naturally formed from the ebbing shores of a riverbed, smooth and irregularly shaped crystal pebbles are suspended by cast metal clasps in a Polished Gold finish. Discreetly illuminated by concealed LED light sources within the clasps, additional downlight originates from LED GU10 lamps housed in a Matte Black canopy adding to the refracting iridescent shimmer on the crystal surface below. Available in multiple configurations of pendants as well as scone options.





PEBBLE


- Smooth, irregularly shaped Clear crystal
- Cast metal clasps in plated Gold finish
- Matte Black Canopy
- LED Integrated, 3000K Color Temperature
- Additional LED GU10 lamps included
- Dimmable with ELV and Triac dimmers




E11070-122BKPG
Pendant
A



E11071-122BKPG
Pendant
B



E11072-122BKPG
Wall Mount
C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E11070	122BKPG	30 x 1W PCB LED 4000K + 5 x 7W GU10 LED 3000K(Inte.)	36"L x 36"W x 4.75"H, 185"OAH	90+	3000	2400	LED DIM+ ⓘ
B	E11071	122BKPG	1W PCB LED 4000K (Inte.)	3"L x 1.5"W x 4.75"H, 125"OAH	90+	100	80	LED DIM+ ⓘ
C	E11072	122BKPG	2 x 1W PCB LED 4000K (Inte.)	4.75"W x 23.75"H x 2.75"Ext.	2.25"	90+	200	160 LED DIM+ ⓘ ♿

Finish: Clear Crystal (122) Black/Polished Gold (BKPG)

PEBBLE

- Smooth, irregularly shaped Clear crystal
- Cast metal clasps in plated Gold finish
- Matte Black Canopy
- LED Integrated, 3000K Color Temperature
- Additional LED GU10 lamps included
- Dimmable with ELV and Triac dimmers




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11079	122BKPG	18 x 1W PCB LED 4000K + 4 x 7W GU10 LED 3000K(Inte.)	21.75"L x 21.75"W x 4.75"H, 185"OAH	90+	3330	3050	LED DIM ⓘ
B	E11078	122BKPG	12 x 1W PCB LED 4000K + 3 x 7W GU10 LED 3000K(Inte.)	15.75"L x 15.75"W x 4.75"H, 125"OAH	90+	2370	2250	LED DIM ⓘ


Finish: Clear Crystal (122) Black/Polished Gold (BKPG)



E11073-122BKPG
Pendant



E11076-122BKPG
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E11073	122BKPG	3 x 1W PCB LED 4000K + 1 x 7W GU10 LED 3000K(Inte.)	8"L x 8"W x 4.75"H, 125"OAH	90+	690	650	LED DIM+ ⓘ
D	E11076	122BKPG	10 x 1W PCB LED 4000K + 3 x 7W GU10 LED 3000K(Inte.)	35.5"L x 9.5"W x 4.75"H, 125"OAH	90+	1250	1150	LED DIM+ ⓘ

Finish: Clear Crystal (122) Black/Polished Gold (BKPG)

GEIST


Geist reimagines 20th-century plasterwork in a sculptural ring crafted from artisan plaster. Integrated LEDs provide both uplight and downlight, creating an atmospheric glow. Available in a striking Black plaster finish as well as the classic White, Geist blends sculpture with modern LED lighting technology for minimalist and elevated spaces alike.




- Hand-applied plaster texture at ring and sphere collector
- Indirect up-lighting as well as functional downlighting integrated in the ring
- Available in Matte White or Black plaster finishes with coordinating matte metal hardware



E25193-BK, -TW
Pendant



E25194-BK, -TW
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25193	BK, TW	54W PCB LED 3000K (Inte.)	35.5"L x 35.5"W x 19.5"H, 64"OAH	90+	3780	2700	LED DIM ①
B	E25194	BK, TW	75W PCB LED 3000K (Inte.)	47.25"L x 47.25"W x 27.75"H, 72"OAH	90+	5250	3750	LED DIM ①

Finish Options: Black (BK) Textured White (TW)

BASILICA

Architecturally inspired, these scalloped domes demonstrate biophilic, coastal, and archetypal geometry in their form. Constructed of concrete in a neutral Chalky White finish, the collection complements a variety of interiors and shares a sophisticated playfulness in design. Available in two sizes of pendants as well as a coordinating wall sconce with LED lighting included.



BASILICA

- Naturally porous travertine components
- Constructed of Solid Concrete in Chalky White
- Coordinating Off-White Rayon Cord with matching hardware
- LED Lamps included



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E25140	CHK	1 x 7W GU10 LED 3000K (Incl.)	8"W x 7.5"H x 4"Ext.	4"	90+	600	450	   
B	E25141	CHK	1 x 6W MB LED 3000K (Incl.)	13.75"L x 13.75"W x 5.25"H, 125.5"OAH		90+	600	450	  
C	E25142	CHK	1 x 6W MB LED 3000K (Incl.)	19.5"L x 19.5"W x 6.25"H, 126.5"OAH		90+	600	450	  

Finish: Chalky White (CHK)



MOERAKI

Inspired by the rocky shores of New Zealand's South Island, boulder-like organic forms made of polyurethane are light weight and yet voluminous masses. With a shimmery salt-like texture, the pendants are finished in an off-white Oyster finish. Choose from pendant and flush mount configurations.




MOERAKI

- Polyurethane construction
- Textured Oyster finish
- White LED G25 lamp included
- Damp location Rated




E25180-OY
Flush Mount

A





E25181-OY
Flush Mount

B





E25184-OY
Pendant

C




E25182-OY
Pendant

D



E25186-OY
Pendant

E



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25180	OY	1 x 6W MB LED 3000K (Incl.)	15.75"L x 12.5"W x 8.25"H	90+	500	400	  
B	E25181	OY	1 x 6W MB LED 3000K (Incl.)	19.75"L x 15.75"W x 10"H	90+	500	400	  
C	E25184	OY	1 x 6W MB LED 3000K (Incl.)	19.75"L x 15.75"W x 11.5"H,134.5"OAH	90+	500	400	  
D	E25182	OY	1 x 6W MB LED 3000K (Incl.)	15.75"L x 12.5"W x 9"H,132"OAH	90+	500	400	  
E	E25186	OY	1 x 6W MB LED 3000K (Incl.)	23.75"L x 19"W x 14"H,137"OAH	90+	500	400	  

Finish: Textured Oyster (OY)

LUNA

Concrete pendant lights feature an uneven surface with scattered craters on a rough Chalky White finish. A big bowl-shaped cavity on the celestial-like objects contains a lamp socket that is recessed into the mold. Damp rated for wider applications including covered outdoor spaces, the pendants include an LED globe lamp that completes the design.



LUNA

- Concrete construction in Chalky White finish
- White LED G25 lamp included
- cETLus for Damp locations



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25214	CHK	1 x 6W MB LED 3000K (Incl.)	8.25"L x 8.25"W x 18"H, 64"OAH	90+	500	400	LED DIM ⓘ
B	E25212	CHK	1 x 6W MB LED 3000K (Incl.)	9.5"L x 9.5"W x 12.5"H, 58.5"OAH	90+	500	400	LED DIM ⓘ

Finish: Chalky White (CHK)




DELPHI

Long spans of fluted concrete panels blend Western classicism with modern technology. Scalloped concrete is finished in a Chalky White finish and suitable for damp locations. Choose from stem hung pendants or backlit wall panels that provide ambient lighting and bring tranquility to spaces.



DELPHI


- Concrete construction
- Chalky White finish
- LED Integrated, 5CCT Select: 2700-3000-3500-4000-5000K
- 120-277V Range Voltage Input
- Triac or ELV at 120V
- Suitable for Damp Locations



E25172-CHK

See page 359 for full Bath Vanities

B





E25176-CHK
Pendant

A




E25179-SSN
Table Lamp

D



E25178-CHK
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E25176	CHK	27W PCB LED 2700-5000K (Inte.)	47.25"L x 2.5"W x 3.5"H, 48"OAH		90+	1600	1500	LED DIM+ CCT+ CCT- CCT
B	E25172	CHK	24W PCB LED 2700-5000K (Inte.)	23.75"W x 6.25"H x 1.75"Ext.	3"	90+	2100	2000	LED DIM+ CCT+ CCT- CCT
C	E25178	CHK	36W PCB LED 2700-5000K (Inte.)	61.25"L x 2.5"W x 3.5"H, 48"OAH		90+	2000	1900	LED DIM+ CCT+ CCT- CCT
D	E25179	SSN	10W PCB LED 2700-5000K (Inte.)	9.5"L x 9.5"W x 13.75"H		90+	900	800	LED DIM+ CCT+ CCT- CCT

Finish: Chalky White (CHK) Sandstone (SSN)


TRAVERTINE

The use of this stone has been central to the building blocks of our history. Reimagined in modern context, columns of Travertine are assembled alongside LED tubes in an attractive, minimalist composition. The perfect neutral for a space that is searching for more organic elements, the LED light source is evenly diffused withing Matte White acrylic with Gold-plated accents. Available as a sconce and in multiple configurations of pendants.



E11051-01TVGLD
Mini Pendant

A



15"


2.5"



TRAVERTINE

- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming


E11053-01TVGLD
Pendant





TRAVERTINE



E11050-01TVGLD
Wall Mount



E11056-01TVGLD
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information
						CRI	INIT. DEL.	
A	E11051	01TVGLD	1 x 20W PCB LED 3000K (Inte.)	2.5"L x 2.5"W x 15"H, 137"OAH		90+	1000 900	LED DIM UP
B	E11053	01TVGLD	3 x 18W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 29.75"H, 73"OAH		90+	3780 2700	LED DIM UP
C	E11050	01TVGLD	1 x 12W PCB LED 3000K (Inte.)	5.5"W x 12.75"H x 4"Ext.	2"	90+	810 630	LED DIM UP
D	E11056	01TVGLD	1 x 58W PCB LED 3000K (Inte.)	53.75"L x 2.5"W x 3"H, 125"OAH		90+	2500 1900	LED DIM UP

Finish: White Acrylic (01) Travertine/Gold (TVGLD)



SOJI


Drawing from the purity and grace of traditional Japanese lanterns, the Soji collection evokes a quiet sophistication through timeless form and thoughtful contrast. Sculpted Satin White glass diffuses a warm, inviting glow while suspended within bold two-tone frames of Gold and Black. With a wide array of pendants, sconces, and portable lamps in varied silhouettes, each piece embodies a soft contemporary aesthetic that resonates across interiors — minimal yet impactful, refined yet approachable. Soji's expanded range offers design versatility for architectural spaces, layered lighting plans, and modern living environments seeking serene illumination with sculptural presence.



- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E25169-92BKGLD
Pendant






ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information	
				CRI	INIT. DEL.		
A E25169	92BKGLD	108W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 27.5"H, 205"OAH	90+	6000	5000	

Finish: Satin White glass (92) Black/Gold (BKGLD)



SOJI

- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25068	92BKGLD	34W PCB LED 3000K (Inte.)	39.5"L x 6"W x 6"H, 125"OAH	90+	1890	1570	LED DIM ↑
B	E25168	92BKGLD	60W PCB LED 3000K (Inte.)	60"L x 8.75"W x 8.75"H, 128.75"OAH	90+	4200	3000	LED DIM ↑

Finish: Satin White glass (92) Black/Gold (BKGLD)






E25069-92BKGLD

Pendant

C





3-STEP
DIMMER



E25166-92BKGLD

Table lamp


D



E25167-92BKGLD

Table lamp

E



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E25069	92BKGLD	55W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 27.5"H, 150"OAH	90+	3200	2230	LED DIM ⓘ
D	E25166	92BKGLD	15W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 13"H	90+	1050	690	LED DIM ⓘ
E	E25167	92BKGLD	18.5W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 17.5"H	90+	1300	910	LED DIM ⓘ

Finish: Satin White glass (92) Black/Gold (BKGLD)


SOJI

- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25066	92BKGLD	10W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 13"H, 135"OAH	90+	960	760	LED DIM+ ⓘ
B	E25067	92BKGLD	13W PCB LED 3000K (Inte.)	6"L x 6"W x 17.25"H, 140"OAH	90+	1040	930	LED DIM+ ⓘ
C	E25165	92BKGLD	30W PCB LED 3000K (Inte.)	6"L x 6"W x 27.5"H, 150"OAH	90+	1500	1300	LED DIM+ ⓘ

Finish: Satin White glass (92) Black/Gold (BKGLD)





E25063-92BKGLD
Pendant

E




E25064-92BKGLD
Pendant

F



E25065-92BKGLD
Pendant

G



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
D	E25062	92BKGLD	1 x 4W G9 LED 3000K (Incl.)	6"W x 9.25"H x 10"Ext.	5"	90+	480 380	LED DIM DALI 12V
E	E25063	92BKGLD	2 x 4W G9 LED 3000K (Incl.)	7"L x 7"W x 8.75"H, 131"OAH		90+	960 760	LED DIM 1 12V
F	E25064	92BKGLD	2 x 4W G9 LED 3000K (Incl.)	7"L x 7"W x 10.75"H, 133"OAH		90+	960 760	LED DIM 1 12V
G	E25065	92BKGLD	2 x 4W G9 LED 3000K (Incl.)	9"L x 9"W x 7.5"H, 131"OAH		90+	960 760	LED DIM 1 12V

Finish: Satin White glass (92) Black/Gold (BKGLD)

STORMY

Evocative of turbulent skies, Stormy is a sculptural masterwork that transforms negative space into visual drama. A billowing cluster of stainless-steel spheres, finished in a moody interplay of Black Nickel, French Gold, and Polished Chrome, creates an abstract cloudscape of extraordinary depth. Floating among the forms, matte white glass globes in varying sizes emit a layered, ambient glow, while discreet canopy-mounted downlights provide refined functionality. Offered in two commanding sizes, Stormy is both art and atmosphere—an expression of elemental motion rendered with impeccable precision.





STORMY

- Abstract stainless-steel composition evokes a dynamic cloudscape
- Mixed metal finishes—Black Nickel, French Gold, and Chrome—add depth and tonal richness
- Matte white globe shades diffuse soft, ambient LED lighting
- Replaceable LED G9 lamps provided
- Integrated LED downlights in the canopy enhance functional illumination
- Dimmable with ELV dimmers



E20497-MPLT
Pendant



E20495-MPLT
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20497	MPLT	44W PCB LED 3000K (Inte.)	35.5"L x 28.75"W x 22.5"H, 142.75"OAH	90+	3520	1760	LED DIM ①
B	E20495	MPLT	25W PCB LED 3000K (Inte.)	21.75"L x 21"W x 18"H, 138"OAH	90+	2000	1000	LED DIM ①

Finish: Multi-Plated(MPLT)

BLOSSOM

A branched frame inspired by a close observation of nature. Finely engineered and designed in delicate detail, the soft Gold finish pairs with organically formed Morning Frost glass that is partially frosted to conceal the LED light source within. Contemporary in design and soft in nature, this collection complements both modern and transitional aesthetics.




BLOSSOM

- Cast alloy construction
- Molten textured glass
- G9 LED lamps included



E32797-93BK, -93NAB
Pendant
A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E32797	93BK, 93NAB	10 x 4W G9 LED 3000K (Incl.)	70.5"L x 17.25"W x 19"H, 56.75"OAH	80+	5000	4000	LED DIM ⓘ

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)



BLOSSOM

- Cast alloy construction
- Molten textured glass
- G9 LED lamps included




E32790-93BK, -93NAB
Semi-Flush Mount

A



E32795-93BK, -93NAB
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E32790	93BK, 93NAB	3 x 4W G9 LED 3000K (Incl.)	27"L x 20"W x 18.5"H	80+	1500	1200	LED DIM
B	E32795	93BK, 93NAB	5 x 4W G9 LED 3000K (Incl.)	43.25"L x 35.75"W x 25.75"H, 72.75"OAH	80+	2500	2000	LED DIM ⓘ

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)




E32798-93BK, -93NAB
Pendant

C



E32792-93BK, -93NAB
Wall Mount

D




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
C	E32798	93BK, 93NAB	10 x 4W G9 LED 3000K (Incl.)	24.75"L x 19.25"W x 37.5"H, 84.5"OAH		80+	5000 4000	LED DIM INFO
D	E32792	93BK, 93NAB	2 x 4W G9 LED 3000K (Incl.)	10.5"W x 18.75"H x 6.5"Ext.	12"	80+	1000 800	LED DIM

Finish Options: Clear/Frosted glass (93) Black (BK) Natural Aged Brass (NAB)

DISPATCH

Send a message on the wire. Two semi-spherical frosted glass domes are separated by a tube of LED light and suspended by Tobacco Brown leather straps. The frames are complete in a contrasting Natural Aged Brass finish making the contemporary design softer and more applicable to traditional settings.





DISPATCH

- Frosted Glass Shades
- Matte White Acrylic LED evenly diffused
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E24088-90NAB
Pendant



E24089-90NAB
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24088	90NAB	14W PCB LED 3000K (Inte.)	17.25"L x 11.75"W x 34"H, 78.5"OAH	90+	1260	750	LED DIM ⓘ
B	E24089	90NAB	18W PCB LED 3000K (Inte.)	22.5"L x 15.75"W x 42.25"H, 86"OAH	90+	1620	1130	LED DIM ⓘ

Finish: Frosted glass (90) Natural Aged Brass (NAB)

LYRA

Named for the Greek constellation associated with music and harmony, Lyra strikes a poetic balance between sculpture and light. Crescent-shaped cast glass, swirled in clear and white, is cradled in golden rings and suspended by slender black cables to evoke weightlessness. Rhythmic and refined, Lyra's composition echoes the curve of a lyre—ideal for stairwells and double-height spaces seeking a statement of modern minimalism and mythic beauty.




LYRA

- Crescent-shaped artisan glass with Clear and White swirling
- Suspended within rings finished in Gold for sculptural emphasis
- Thin low-voltage black cables create a floating effect
- Ideal for tall ceilings, open voids, or stairwell installations where scale and impact matter
- Inspired by Grecian symbolism and modern design harmony
- 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E23918-112GLD
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E23918	112GLD	9 x 5.5W PCB LED 3000K (Integrated)	28.5"L x 28.5"W x 9.5"H, 131.25"OAH	90+	3500	2250	LED DIM ①

Finish: Clear/White glass (112) Gold (GLD)



LYRA

- Crescent-shaped artisan glass with Clear and White swirling
- Suspended within rings finished in Gold for sculptural emphasis
- Thin low-voltage black cables create a floating effect
- Ideal for tall ceilings, open voids, or stairwell installations where scale and impact matter
- Inspired by Grecian symbolism and modern design harmony
- 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E23916	112GLD	6 x 5.5W PCB LED 3000K (Integrated)	20.25"L x 20.25"W x 9.5"H, 131.25"OAH	90+	2310	1480	LED DIM+ ⓘ

Finish: Clear/White glass (112) Gold (GLD)





E23913-112GLD
Pendant

B




E23911-112GLD
Pendant

C



E23910-112GLD
Wall Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					HCO	CRI	INIT. DEL.		
B	E23913	112GLD	3 x 5.5W PCB LED 3000K (Integrated)	12.5"L x 12.5"W x 9.5"H, 131.25"OAH		90+	1150	740	  
C	E23911	112GLD	1 x 6.5W PCB LED 3000K (Integrated)	8.75"L x 0.5"W x 9.5"H, 131"OAH		90+	450	290	  
D	E23910	112GLD	1 x 6.5W PCB LED 3000K (Integrated)	8.75"W x 10.5"H x 2"Ext.	2.5"	90+	450	290	   

Finish: Clear/White glass (112) Gold (GLD)

SWANK

Orbs of crystal Clear acrylic are trimmed with Natural Aged Brass or Polished Chrome band and frosted inside for excellent light diffusion. The bottom is dimpled for a unique optical effect.




- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer



E24599-93NAB, -93PC
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24599	93NAB, 93PC	10 x 6W PCB LED 3000K (Integrated)	31.25"L x 12.5"W x 5.5"H, 127.5"OAH	80+	5610	4950	  

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)


SWANK

- Available in Natural Aged Brass or Polished Chrome
- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80+
- Dimmable with CL Triac Dimmer

E24593-93NAB, -93PC
Pendant



E24598-93NAB, -93PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E24593	93NAB, 93PC	3 x 6W PCB LED 3000K (Integrated)	11.75"W x 5.5"H, 127.5"OAH	80+	1440	1300	LED DIM ↑
B	E24598	93NAB, 93PC	8 x 6W PCB LED 3000K (Integrated)	19"W x 5.5"H, 127.5"OAH	80+	3840	3450	LED DIM ↑


Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)




• Flush Mount Option




E24590-93NAB, -93PC
Wall/Flush Mount



E24591-93NAB, -93PC
Pendant



E24595-93NAB, -93PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
C	E24590	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.75"W x 4.75"H x 6"Ext.	2.5"	80+	480	440	LED DIM QRM
D	E24591	93NAB, 93PC	1 x 6W PCB LED 3000K (Integrated)	4.5"W x 5.5"H, 127.75"OAH		80+	510	480	LED DIM ⓘ
E	E24595	93NAB, 93PC	5 x 6W PCB LED 3000K (Integrated)	15"W x 5.5"H, 127.5"OAH		80+	2400	2160	LED DIM ⓘ

Finish Options: Frost/Clear Acrylic (93) Natural Aged Brass (NAB) Polished Chrome (PC)

REVEAL

Tubular pendants finished in Satin Nickel or Matte Black in contrasting Satin Brass or Gold bands respectively. Light shines downward from the bottom of the pendant as well as a reveal of light behind the band.




- Two-tone finishes including: Matte Black/Gold and Satin Nickel/Satin Brass
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E24758-BKGLD, -SNSBR
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24758	BKGLD, SNSBR	8 x 6W PCB LED 3000K (Integrated)	32"L x 9.75"W x 12.25"H, 134"OAH	90+	3840	930	LED DIM Y


Finish Options: Black/Gold (BKGLD) Satin Nickel/Satin Brass (SNSBR)

REVEAL

- Two-tone finishes including: Matte Black/Gold and Satin Nickel/Satin Brass
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers

LIGHT REVEAL
BEHIND BAND


E24757-BKGLD, -SNSBR
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24757	BKGLD, SNSBR	7 x 6W PCB LED 3000K (Integrated)	18"L x 18"W x 12.25"H, 134"OAH	90+	3360	820	  
Finish Options: Black/Gold (BKGLD) Satin Nickel/Satin Brass (SNSBR)								




E24753-BKGLD, -SNSBR
Pendant




E34752-BKGLD
See page 465 for full Outdoor Wall

C



E24751-BKGLD, -SNSBR
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
B	E24753	BKGLD, SNSBR	3 x 6W PCB LED 3000K (Inte.)	11"L x 11"W x 12.25"H, 134"OAH		90+	1440	350	LED DIM WET
C	E34752	BKGLD	1 x 12W PCB LED 3000K (Inte.)	5"W x 5.25"H x 6"Ext.	2.25"	90+	910	590	LED DIM WET
D	E24751	BKGLD, SNSBR	1 x 6W PCB LED 3000K (Inte.)	2.75"L x 2.75"W x 12.25"H, 134"OAH		90+	480	120	LED DIM WET

Finish Options: Black/Gold (BKGLD) Satin Nickel/Satin Brass (SNSBR)



HOOPLA

Rings of various sizes finished in Black are supported from a column of soft Gold. This European classic is a soft contemporary design which works in today's home decor.





HOOPLA


- Black or White with Gold finish
- 3000K Color Temperature, CRI 90+
- 120-270V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- ADA Wall Sconce



E24325-BKGLD, -WTGLD
Pendant



E24321-BKGLD, -WTGLD
Pendant




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24325	BKGLD, WTGLD	6 x 15W PCB LED 3000K (Inte.)	25"L x 25"W x 63"H, 93"OAH	90+	9000	2500	LED DIM ⓘ
B	E24321	BKGLD, WTGLD	3 x 14W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 49"H, 93"OAH	90+	3500	1500	LED DIM ⓘ

Finish Options: Black/Gold (BKGLD) White/Gold (WTGLD)

HOOPLA


- Black or White with Gold finish
- 3000K Color Temperature, CRI 90+
- 120-270V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- ADA Wall Sconce

• Rotated Rings




E24322-BKGLD, -WTGLD
Pendant

A



E24328-BKGLD, -WTGLD
Pendant

B




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E24322 BKGLD, WTGLD	4 x 12W PCB LED 3000K (Inte.)	33"L x 33"W x 5.5"H, 49.5"OAH	90+	4000	1700	LED DIM 1
B	E24328 BKGLD, WTGLD	6 x 15W PCB LED 3000K (Inte.)	47.25"L x 47.25"W x 8"H, 52.25"OAH	90+	9000	3300	LED DIM 1

Finish Options: Black/Gold (BKGLD) White/Gold (WTGLD)





E24320-BKGLD, -WTGLD
Wall Mount

C




E24326-BKGLD, -WTGLD
Pendant

D




E24327-BKGLD, -WTGLD
Pendant

E



E24323-BKGLD, -WTGLD
Semi-Flush Mount

F



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E24320 BKGLD, WTGLD	12W PCB LED 3000K (Inte.)	12"W x 12"H x 2.5"Ext.	10"	90+	1000	600	LED DIM+ DALI+ ADA
D	E24326 BKGLD, WTGLD	4 x 18.5W PCB LED 3000K (Inte.)	33.5"L x 29.5"W x 13.25"H, 134.25"OAH		90+	7000	2800	LED DIM+ ADA
E	E24327 BKGLD, WTGLD	6 x 22W PCB LED 3000K (Inte.)	45.25"L x 37.5"W x 18.5"H, 139"OAH		90+	11000	4500	LED DIM+ ADA
F	E24323 BKGLD, WTGLD	3 x 12W PCB LED 3000K (Inte.)	26"L x 15.75"W x 10.5"H		90+	4000	1800	LED DIM+ DALI+ ADA

Finish Options: Black/Gold (BKGLD) White/Gold (WTGLD)

UNITY

Abstract shapes of stainless steel are finished in Brushed Champagne or Black Chrome and intersect to create an intriguing sculpture of light. Unity provides both art and illumination for those searching for a unique lighting piece.




- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E24613-BC, -BCN
Wall Mount

A



E24617-BC, -BCN
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information
						CRI	INIT. DEL.	
A	E24613	BC, BCN	30W PCB LED 3000K (Integrated)	8"W x 27.25"H x 10.5"Ext.	10.25"	90+	2400 1350	LED DIM DAMP
B	E24617	BC, BCN	54W PCB LED 3000K (Integrated)	14"L x 12.5"W x 63"H, 183"OAH		90+	4320 2430	LED DIM ⓘ

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)


UNITY

- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24618-BC, -BCN
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24618	BC, BCN	64W PCB LED 3000K (Integrated)	69"L x 11.75"W x 15.25"H, 135"OAH	90+	6000	3200	  

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)



E24616-BC, -BCN
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E24616	BC, BCN	50W PCB LED 3000K (Integrated)	55"L x 16.5"W x 12"H, 131.75"OAH	90+	4800	2500	LED DIM ⓘ


Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

YOU

Sections of U shaped channel finished in a rich Brushed Champagne are combined in a cylindrical shape to form this sensational look. Lenses are mounted on the outside for ample light below the fixture and into the room.



- Rich Brushed Champagne finish
- Stainless Steel construction
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24853	BCN	47W PCB LED 3000K (Integrated)	26.25"L x 26.25"W x 11"H, 130"OAH	90+	3276	1880	  

Finish: Brushed Champagne (BCN)

TRAVERSE

Multiple squares finished in Champagne or Black, are layered in a geometric pattern to form an interesting lighting sculpture. Enclosed behind the white acrylic lens is high power LED for even and economical illumination.




TRAVERSE



- Dimmable with Triac Dimmer
- 3000K Color Temperature
- CRI 80+



E21516-BK, -CHP
Pendant



E21515-BK, -CHP
Pendant




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information
A	E21516	BK, CHP	112W PCB LED 3000K (Inte.)	31"L x 31"W x 5.75"H, 127"OAH	80+	7840	5500	LED DIM ↑
B	E21515	BK, CHP	80W PCB LED 3000K (Inte.)	35.5"L x 23.5"W x 6"H, 129"OAH	80+	5600	4000	LED DIM ↑

Finish Options: Black (BK) Champagne (CHP)



TRAVERSE

- Dimmable with Triac Dimmer
- 3000K Color Temperature
- CRI 80+




E21513-BK, -CHP
Flush Mount

A




E21518-BK, -CHP
Flush Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT. DEL.	Additional Information
A	E21513	BK, CHP	80W PCB LED 3000K (Inte.)	35.5"L x 23.5"W x 6.75"H	80+	5600 4000	  
B	E21518	BK, CHP	112W PCB LED 3000K (Inte.)	31"L x 31"W x 6"H	80+	7840 5500	  

Finish Options: Black (BK) Champagne (CHP)



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21511	BK	31W PCB LED 3000K (Inte.)	10"W x 19.75"H x 4.75"Ext.	5"	80+	2170	2120	LED DIM+ WET For Outdoor Use
D	E21519	BK, CHP	147W PCB LED 3000K (Inte.)	67.75"L x 48"W x 4.75"H		80+	10,290	7200	LED DIM+ DMF

Finish Options: Black (BK) Champagne (CHP)

CHIMES

Wide bands of Matte Black metal supports an evenly spaced row of thin tubing finished in your choice of Satin Brass, Satin Nickel or a combination of the two. The stylish design is CCT Selectable enabling you to toggle between warm 2700K to neutral 3000 or 3500K or even go brighter with 4000 and 5000K color temperatures. Marvel at the ring's soft indirect lighting dispersion cast light both up and down and shine along the tubes aglow. High style and function, this fixture's subtle features can transform not only the fixture's appearance but also the space where it is installed.




CHIMES

- Black band supports numerous tubes in your choice of: Satin Brass, Satin Nickel, or combined Satin Nickel/Satin Brass
- **Bluetooth®** enabled **White Tunable Color** Temperatures 2700-5000K, CRI 90+
- Adjustable Color Temperature Selectable Switch
- Toggle between 2700-3000-3500-4000-5000K Color Temperatures



CCT SWITCH



E34207-BKSBR, -BKSN, -BKSNBSR

E34257-BKSBR, -BKSN

Pendant

A



BKSBR



BKSN



BKSNBSR

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A E34207	BKSN, BKSBR, BKSNBSR	73W LED 2700-5000K (Inte.)	33.75"Lx33.75"Wx15"H, 56"OAH	90+ 7000 2500	LED DIM (90°) WHITE
A E34257	BKSBR, BKSN	73W LED 2700-3000-3500-4000-5000K (Inte.)	33.75"Lx33.75"Wx15"H, 56"OAH	90+ 5110 2500	LED DIM (90°) CCT

Finish Options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNBSR)

CHIMES

- Black band supports numerous tubes in your choice of: Satin Brass, Satin Nickel, or combined Satin Nickel/Satin Brass
- **Bluetooth®** enabled **White Tunable Color** Temperatures 2700-5000K, CRI 90+
- Adjustable Color Temperature Selectable Switch
- Toggle between 2700-3000-3500-4000-5000K Color Temperatures



E34205-BKSBR, -BKSN, -BKSNSBR

E34255-BKSBR, -BKSN

Pendant

A


	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E34205	BKSN, BKSBR, BKSNSBR	53W LED 2700-5000K (Inte.)	23.75"Lx23.75"W x 15"H, 56"OAH	90+	4900	1600	
A	E34255	BKSBR, BKSN	53W LED 2700-3000-3500-4000-5000K (Inte.)	23.75"Lx23.75"W x 15"H, 56"OAH	90+	3710	1600	

Finish Options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR) Black/Satin Nickel/Satin Brass (BKSNSBR)



E34251-BKSBR, -BKSN 
Wall Mount

B



B	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
	E34251	BKSBR, BKSN	17W LED 2700-3000-3500-4000-5000K (Inte.)	14"W x 15"H x 7"Ext.	7.5"	90+	1190	500	    

Finish Options: Black/Satin Nickel (BKSN) Black/Satin Brass (BKSBR)

GROOVE


Our best-selling simple LED integrated rings formed out of aluminum channel. Available in your choice of Matte Black or Brushed Gold, these modern staples of lighting design are enhanced by a recessed LED downlight that is enabled with CCT Selectable features. Select from 5 color temperature settings from warm 2700K to a bright 5000K. Enable smart features when choosing the Connected by WiZ options. Users can tune the color temperature, set lighting schedules and routines, and freely adjust the temperature of the lighting to match their interiors or set a mood.



GROOVE




E22720-BK, -GLD
E52720-AL, -BK, -GLD
 Flush Mount



- Diameters up to 40"
- Smart Life app recommended
- Dimmable with Triac wall or Bluetooth enabled device
- White Adjustable CCT 2700K – 6000K
- Adjustable Color Temperature Selectable Switch
- Toggle between 2700-3000-3500-4000-5000K Color Temperatures



E22729-BK, -GLD
E52729-AL, -BK, -GLD
 Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22720	BK, GLD	27W LED 2700-6000K (Inte.)	24.5"L x 24.5"W x 3.25"H	90+	1890	800	
A	E52720	AL, BK, GLD	27W LED 2700-3000-3500-4000-5000K (Inte.)	24.5"L x 24.5"W x 3.25"H	90+	1890	1100	
B	E22729	BK, GLD	160W LED 2700-5000K (Inte.)	40"L x 40"W x 36.5"H, 123.5"OAH	90+	11,200	5000	
B	E52729	AL, BK, GLD	160W LED 2700-3000-3500-4000-5000K (Inte.)	40"L x 40"W x 36.5"H, 123.5"OAH	90+	11,200	7000	

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)




GROOVE



- Diameters up to 40"
- Smart Life app recommended
- Dimmable with Triac wall or Bluetooth enabled device
- White Adjustable CCT 2700K – 6000K
- Adjustable Color Temperature Selectable Switch
- Toggle between 2700-3000-3500-4000-5000K Color Temperatures




E22726-BK, -GLD
E52726-AL, -BK, -GLD
Pendant



E22724-BK, -GLD
E52724-AL, -BK, -GLD
Pendant



E22728-BK, -GLD
E52728-AL, -BK, -GLD
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					CRI	INIT.	DEL.		
A	E22724	BK, GLD	27W LED 2700-6000K (Inte.)	24"L x 24"W x 1.25"H, 123.5"OAH	90+	1890	800	LED	WIFI + BLE
A	E52724	AL, BK, GLD	27W LED 2700-3000-3500-4000-5000K (Inte.)	24"L x 24"W x 1.25"H, 123.5"OAH	90+	1890	1100	LED	CCT
B	E22726	BK, GLD	35W LED 2700-6000K (Inte.)	32"L x 32"W x 1.25"H, 123.5"OAH	90+	2450	1000	LED	WIFI + BLE
B	E52726	AL, BK, GLD	35W LED 2700-3000-3500-4000-5000K (Inte.)	32"L x 32"W x 1.25"H, 123.5"OAH	90+	2450	1400	LED	CCT
C	E22728	BK, GLD	41W LED 2700-6000K (Inte.)	40"L x 40"W x 1.25"H, 123.5"OAH	90+	2870	1200	LED	WIFI + BLE
C	E52728	AL, BK, GLD	42W LED 2700-3000-3500-4000-5000K (Inte.)	40"L x 40"W x 1.25"H, 123.5"OAH	90+	2940	1600	LED	CCT

Finish Options: Aluminum (AL) Black (BK) Gold (GLD)



LARMES

A simple idea gracefully executed in the Larmes collection. Row upon row of Clear oversized teardrops, mounted onto an extended Polished Chrome lamp holder that supports xenon lamps, sets the stage. Individually adjustable drops for custom stagger effects allow for dramatic impact. An added benefit of each drop being aircraft cable-suspended, is the ability to adjust the overall height of the piece to fit the space. The final result is stark and stunning.




LARMES

- Clear teardrop glass
- Electronic Low Voltage Dimmer
- 3000K Color Temperature




E20118-18
Pendant

A



E23111-18
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS INIT. DEL.	Additional Information
A	E20118	18	24 x 1.5W G4 LED 3000K (Incl.)	37.5"L x 14"W x 8"H, 66"OAH	4320 3600	LED DIM
B	E23111	18	1 x 1.5W G4 LED 3000K (Incl.)	4.5"W x 8"H, 138"OAH	180 150	LED DIM

Finish: Clear glass (18)

ORB II

We took this popular collection and made it better. We took the xenon bulb out of the middle and enclosed a LED module in the cast Polished Chrome cap that supports the clear bubble glass balls. The glass screws into the cap so there are no visible screws for a very clean look.




ORB II


- Polished chrome and bubble glass pendants
- 3000K Color Temperature, CRI 80+
- Dimmable with CL Triac Dimmer



E24269-91PC
Pendant
A



E24264-91PC
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24269	91PC	9 x 5W PCB LED 3000K (Integrated)	21.75"W x 4.5"H, 126.5"OAH	80+	3150	3600	LED DIM 1 3A4W
B	E24264	91PC	5 x 5W PCB LED 3000K (Integrated)	15.5"W x 4.5"H, 126.5"OAH	80+	1925	1820	LED DIM 1 3A4W


Finish: Bubble glass (91) Polished Chrome (PC)

ORB II

- Polished chrome and bubble glass pendants
- 3000K Color Temperature, CRI 80+
- Dimmable with CL Triac Dimmer



E24266-91PC
Pendant
A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E24266	91PC	10 x 5W PCB LED 3000K (Integrated)	33.75"L x 11"W x 4.5"H, 126.5"OAH	80+	3850	3650



Finish: Bubble glass (91) Polished Chrome (PC)




E24263-91PC
Pendant



E24261-91PC
Pendant



E24260-91PC
Wall Mount



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24263	91PC	3 x 5W PCB LED 3000K (Integrated)	11.5"W x 4.5"H, 126.5"OAH		80+	1155	1090	LED DIM I QAMP
C	E24261	91PC	1 x 5W PCB LED 3000K (Integrated)	5.5"W x 4.5"H, 126.5"OAH		80+	385	395	LED DIM I QAMP
D	E24260	91PC	1 x 5W PCB LED 3000K (Integrated)	6"W x 6"H x 6.25"Ext.	3"	80+	385	365	LED DIM FULL I QAMP

Finish: Bubble glass (91) Polished Chrome (PC)

HALF MOON

Spun metal semi spheres finished in Metallic Gold or matte Black, cap a Satin White glass shade. Installed in each fixture is an omni-directional LED bulb which evenly illuminates the glass while providing long life operation.




HALF MOON

- Available in Metallic Gold or Black finishes
- Satin White Glass Shade
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- JA8 LED Bulb Included



E20363-92BK, -92MG
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E20363	92BK, 92MG	3 x 9W MB LED 3000K (Incl.)	30.25"L x 7.75"W x 8.5"H, 130.25"OAH	90+	1890	1350	LED DIM+ ⓘ 24 JA8 Bulb Incl.

Finish Options: Satin White glass (92) Black (BK) Metallic Gold (MG)


HALF MOON

- Available in Metallic Gold or Black finishes
- Satin White Glass Shade
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- JA8 LED Bulb Included




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20364	92BK, 92MG	3 x 9W MB LED 3000K (Incl.)	16.5"L x 16.5"W x 8.5"H, 130.25"OAH	90+	1890	1270	LED DIM ⓘ 120 JA8 Bulb Incl.
B	E20366	92BK, 92MG	1 x 12W MB LED 3000K (Incl.)	11.75"L x 11.75"W x 12.25"H, 135"OAH	90+	840	830	LED DIM ⓘ 120 JA8 Bulb Incl.


Finish Options: Satin White glass (92) Black (BK) Metallic Gold (MG)



E20361-92BK, -92MG
Pendant



E20369-92BK, -92MG
Wall Mount



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
C	E20361	92BK, 92MG	1 x 9W MB LED 3000K (Incl.)	7.75"L x 7.75"W x 8.5"H, 131.25"OAH	90+	630	570	LED DIM 1 JA8 Bulb Incl.
D	E20369	92BK, 92MG	1 x 9W MB LED 3000K (Incl.)	7.75"W x 7.75"H x 9.25"Ext.	2.25"	90+	630	580 LED DIM DIMP JA8 Bulb Incl.

Finish Options: Satin White glass (92) Black (BK) Metallic Gold (MG)

AXLE

Suspended by an axle of Gold pins, a Clear glass orb is illuminated with a sleek continuing line of evenly diffused LED in a white acrylic cylinder. The elongated nature of the Gold metalwork is elegantly vertical in size with a pop of playful interest and light. Available as a hanging pendant or oversized wall sconce, the dramatic two-tone design provides interest and functional light.




- Plated Gold finish
- Clear glass
- Innovative LED tube encased in white glass
- CRI 90+, 3000K
- Dimmable with both Triac and Electric Low Voltage Dimmers
- Available as a hanging pendant and large sized wall sconce




E11040-24GLD
Pendant

A



E11041-24GLD
Wall Mount

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E11040	24GLD	11.2W PCB LED 3000K (Inte.)	8"L x 8"W x 22"H, 144"OAH		90+	1050	950	  
B	E11041	24GLD	10W PCB LED 3000K (Inte.)	8"W x 15.75"H x 9"Ext.	8"	90+	900	720	  

Finish: Clear glass (24) Glod (GLD)

NUCLEUS

Thick clear glass orbs suspend elegantly, each encasing a small aluminum sphere within. Discreetly recessed, dedicated LEDs provide ample, glare-free illumination. The multi-light pendants feature three orb sizes branching from a central structural column, which also includes a direct downward-facing LED. A striking black and satin brass combination adds sophistication, making these atomically inspired fixtures bold statement pieces.




NUCLEUS

- Two tone Black and Natural Aged Brass finish
- Blown clear glass spherical shades
- Dedicated LED light source
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers



E25158-BKNAB
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25158	BKNAB	5 x 8W PCB LED 3000K (Inte.)	23.75"L x 23.75"W x 38.5"H, 83.25"OAH	90+	2400	2800	LED DIM ⓘ

Finish: Black/Natural Aged Brass (BKNAB)


NUCLEUS

- Two tone Black and Natural Aged Brass finish
- Blown clear glass spherical shades
- Dedicated LED light source
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers




E25151-BKNAB
Wall Mount

A




E25150-BKNAB
Flush Mount

B



E25156-BKNAB
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
A	E25151	BKNAB	8W PCB LED 3000K (Inte.)	7"W x 12.75"H x 9"Ext.	4"	90+	480	560	LED DIM DIMP
B	E25150	BKNAB	10W PCB LED 3000K (Inte.)	9"L x 9"W x 12.25"H		90+	600	700	LED DIM
C	E25156	BKNAB	30W PCB LED 3000K (Inte.)	26"L x 25"W x 32"H, 77.25"OAH		90+	1800	2100	LED DIM I


Finish: Black/Natural Aged Brass (BKNAB)



E25152-BKNAB

Pendant



D



E25153-BKNAB

Pendant


E



E25154-BKNAB

Pendant

F




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
D	E25152	BKNAB	8W PCB LED 3000K (Inte.)	7"L x 7"W x 7.75"H, 53"OAH	90+	480	560	LED DIM Y (90°)
E	E25153	BKNAB	10W PCB LED 3000K (Inte.)	9"L x 9"W x 9"H, 55"OAH	90+	600	700	LED DIM Y (90°)
F	E25154	BKNAB	12W PCB LED 3000K (Inte.)	11"L x 11"W x 11"H, 57"OAH	90+	720	840	LED DIM Y (90°)

Finish: Black/Natural Aged Brass (BKNAB)

NEWTON

Clear apple shaped glass rest on machined aluminum fonts finished in Satin Brass with integrated LED for even illumination without the glare. The large scale 25 light comes pre-arranged for ease of installation and is perfect for that tall ceiling application.




NEWTON

- Two-tone Black and Gold finish
- Large scale multi-pendant lights
- 3000K Color Temperature, CRI 80+



E24169-18BKGLD
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24169	18BKGLD	25 x 2.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 5.75"H, 128"OAH	80+	4375	3245	  

Finish: Clear glass (18) Black/Gold (BKGLD)

NEWTON

- Two-tone Black and Gold finish
- Large scale multi-pendant lights
- 3000K Color Temperature, CRI 80+




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24167	18BKGLD	12 x 2.5W PCB LED 3000K (Integrated)	27.5"L x 27.5"W x 5.75"H, 128"OAH	80+	2100	1650	  


Finish: Clear glass (18) Black/Gold (BKGLD)



E24165-18BKGLD
Pendant



E24162-18BKGLD
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E24165	18BKGLD	8 x 2.5W PCB LED 3000K (Integrated)	38.5"L x 10.5"W x 5.75"H, 127.75"OAH	80+	1400	1045	LED DIM Y
C	E24162	18BKGLD	1 x 9W PCB LED 3000K (Integrated)	8.75"L x 8.75"W x 10.25"H, 131.75"OAH	80+	630	500	LED DIM Y

Finish: Clear glass (18) Black/Gold (BKGLD)

MERMAID

This unique collection features pendants constructed of two separate pieces inserted inside each other. The matte Black outer shade is bevel cut in an opposing direction of the inner Metallic Gold shade. The inner shade can rotate to give a different look and a frosted glass pane softly diffuses the recessed LED source.




MERMAID

- Separated shades are adjustable
- Two tone matte Black and Metallic Gold finish
- LED diffuser
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21448-BKMG
Pendant

A




INNER SHADE
CAN ROTATE



E21441-BKMG
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21448	BKMG	12W PCB LED 3000K (Integrated)	9.75"L x 8.75"W x 18.25"H, 140.5"OAH	80+	960	469	LED DIM ⓘ
B	E21441	BKMG	7.2W PCB LED 3000K (Integrated)	4.75"L x 4.75"W x 9.25"H, 131.25"OAH	80+	504	330	LED DIM ⓘ

Finish: Black/Metallic Gold (BKMG)

DIAPHANE

Hexagonal tubes of various lengths support blocks of naturally translucent rock crystal. Each stone varies in diaphaneity making a unique display of refracted light. Available in a plated soft Gold or Matte Black, this luxurious LED pendant light cluster and coordinating wall sconce accentuates the beauty of the natural quartz material.



DIAPHANE


- Available in Gold or matte Black finishes
- Natural rock crystal diffusers vary in pattern
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature



E11032-95BK, -95GLD
Pendant


A

NATURAL ROCK
CRYSTAL



E11030-95BK, -95GLD
Wall Mount

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
A	E11032	95BK, 95GLD	12 x 5W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 23.75"H, 147"OAH	90+	5200	4200	LED DIM DALI
B	E11030	95BK, 95GLD	1 x 5W PCB LED 3000K (Inte.)	4.75"W x 15.75"H x 4.5"Ext.	3.5"	90+	400 240	LED DIM DALI ADA

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

DIAPHANE

- Available in Gold or matte Black finishes
- Natural rock crystal diffusers vary in pattern
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature



E11023-95BK, -95GLD
Pendant

A



E11029-95BK, -95GLD
Pendant

B


ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E11023	95BK, 95GLD	3 x 5W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 23.75"H, 147"OAH	90+	1200	540	LED DIM Y
B E11029	95BK, 95GLD	9 x 5W PCB LED 3000K (Inte.)	15"L x 15"W x 32.5"H, 147"OAH	90+	4000	3860	LED DIM Y

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)




E11020-95BK, -95GLD
Pendant

C




E11021-95BK, -95GLD
Pendant

D



E11022-95BK, -95GLD
Pendant

E



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E11020	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 15.75"H, 133.75"OAH	90+	450	300	LED DIM
D	E11021	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 19.75"H, 137.75"OAH	90+	450	300	LED DIM
E	E11022	95BK, 95GLD	5W PCB LED 3000K (Inte.)	1.5"W x 23.75"H, 141.75"OAH	90+	450	300	LED DIM

Finish Options: Rock crystal (95) Black (BK) Gold (GLD)

STILLO

The classic teardrop glass shade is elevated in a luxurious collection of pendant configurations using substantially dense glass that are hand blown in elongated forms and curated into various color combinations. Suspended within the long, slender glass is a similarly long and slender socket to illuminate an energy efficient LED G4 lamp at the base of the glass. The slender tube running within the glass also supports the glass with elegantly flat thumb screws in coordinating finishes. Choose from Matte Black metal with Mirror Smoked glass for a moodier ambience, crystal Clear glass that accentuates the thickness of the glass walls paired with transitional Satin Nickel metalwork, or celebrate the design with effervescent Bubble glass and plated Gold metalwork.




STILLO

- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature



HAND BLOWN
ELONGATED GLASS

E24219-138BK, -118GLD, -122SN
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E24219	138BK, 118GLD, 122SN	18 x 1.5W G4 LED 3000K (Incl.)	25.5"L x 25.5"W x 18"H, 137.5"OAH	80+	3600	2700	  

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)



STILLO

- Thick glass shades are Hand Blown in organic teardrop shapes
- Available in a variety of coordinating finish combinations: Satin Nickel with Crystal Clear glass, Matte Black with Mirror Smoked glass, or plated Gold with fizzy Bubble glass
- Dimmable low-voltage LED G4 lamps provided
- Neutral White 3000K Color Temperature



E24217-138BK, -122SN
Pendant

A


ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24217	138BK, 122SN	9 x 1.5W G4 LED 3000K (Incl.)	16.25"L x 16.25"W x 18"H, 137.5"OAH	80+	1800	1350	LED DIM ⓘ

Finish Options: Clear Crystal (122) Smoke glass (138) Black (BK) Satin Nickle (SN)




E24213-138BK, -118GLD, -122SN
Pendant

B



E24211-138BK, -118GLD, -122SN
Pendant

C




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E24213	138BK, 118GLD, 122SN	3 x 1.5W G4 LED 3000K (Incl.)	10"L x 10"W x 18"H, 137.5"OAH	80+	600	450	LED DIM ⓘ
C	E24211	138BK, 118GLD, 122SN	1 x 1.5W G4 LED 3000K (Incl.)	5.25"L x 5.25"W x 18"H, 137.5"OAH	80+	200	150	LED DIM ⓘ

Finish Options: Champagne Bubble glass (118) Clear Crystal (122) Smoke glass (138) Black (BK) Gold (GLD) Satin Nickle (SN)



HOVER


Minimalist batons of extruded Black aluminum are fitted with V shaped acrylic diffusers for a wider beam of light. They can be arranged in numerous configurations allowing creativity and design of your own unique sculpture.



- 8-Light Vertical Pendant
- 24" Adjustable Wall Light
- Mounting is made according to switch junction box sizes with an additional cover plate included
- On/Off switch at plate



E21379-BK
Pendant
A




E21377-BK
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E21379	BK	184W PCB LED 3000K (Inte.)	28"L x 28"W x 1.5"H, 148.25"OAH	90+ 12,880 8200	
B	E21377	BK	51W PCB LED 3000K (Inte.)	18.25"L x 18"W x 18.25"H, 140.5"OAH	90+ 3000 2000	

Finish: Black (BK)

HOVER



- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+



E21378-BK
Pendant
A




E21375-BK
Pendant
B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E21378	BK	108W PCB LED 3000K (Integrated)	27.75"L x 27.75"W x 46.5"H, 126.75"OAH	80+	7560 4860	
B	E21375	BK	96W PCB LED 3000K (Integrated)	47.5"L x 47.5"W x 17.25"H, 123.25"OAH	80+	6720 4320	

Finish: Black (BK)



E21371-BK
Pendant

C



E21372-BK
See page 339 for Wall Mounts

D



E21376-BK
Pendant

E

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
C	E21371	BK	20W PCB LED 3000K (Inte.)	47.5"L x 17.25"H, 123"OAH		80+	1400	1100	LED DIM Y
D	E21372	BK	15.6W PCB LED 3000K (Inte.)	24"W x 4.75"H x 4.25"Ext.	3.75"	90+	1100	750	LED DIM DAMP ROTATE
E	E21376	BK	68W PCB LED 3000K (Inte.)	61"L x 11.75"W x 28"H, 123.25"OAH		80+	4760	3060	LED DIM Y

Finish: Black (BK)

REEDS

A refined play of texture and proportion, this series juxtaposes vertically fluted aluminum housings with linear reeded glass tubes. Offered in Gold or Matte Black finishes, each form integrates frosted glass diffusers that soften the powerful LED illumination within. Designed for architectural flexibility, the collection includes ADA-compliant sconces, a minimalist stem-hung GU10 pendant, adjustable GU10 spotlights, and an additional flush mount. Universal dimming and commercial-grade drivers make it ideal for elevated residential, hospitality, or decorative commercial settings.




REEDS

- Available in Gold or matte Black finishes
- Stem hung single pendants feature elongated housings, no glass, and LED GU10 lamping that is included
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Refer to SKU for dimmer compatibility
- Range voltage input 120-277V options with universal 3-in-1 dimming
- Additional The Reeds Flush Mount adds versatility to the original design with a ceiling application
- Additional adjustable spotlight with replaceable LED

REEDED GLASS
WITH INTERIOR
FROSTED TUBE



E11019-144BK, -144GLD
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E11019	144BK, 144GLD	12 x 5W PCB LED 3000K (Inte.)	20.75"L x 20.75"W x 17"H, 137"OAH	90+	4800	2880	   120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)


REEDS

- Available in Gold or matte Black finishes
- Stem hung single pendants feature elongated housings, no glass, and LED GU10 lamping that is included
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Refer to SKU for dimmer compatibility
- Range voltage input 120-277V options with universal 3-in-1 dimming
- Additional The Reeds Flush Mount adds versatility to the original design with a ceiling application
- Additional adjustable spotlight with replaceable LED



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11013	144BK, 144GLD	3 x 5W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 17"H, 137"OAH	90+	1200	720	LED DIM 120-277V input
B	E11015	144BK, 144GLD	5 x 5W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 17"H, 137"OAH	90+	2000	1800	LED DIM 120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
C	E11011	144BK, 144GLD	1 x 5W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 17"H, 137"OAH		90+	400 240	   120-277V input
D	E11012	BK, GLD	1 x 7W GU10 LED 3000K (Incl.)	2.25"L x 2.25"W x 17.75"H, 62.5"OAH		90+	450 360	   120V input
E	E11014	144BK, 144GLD	1 x 5W PCB LED 3000K (Inte.)	4.75"W x 8.5"H		90+	450 320	   120-277V input
F	E11016	144BK, 144GLD	1 x 7W GU10 LED 3000K (Incl.)	4.75"W x 9.25"H x 3.5"Ext.	8.75"	90+	450 360	    120V input
G	E11010	144BK, 144GLD	1 x 5W PCB LED 3000K (Inte.)	5"W x 16"H x 3.75"Ext.	2.75"	90+	400 240	    120-277V input

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD)

PIERCE

An elongated profile with piercing statement, this series of pendants feature thin black wires that support a tapered metal pendant. Recessed in this form is a high powered LED that illuminates a brilliantly faceted crystal element with etched details inside its form to capture light and enhance its beauty. Available in Gold or Matte Black, the design complements both modern and many transitional interiors. A coordinating ADA compliant wall sconce was designed with a rigid stem for public spaces and has been sealed for use in damp locations.




PIERCE

- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E24230-122BK, -122GLD
Chandelier

A



E24221-122BK, -122GLD
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E24230	122BK, 122GLD	16 x 3W PCB LED 3000K (Inte.)	24.75"L x 24.75"W x 19"H, 140.75"OAH	90+ 2200 1150	LED DIM ⓘ
B	E24221	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"L x 2.25"W x 19"H, 141"OAH	90+ 350 220	LED DIM ⓘ

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)

PIERCE

- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24225-122BK, -122GLD
Pendant
A



E24229-122BK, -122GLD
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24225	122BK, 122GLD	5 x 3W PCB LED 3000K (Inte.)	13"L x 13"W x 19"H, 141"OAH	90+	1050	560	LED DIM ↑
B	E24229	122BK, 122GLD	12 x 3W PCB LED 3000K (Inte.)	24.75"L x 24.75"W x 19"H, 141"OAH	90+	2200	1060	LED DIM ↑

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)




E24227-122BK, -122GLD
Pendant

C



E24220-122BK, -122GLD
ADA Compliant Wall Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
C	E24227	122BK, 122GLD	9 x 3W PCB LED 3000K (Inte.)	19"L x 19"W x 19"H, 141"OAH		80+	1500	800	LED DIM I
D	E24220	122BK, 122GLD	1 x 3W PCB LED 3000K (Inte.)	2.25"W x 20.75"H x 4"Ext.	2.25"	80+	350	220	LED DIM ADA

Finish Options: Clear Crystal (122) Black (BK) Gold (GLD)

QUARTZ

Stalactites of Clear Beveled crystal suspend from your choice of Polished Chrome or Black supports which can be hung at various heights to create a spectacular array. The crystal shimmers as light diffuses through the facets powered by 90 CRI LED dimmable modules.




QUARTZ

- Available in Polished Chrome or matte Black
- Driverless LED modules
- Custom Beveled K9 Crystal fonts
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




E31244-20BK, -20PC
Pendant

A



E31247-20BK, -20PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E31244	20BK, 20PC	5 x 6W LED 3000K (Integrated)	15.75"L x 15.75"W x 21"H, 142"OAH	90+	2800	2380	LED DIM ①
B	E31247	20BK, 20PC	10 x 6W LED 3000K (Integrated)	20"L x 20"W x 21"H, 142"OAH	90+	5600	4760	LED DIM ①

Finish Options: Crystal (20) Black (BK) Polished Chrome (PC)


QUARTZ

- Available in Polished Chrome or matte Black
- Driverless LED modules
- Custom Beveled K9 Crystal fonts
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




E31242-20BK, -20PC
Pendant

A




E31241-20BK, -20PC
Pendant

B



E31243-20BK, -20PC
Pendant

C




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E31242	20BK, 20PC	1 x 6W LED 3000K (Integrated)	4.75"L x 4.75"W x 15.75"H, 138.25"OAH	90+	560	480	  
B	E31241	20BK, 20PC	1 x 6W LED 3000K (Integrated)	4.75"L x 4.75"W x 21"H, 142"OAH	90+	560	480	  
C	E31243	20BK, 20PC	3 x 6W LED 3000K (Integrated)	13"L x 13"W x 21"H, 142"OAH	90+	1680	1428	  

Finish Options: Crystal (20) Black (BK) Polished Chrome (PC)



E31240-20BK, -20PC
Wall Mount

D



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional	
				HCO	CRI	INIT.	DEL.
D E31240	20BK, 20PC	1 x 6W LED 3000K (Integrated)	4.75"W x 14.5"H x 5"Ext.	7.25"	90+	560	480



Finish Options: Crystal (20) Black (BK) Polished Chrome (PC)

TORCH

Machined Aluminum tubes of Black, Polished Chrome, or Brass suspend within clear glass overlays. An LED GU10 bulb is recessed within the metal tube providing great directional lighting. Available as a single pendant and compatible with the 120V canopy kits sold separately.




TORCH

- Available in 3 finishes: Satin Brass, matte Black, and Polished Chrome
- Clear glass shade overlays
- JA8 Compliant LED GU10 bulb included
- CRI 90+, 3000K



E11000-24BK, -24PC, -24SBR
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E11000	24BK, 24PC, 24SBR	1 x 7W GU10 LED 3000K (Incl.)	2.5"W x 14.75"H, 136"OAH	90+	700	450	LED, E11000, 124, Energy Star

Finish Options: Clear glass (24) Black (BK) Polished Chrome (PC) Satin Brass (SBR)



FIZZ IV

Introducing the new and improved version of our previous Fizz II. The new version features a ceramic base LED from LG. With 30% greater light output and dimming capability, the new Fizz IV sets the standard in contemporary illumination.




FIZZ IV


- Bubble glass cylinders
- 3000K Color Temperature
- Dimmable with Triac dimmers




E22771-91PC
Pendant



E22775-91PC
Pendant



E22770-91PC
Wall Mount



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E22771	91PC	1 x 7.5W LED 3000K (Integrated)	6"W x 12"H, 132"OAH		80+	525	260	LED DIM ⓘ
B	E22775	91PC	5 x 7.5W LED 3000K (Integrated)	14"W x 12"H, 134"OAH		80+	2625	1310	LED DIM ⓘ
C	E22770	91PC	1 x 7.5W LED 3000K (Integrated)	6"W x 14"H x 6.25"Ext.	7"	80+	525	260	LED DIM ⓘ

Finish: Bubble glass (91) Polished Chrome (PC)




PERPETUAL

Sweeping lines curve and curl in a continuous motion, finished in a rich Brushed Champagne or Black Chrome. Not just a lighting fixture but a sculptural work of art. Gentle illumination moves in all directions for a dramatic lighting effect.



PERPETUAL

- Brushed Champagne or Black Chrome finish
- Dimmable with ELV dimmers
- Stainless steel construction



E20456-BC, -BCN
Pendant

A



E20455-BCN
Pendant

B



E20454-BC, -BCN
Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20456	BC, BCN	63W PCB LED 3000K (Inte.)	46"L x 27.25"W x 20.25"H, 140.25"OAH	90+	4410	2520	LED DIM ⓘ
B	E20455	BCN	43W PCB LED 3000K (Inte.)	37"L x 14.25"W x 15.75"H, 135.25"OAH	90+	3190	1800	LED DIM ⓘ
C	E20454	BC, BCN	45W PCB LED 3000K (Inte.)	32"L x 32"W x 16.5"H, 136.5"OAH	90+	3150	1800	LED DIM ⓘ

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

PLANETARY

In a galaxy of light, ribbed and tinted glass is supported by swooping arcs of circular tubes. The Gold frame supports glass globe shades colored in Amber and Smoke tints that encase LED lamps provided. The single pendant has an over-sized spiraling glass shade in either Amber or Smoke, with a dome of light within and Matte Black components. Two configurations of wall sconces pair perfectly with the collection.




PLANETARY

- Finished in a Gold powder coat
- Combination of Smoke Grey and Amber Ribbed Glass
- LED G9 Lamps included



E24187-148GLD
Linear Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24187	148GLD	8 x 3W G9 LED 3000K (Incl.)	43.5"L x 13"W x 13.25"H, 133"OAH	90+	2400	2080	
Finish: Multi-Color glass (148) Gold (GLD)							

PLANETARY

- Finished in a Gold powder coat
- Combination of Smoke Grey and Amber Ribbed Glass
- LED G9 Lamps included



E24188-148GLD
Chandelier
A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24188	148GLD	8 x 3W G9 LED 3000K (Incl.)	33.75"L x 33.75"W x 12.75"H, 130"OAH	90+	2400	1600	LED DIM ⓘ

Finish: Multi-Color glass (148) Gold (GLD)




E24182-148GLD
Wall Mount

B



E24181-138GLD
Wall Mount

C




-05 Amber

-138 Smoke

E24189-05BK, -138BK
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
B	E24182	148GLD	2 x 3W G9 LED 3000K (Incl.)	11.5"W x 10.5"H x 10"Ext.	3.5"	90+	600	400	LED DIM DIMP
C	E24181	138GLD	1 x 3W G9 LED 3000K (Incl.)	6.25"W x 9.5"H x 7.25"Ext.	3"	90+	300	260	LED DIM DIMP
D	E24189	05BK, 138BK	1 x 11W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 10.5"H, 132"OAH		90+	800	720	LED DIM ⓘ

Finish Options: Amber glass (05) Smoke glass (138) Multi-Color glass (148) Black (BK) Gold (GLD)



BURST

Clusters of glass globes in various sizes and color are suspended from a central point and burst outward. Configurations include a 9-Light, 12-Light, and 20-Light cluster and can be mounted close to the ceiling or included down rods to extend the height. Choose from options of Clear or Frosted glass globe clusters paired with Satin Nickel frames for an airy transitional design or be bold with Mirror Smoked glass or a varied combination of the glass including amber tinted suspended on a Matte Black frame with thin black cables. Small-scaled LED G4 lamps are included with the fixtures and centered in the glass accentuating the scale of the glass.



BURST

- Clusters of threaded glass spheres in multiple sizes and finishes
- Clear, Frosted, Smoked, and Amber tinted glass options
- Low-voltage LED G4 lamp in 3000K Color Temperature included
- Additional down rods can be eliminated for closer to ceiling installations
- Dimmable with ELV dimmers



E25088-18BK, -18GLD, -54BK, -54GLD, -142BK, -142GLD, **-148BK**, -148GLD
Pendant

A



-18 Clear



-54 Translucent Frost



-142 Smoke



-148 Multi-Color

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25088	18BK, 18GLD, 54BK, 54GLD, 142BK, 142GLD, 148BK, 148GLD	20 x 1.8W G4 LED 3000K (Incl.)	35.25"L x 35.25"W x 59.25"H, 103"OAH	90+	3600	2520	LED DIM ⓘ


Finish Options: Clear glass (18) Translucent Frost glass (54) Smoke glass (142) Multi-Color glass (148)
Black (BK) Gold (GLD)



BURST

- Clusters of threaded glass spheres in multiple sizes and finishes
- Clear, Frosted, Smoked, and Amber tinted glass options
- Low-voltage LED G4 lamp in 3000K Color Temperature included
- Additional down rods can be eliminated for closer to ceiling installations
- Dimmable with ELV dimmers

Mount Without Stems For Shorter Height




E25089-18BK, -18GLD, -18SN, -54BK, -54GLD, -54SN, -142BK, -142GLD, -142SN, **-148BK**, -148GLD
Pendant

A

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25089	18BK, 18GLD, 18SN, 54BK, 54GLD, 54SN, 142BK, 142GLD, 142SN, 148BK, 148GLD	12 x 1.8W G4 LED 3000K (Incl.)	27"L x 27"W x 47.25"H, 91.25"OAH	80+	2160	1750	LED DIM ⓘ

Finish Options: Clear glass (18) Translucent Frost glass (54) Smoke glass (142) Multi-Color glass (148)
Black (BK) Gold (GLD) Satin Nickel (SN)



E25087-18BK, -18GLD, -18SN, -54BK, -54GLD, -54SN, -142BK, -142GLD, -142SN, -148BK, -148GLD
Pendant

B

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E25087	18BK, 18GLD, 18SN, 54BK, 54GLD, 54SN, 142BK, 142GLD, 142SN, 148BK, 148GLD	9 x 1.8W G4 LED 3000K (Incl.)	19.75"L x 19.75"W x 43.25"H, 87.25"OAH	80+	1620	1300	LED DIM I

Finish Options: Clear glass (18) Translucent Frost glass (54) Smoke glass (142) Multi-Color glass (148)
Black (BK) Gold (GLD) Satin Nickel (SN)


GLOBAL

An airy configuration of Clear blown glass globe shades in various sizes suspend on thin low voltage wires. Thin tubes finished in Black or Gold descend into the center of the globes where a small G4 LED lamp provides a spark of light.



E25077-18BK, -18NAB
Pendant


A




- Clear Glass Globes
- Available in Matte Black or Gold
- 12V low-voltage LED G4 lamps included
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E25073-18BK, -18NAB
Pendant
B



E25071-18BK, -18NAB
Pendant
C



E25079-18BK, -18NAB
Pendant
D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25077	18BK, 18NAB	9 x 1.8W G4 LED 3000K (Incl.)	22.5"L x 22.5"W x 8"H, 129.5"OAH	90+	1620	1580	LED DIM UP
B	E25073	18BK, 18NAB	3 x 1.8W G4 LED 3000K (Incl.)	11.5"L x 11.5"W x 8"H, 141.75"OAH	90+	540	520	LED DIM UP
C	E25071	18BK, 18NAB	1 x 1.8W G4 LED 3000K (Incl.)	7"L x 7"W x 8"H, 130"OAH	90+	180	170	LED DIM UP
D	E25079	18BK, 18NAB	10 x 1.8W G4 LED 3000K (Incl.)	41.75"L x 15.5"W x 8"H, 137"OAH	90+	1800	1700	LED DIM UP

Finish: Clear glass (18) Black (BK) Natural Aged Brass (NAB)



PEARL

An artistic and flexible design concept, crystal orbs are illuminated behind curved Naturally Aged Brass shades. The oversized panes are mounted to LED light housings that can rotate to provide either ambient indirect lighting that is directed upwards at the crystal for a glowing effect, or these LEDs can be rotated to shine downward for ample lighting. The two-arm wall sconce has a longer extension in the arm with individual light switches on the backplate to be used for directed task lighting great for bedside applications or creating a space within a room that will serve as task lighting.







SWITCH

E24072-BKNAB
Wall Mount

A




Individually Direct Lightsource
and arms

- Two tone Naturally Aged Brass and matte Black finish
- Oversized swing arm sconces with individual switches at mounting
- K9 clear crystal orb accents
- Individually rotatable shades easily directs light where desired
- LED Integrated, 3000K Color Temperature
- Dimmable with most Triac and ELV dimmers



SHADES ROTATE



E24075-BKNAB
Chandelier

B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E24072	BKNAB	2 x 5W LED 3000K (Inte.)	13"W x 11.75"H x 26.5 "Ext.	6"	90+	1000	650	LED DIM DIMP INCH
B	E24075	BKNAB	6 x 6W LED 3000K (Inte.)	47.25"L x 47.25"W x 22"H, 65.25"OAH		90+	3600	1850	LED DIM INCH

Finish: Black/Natural Aged Brass (BKNAB)

AMULET


Circular bands, like ornaments, descend from thin low voltage cables in a variety of configurations. An evenly diffused LED tube spans the distance of the circular wavy glass shades creating a dazzling lighting effect. A contrasting two-tone Black and Natural Aged Brass finish supports this ornament as seen on the large LED wall sconce.



AMULET

- Clear, Water Glass circular band shades
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility

CLEAR WATER
GLASS



E24035-24BKNAB
Pendant

A

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24035	24BKNAB	5 x 9.5W PCB LED 3000K (Inte.)	20.25"L x 20.25"W x 22"H, 143"OAH	90+	4000	2400	LED DIM ↑

Finish: Clear glass (24) Black/Natural Aged Brass (BKNAB)




AMULET


- Clear, Water Glass circular band shades
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24031-24BKNAB
Pendant
A



E24033-24BKNAB
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24031	24BKNAB	1 x 9W PCB LED 3000K (Inte.)	8"L x 8.5"W x 21.75"H, 143"OAH	90+	800	480	LED DIM ⓘ
B	E24033	24BKNAB	3 x 9.5W PCB LED 3000K (Inte.)	17.5"L x 17.5"W x 22"H, 143"OAH	90+	2400	1440	LED DIM ⓘ


Finish: Clear glass (24) Black/Natural Aged Brass (BKNAB)



E24030-24BKNAB

Wall Mount

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
C	E24030	24BKNAB	1 x 8W PCB LED 3000K (Inte.)	8.5"W x 5"H x 10"Ext.	4"	90+	640	400	  

Finish: Clear glass (24) Black/Natural Aged Brass (BKNAB)

MOONSCAPES

A triumph of scale, craft, and light, Moonscapes transforms celestial inspiration into a breathtaking installation. Monumental in form yet ethereal in presence, each irregularly shaped panel evokes the cratered terrain of the lunar surface with dramatic texture and depth. Precision edge-lit LED technology is seamlessly embedded within a tailored stainless-steel band, guiding soft, diffused light across the cratered surface with astonishing clarity. The result is an illuminated landscape that appears to hover midair—suspended on near-invisible low-voltage cables—achieving both levity and impact. Engineered for large spaces with architectural ambition, Moonscapes fuses technical mastery with poetic design, offering a bold, unforgettable focal point.




MOONSCAPES

- Oversized textured acrylic panels inspired by the lunar surface
- Designed to create maximum visual impact in grand-scale interiors
- Panels appear to float, suspended by thin low-voltage cables for a weightless architectural composition
- 3000K LED color temperature with concealed edge-lit LED light source creates soft, atmospheric glow
- Hand formed transparent acrylic with unique pattern
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24979-PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24979	PC	167W PCB LED 3000K (Integrated)	47.5"L x 47"W x 10"H, 191.75"OAH	90+	13360	6680	LED DIM ①

Finish: Polished Chrome (PC)




MOONSCAPES


- Oversized textured acrylic panels inspired by the lunar surface
- Designed to create maximum visual impact in grand-scale interiors
- Panels appear to float, suspended by thin low-voltage cables for a weightless architectural composition
- 3000K LED color temperature with concealed edge-lit LED light source creates soft, atmospheric glow
- Hand formed transparent acrylic with unique pattern
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24975-PC
Pendant
A



E24974-PC
Pendant
B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24975	PC	92W PCB LED 3000K (Integrated)	47"L x 39.5"W x 10"H, 193"OAH	90+	7360	3680	LED DIM UP
B	E24974	PC	57W PCB LED 3000K (Integrated)	30"L x 28.5"W x 19.5"H, 141.5"OAH	90+	4560	2280	LED DIM UP

Finish: Polished Chrome (PC)




E24971-PC
Pendant

C




E24972-PC
Pendant

D



E24973-PC
Pendant

E



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E24971	PC	24W PCB LED 3000K (Integrated)	23.5"L x 22.5"W x 3.5"H, 123.25"OAH	90+	1920	960	LED DIM ⓘ
D	E24972	PC	18W PCB LED 3000K (Integrated)	13.5"L x 6"W x 20.5"H, 140"OAH	90+	1440	720	LED DIM ⓘ
E	E24973	PC	19W PCB LED 3000K (Integrated)	16"L x 6"W x 17.75"H, 137.5"OAH	90+	1520	760	LED DIM ⓘ

Finish: Polished Chrome (PC)

QUASAR

A arrangement of stainless steel and light guided acrylic form elongated rhombus shapes discreetly lit by LED. On the larger size pendants an additional aircraft cable kit is provided so that you can mount the pendants either vertically or horizontally at various angles. Finished in Polished Chrome, these pendants are out of this world.




- Constructed of Stainless Steel and PMMA Light Guide Acrylic
- Additional aircraft cable kit allows for vertical or horizontal mounting for two larger pendants
- Polished Chrome finish
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E24891-133PC
Mini Pendant

A





OPTIONAL
STAND-OFF
(INCLUDED)




E24894-133PC
Pendant

B



• Convertible to
vertical mounting



E24895-133PC
Pendant

C



REMOVABLE
CABLE

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24891	133PC	1 x 8W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 20.5"H, 140"OAH	90+	720	560	LED DIM ↑
B	E24894	133PC	1 x 10W PCB LED 3000K (Inte.)	35.5"L x 5.25"W x 5.25"H, 122.25"OAH	90+	900	700	LED DIM ↑
C	E24895	133PC	1 x 12W PCB LED 3000K (Inte.)	51.25"L x 7.75"W x 7.75"H, 123.5"OAH	90+	1080	840	LED DIM ↑

Finish: Patterned Acrylic (133) Polished Chrome (PC)

MANTA

An undulating shape softly curls along its center to create an organic form constructed of a single panel of transparent acrylic. Further enhancing the form is the captivating effect of the frosted band around the borders and the patterned etching on the acrylic that captures the light. A coordinating wall sconce that features the same curled acrylic material and extends only 4 inches from the wall for ADA compliant applications.




MANTA

- Hand formed transparent acrylic with unique pattern
- Available in plated Matte Black, Gold or Polished Chrome
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



E24718-144BK, -144GLD, -144PC
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24718	144BK, 144GLD, 144PC	65W PCB LED 3000K (Inte.)	70.75"L x 9.75"W x 8.5"H, 128"OAH	90+	5200	3040	LED DIM ⓘ

Finish Options: Clear Ribbed acrylic (144) Black (BK) Gold (GLD) Polished Chrome (PC)

MANTA

- Hand formed transparent acrylic with unique pattern
- Available in plated Matte Black, Gold or Polished Chrome
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24716	144BK, 144GLD, 144PC	56W PCB LED 3000K (Inte.)	59"L x 9.75"W x 8.5"H, 128"OAH	90+	4480	2770	LED DIM ⓘ

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD) Polished Chrome (PC)




E24711-144BK, -144GLD, -144PC
Wall Mount

B




E24712-144BK, -144GLD, -144PC
See page 361 for full Bath Vanities

C



E24714-144BK, -144GLD, -144PC
Pendant

D




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
B	E24711	144BK, 144GLD, 144PC	12W PCB LED 3000K (Inte.)	4.75"W x 16.5"H x 4"Ext.	8.25"	90+	960	750	LED DIM DALI DMAP
C	E24712	144BK, 144GLD, 144PC	20W PCB LED 3000K (Inte.)	24.75"W x 6.75"H x 5.5"Ext.	3.5"	90+	1440	900	LED DIM DALI DMAP
D	E24714	144BK, 144GLD, 144PC	44W PCB LED 3000K (Inte.)	47"L x 9.75"W x 8.5"H, 128"OAH		90+	3080	2300	LED DIM DALI

Finish Options: Clear Ribbed glass (144) Black (BK) Gold (GLD) Polished Chrome (PC)

SONATA

Composed of gently curving aluminum channels in Matte Black that support patterned translucent acrylic arranged in vertical stripe groupings, this series of pendants and the coordinating flush mount expresses a musical quality through brilliant LED illumination. The pendants curve inward at the ends in an elegant, instrumental form. A story told in simple shapes, the collection is lit by dedicated LED sources concealed within the frames, enhancing the translucent, undulating slabs of patterned acrylic. Their sculptural presence is sure to inspire wonder in both classical and contemporary settings.




SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- 120-270V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Configurations include Pendants and Flush Mounts



E24776-133BK
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24776	133BK	86W PCB LED 3000K (Inte.)	39.25"L x 32.25"W x 31.5"H, 120"OAH	90+	6880	2900	  

Finish: Patterned Acrylic (133) Black (BK)


SONATA

- Vertically striped translucent acrylic panes are bent by hand
- Stark contrasting Matte Black aluminum frame
- Integrated LED in a Neutral White 3000K color temperature
- ADA compliant wall sconce
- 120-270V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Configurations include Pendants and Flush Mounts



STRIPED
VERTICAL LINES



E24774-133BK
Pendant
A



E24775-133BK
Pendant
B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24774	133BK	54W PCB LED 3000K (Inte.)	47.25"L x 10"W x 7"H, 128.5"OAH	90+	2700	1250	LED DIM 1
B	E24775	133BK	42W PCB LED 3000K (Inte.)	59"L x 17"W x 6"H, 126"OAH	90+	2940	1420	LED DIM 1

Finish: Patterned Acrylic (133) Black (BK)




E24778-133BK
Flush Mount

C




E24771-133BK
Pendant

D



E24772-133BK
Pendant

E




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E24778	133BK	34W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 8.25"H	90+	3200	1140	LED DIM DIMP
D	E24771	133BK	24W PCB LED 3000K (Inte.)	14"L x 12.75"W x 6.75"H, 128.5"OAH	90+	1200	760	LED DIM KEY
E	E24772	133BK	38W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 8.5"H, 130"OAH	90+	3200	2000	LED DIM KEY

Finish: Patterned Acrylic (133) Black (BK)



RINKLE

An airy arrangement of abstract forms, the Rinkle pendants feature sheets of transparent acrylic shaped by hand. The light guided acrylic captures the glow of energy efficient LEDs recessed within strips of shining stainless steel, obscuring the source of illumination. Delicately suspended by a series of thin wires, the pendants appear to be floating in an adjustable configuration of weightless light sculpture. Available in Polished Chrome, French Gold, and Brushed Gunmetal, its unique design adds a showstopping element to interior spaces.



RINKLE


- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold



HAND FORMED
ACRYLIC

E24883-133BGM, -133FG, -133PC
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24883	133BGM, 133FG, 133PC	33W PCB LED 3000K (Inte.)	57.5"L x 16.5"W x 13.25"H, 133"OAH	90+	2640	1500	LED DIM ⓘ

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)


RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold



E24881-133BGM, -133FG, -133PC
Pendant

A



E24882-133BGM, -133FG, -133PC
Pendant

B


	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24881	133BGM, 133FG, 133PC	8W PCB LED 3000K (Inte.)	21.5"L x 9.75"W x 11"H, 130"OAH	90+	630	350	LED DIM ⓘ
B	E24882	133BGM, 133FG, 133PC	21W PCB LED 3000K (Inte.)	42"L x 16"W x 13.25"H, 133"OAH	90+	1680	950	LED DIM ⓘ

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)



E24873-133BGM, -133FG, -133PC
Pendant

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
C E24873	133BGM, 133FG, 133PC	36W PCB LED 3000K (Inte.)	50.5"L x 15"W x 15.75"H, 135.5"OAH	90+	2760	1750	LED DIM ⓘ

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)

RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24880	133BGM, 133FG, 133PC	66W PCB LED 3000K (Inte.)	36.25"L x 36.25"W x 15.75"H, 197.25"OAH	90+	5280	3500	  

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)




E24871-133BGM, -133FG, -133PC
ADA Compliant Wall Mount

C



E24877-133BGM, -133FG, -133PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
B	E24877	133BGM, 133FG, 133PC	35W PCB LED 3000K (Inte.)	27.5"L x 27.5"W x 15.75"H, 135.5"OAH		90+	2800	2000	LED DIM UP/DOWN
C	E24871	133BGM, 133FG, 133PC	4.5W PCB LED 3000K (Inte.)	9.25"W x 16.5"H x 6.25"Ext.	7.75"	90+	350	210	LED DIM UP/DOWN ADA

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)





RINKLE

- Hand formed acrylic panes
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- Multiple design awards winner
- Available in Polished Chrome, Brushed Gunmetal or French Gold




E24874-133BGM, -133FG, -133PC
Pendant
A



E24875-133BGM, -133FG, -133PC
Pendant
B

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24874	133BGM, 133FG, 133PC	10W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 15.75"H, 135.25"OAH	90+	800	600	LED DIM 1
B	E24875	133BGM, 133FG, 133PC	15W PCB LED 3000K (Inte.)	21.5"L x 21.5"W x 15.75"H, 135.25"OAH	90+	1200	900	LED DIM 1

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)



E24878-133BGM, -133FG, -133PC
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
C E24878	133BGM, 133FG, 133PC	33W PCB LED 3000K (Inte.)	35.5"L x 23.5"W x 15.75"H, 135.5"OAH	90+	2600	1850	LED DIM Y

Finish Options: Patterned Acrylic (133) Brushed Gunmetal (BGM) French Gold (FG) Polished Chrome (PC)

TELSTAR

Translucent acrylic panels dotted to guide indirect LED strips integrated into the body of the fixture. The angular forms of the pendants create a strikingly modern display of light that is both airy and voluminous. An additional LED GU10 bulb is recessed at the bottom of the fixture for additional functional light. Available in Natural Aged Brass or Matte Black finishes.




- Available in Natural Aged Brass or Matte Black
- Translucent acrylic light guide panels
- CRI 90+, 3000K



E25136-133BK
Pendant


A



ADDITIONAL
RECESSED
LED LIGHT

E25134-133BK, -133NAB
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E25136	133BK	55W PCB LED 3000K (Inte.)	22"L x 22"W x 30"H, 73.25"OAH	90+ 4400 2450	LED DIM ↑ 90°
B	E25134	133BK, 133NAB	49W PCB LED 3000K (Inte.)	18.25"L x 18.25"W x 24"H, 67.25"OAH	90+ 3920 1960	LED DIM ↑ 90°

Finish Options: Patterned Acrylic (133) Black (BK) Natural Aged Brass (NAB)


PITCH

Sleek and simple, the effortlessly chic oversized cone pendants add a modern touch to elevate your space. A surprisingly bright single light source is recessed within a secondary, smaller-aperture cone shade, painted white on its interior to enhance reflection and beam additional light downward without glare. This distinctive cutoff accentuates the black finish on the surfaces between the two cones. Available in Black and Antique Brass, this pendant series exemplifies the enduring elegance of the cone form in design.



PITCH

- Available in matte Black and Antique Brass options
- Dual shades in cone shape with secondary smaller shade painted white on its interior for amplified light source
- Dimmable JA8 Listed LED lamps included



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E34501 AB, BK	9W MB LED 3000K (Incl.)	13.75"L x 13.75"W x 16.5"H, 139.25"OAH	90+	900	650	LED DIM 124 JA8 bulb (Incl.)
B	E34502 BK	9W MB LED 3000K (Incl.)	21.5"L x 21.5"W x 13.25"H, 136"OAH	90+	900	650	LED DIM 124 JA8 bulb (Incl.)
C	E34508 BK	16W MB LED 3000K (Incl.)	51"L x 51"W x 17"H, 140"OAH	90+	1600	1440	LED DIM 1
D	E34506 AB, BK	16W MB LED 3000K (Incl.)	29.5"L x 29.5"W x 30.75"H, 153.5"OAH	90+	1600	1440	LED DIM 1
E	E34503 AB, BK	12W MB LED 3000K (Incl.)	29.5"L x 29.5"W x 9"H, 131.75"OAH	90+	900	650	LED DIM 124 JA8 bulb (Incl.)

Finish Options: Antique Brass (AB) Black (BK)



ABYSS

These classic cone pendants, available in Matte Black or Matte White, may appear traditional from the outside but reveal a strikingly different character when viewed from below. Instead of housing the light source deep within the shade, they are illuminated around the bottom perimeter, creating a black void inside that results in a unique and dramatic lighting effect.



- Available in Matte Black or Matte White finish
- Double shade creates unique ring of light
- Coordinating fiber cords match the fixture finish
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20082	BK, MW	21W PCB LED 3000K (Integrated)	9.5"L x 9.5"W x 7.25"H, 128"OAH	90+	1470	940	LED DIM Y
B	E20084	BK, MW	30W PCB LED 3000K (Integrated)	12.5"L x 12.5"W x 9.5"H, 130.5"OAH	90+	2100	1330	LED DIM Y
C	E20086	BK, MW	38W PCB LED 3000K (Integrated)	15.75"L x 15.75"W x 11.25"H, 136"OAH	90+	2660	1600	LED DIM Y

Finish Options: Black (BK) Matte White (MW)

WIMBLEDON

Balancing work and play, the Wimbledon collection is a fun collection of lighting fixtures that utilizes dual-layered sound dampening felt shades that enhance the acoustics of a space. The deep ridged pattern gracefully intersects elevating the simple forms. Choose from linear or half dome configurations in various colors: Dark Grey and Light Cream felts offer more neutral tones while the Olive exterior with Black felt interior presents a more colorful option. Housed within the shades are high powered LED modules that provide ample functional down lighting.




• Olive Green with Black Interior



• Dark Grey with Light Grey Interior


WIMBLEDON

- Acoustic Felt fabric shades with deep ridge pattern
- Available in Grey, Olive, or Light Cream felt shades
- LED 3000K Color Temperature



• Light Cream

NOISE DAMPENING
FELT



E34616-DG, -LC, -OLV
Linear Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E34614	DG, LC, OLV	12W PCB LED 3000K (Inte.)	16"L x 16"W x 8"H, 132.5"OAH	90+	960	700	LED DIM
B	E34616	DG, LC, OLV	25W PCB LED 3000K (Inte.)	39.75"L x 10"W x 5"H, 129.75"OAH	90+	2000	1710	LED DIM

Finish Options: Dark Grey shade (DG) Light Cream shade (LC) Olive shade (OLV)




PHOENIX

Both modern and industrial, the angular lines of these aluminum spun shades refresh a classic concept in a clean, contemporary execution. The shades - available in Black and a Pale Gray powder coated finish, feature multiple joints and peaks in their form and at their bottom intentionally return inward. The shape at the bottom is not only attractive, but a cleverly conceived method to support a wire network of Black steel that forms a cage without visible hardware. Illuminated from within the spun metal shades in 3 varying sizes and shapes, the LED lamp provided shines light below and disperses through the wireway creating a beautiful radiating light pattern.




PHOENIX

- Available in matte Black and light Gray finish options
- Matte Black cage assemblies on bottom
- Dimmable JA8 Listed LED lamps included




E11395-BKGLD, -BRKBK, -GYBK
Pendant

A



E11394-BKGLD, -GYBK
Pendant

B



E11390-BKGLD, -GYBK
Pendant


C


	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11395	BKGLD, BRKBK, GYBK	9W MB LED 3000K (Incl.)	15.5"L x 15.5"W x 8.25"H, 131.25"OAH	90+	810	650	LED DIM 124 JA8 bulb (Incl.)
B	E11394	BKGLD, GYBK	12W MB LED 3000K (Incl.)	18.5"L x 18.5"W x 17"H, 140.25"OAH	90+	900	650	LED DIM 124 JA8 bulb (Incl.)
C	E11390	BKGLD, GYBK	9W MB LED 3000K (Incl.)	9"L x 9"W x 11.25"H, 134.5"OAH	90+	900	650	LED DIM 124 JA8 bulb (Incl.)

Finish Options: Black/Gold (BKGLD) Brick/Black (BRKBK) Grey/Black (GYBK)

JENSEN

A tapered, ribbed glass shade adds a contemporary edge to a simple design. Available in Clear Ribbed glass with a plated Gold frame or in Emerald Green or Smoked glass with Matte Black frames. These retro-futuristic shades minimize peripheral glare, while a Matte White acrylic shallow domed diffuser softly disperses LED lighting, delivering ample illumination. The collection includes versatile pendant and flush mount options, with the latter doubling as a wall sconce.





E22082-04BK, -138BK, -144SBR
Wall Mount/Flush Mount

A

- Tapered and ribbed pressed glass shade
- Vibrant Green, Moody Grey Smoke, or Clear Glass options
- Available in plated Gold or Matte Black finished
- LED 3000K Color Temperature
- ADA Compliant Sconce that can be mounted on the ceiling




• Wall Mounted



E22088-04BK, -138BK, -144SBR
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22082	04BK, 138BK, 144SBR	21W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 4"H	90+	1610	900	LED DIM ♿ DALI
B	E22088	04BK, 138BK, 144SBR	28W PCB LED 3000K (Inte.)	18"L x 18"W x 7.5"H, 52.75"OAH	90+	3900	2000	LED DIM ♿ DALI

Finish Options: Vibrant Green glass (04) Smoke glass (138) Clear Ribbed glass (144) Black (BK) Satin Brass (SBR)



VOTO

Shallow glass domes encase edge-lit LED panels, creating a captivating play of light that highlights the void within each fixture while delivering evenly distributed illumination both upwards and downwards where applicable. A meticulously crafted frame conceals the hardware, resulting in a sleek, modern LED composition. The collection is available in two sophisticated finishes—Clear Glass with a Gold-plated frame and Mirror Smoked Glass with a Gunmetal frame—and includes a 2-light LED pendant, a versatile flush mount that doubles as a wall-mountable fixture, and a portable lamp option.




- Clear or Smoked Glass Options
- Edge-lit LED panel encased within glass
- Available in plated Gold or Gunmetal





E24660-138GM, -18NAB
Flush Mount

A




E24662-138GM, -18NAB
Pendant

B



E24669-138GM, -18NAB
Table Lamp

C





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24660	138GM, 18NAB	1 x 16W PCB LED 3000K (Inte.)	12"L x 12"W x 4.25"H	90+	1640	1050	 
B	E24662	138GM, 18NAB	2 x 12W PCB LED 3000K (Inte.)	12"L x 12"W x 8.5"H, 53"OAH	90+	1680	900	  
C	E24669	138GM, 18NAB	2 x 8W PCB LED 3000K (Inte.)	12"L x 12"W x 17.5"H	90+	1000	750	 

Finish Options: Graduating Smoke glass (138) Clear glass (18) Gunmetal (GM) Natural Aged Brass (NAB)

BERLINER

Wide flat discs house LED engines that disappear when viewed at the pendants edge. Supported at their center by thin tubes and black cable, machined aluminum housings feature laterally cut concentric circles drawing inspiration from the grooves in a vinyl record. Finished in your choice of matte Black or Antique Brass, the modern design feels vintage and retro widening the range of compatibility within architectural aesthetics.





BERLINER


- Available in matte Black and Antique Brass options
- Ultra-thin profile supported at center with machined aluminum LED housing
- AC 120V input dedicated LED light source at 3000K Color Temperature
- Dimmable with Triac and ELV dimmers



E34001-AB, -BK
Pendant



E34002-AB, -BK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E34001	AB, BK	8W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 6.75"H, 129.5"OAH	90+	720	580	LED DIM+ ⓘ
B	E34002	AB, BK	12W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 9"H, 132"OAH	90+	1080	860	LED DIM+ ⓘ

Finish Options: Antique Brass (AB) Black (BK)

LOOM

Cross-threaded strands of cotton are strung through two Matte Black illuminated rings of LED. The black cotton thread creates a form both structural and airy in composition. These pendants perfectly capture the art of weaving techniques by producing a large truncated cone of with the use of minimal material.




- Black cotton threads
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




E20980-BK
Flush Mount

A




E20982-BK
Pendant

B



E20983-BK
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20980	BK	2 x 21W LED PCB 3000K (Inte.)	22.75"L x 22.75"W x 15.75"H	90+	3360	1980	LED DIM DAMP
B	E20982	BK	2 x 21W LED PCB 3000K (Inte.)	18.75"L x 18.75"W x 15"H, 136.5"OAH	90+	3360	1980	LED DIM ⓘ
C	E20983	BK	2 x 30W LED PCB 3000K (Inte.)	31.5"L x 31.5"W x 18.75"H, 140"OAH	90+	4800	3280	LED DIM ⓘ

Finish: Black (BK)

HEMISPHERE

Constructed of double thick aluminum which has a hammered interior finish polished so to not only be beautiful but multiply the lumen output. High polish enamel paints finish the exterior for the ultimate reflective surface. The larger sizes are fitted with commercial grade LED and multi-volt input drivers that dim with both ELV and 0-10V functions.



HEMISPHERE

- Heavy grade aluminum spinning with hammered detail on interior
- Exterior finished in your choice of reflective Black or White
- Available in Glossy Black with Aluminum Interior or Gold Interior
- 24" and 31" models use multi-volt drivers with both ELV and 0-10V dimming options
- 3000K Color Temperature, CRI 90+




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional
				CRI	Information
				INIT.	DEL.
A	E24900 GBAL, GBGLD	10W PCB LED 3000K (Inte.)	9"L x 9"W x 5"H, 126"OAH	90+	950 480
B	E24902 GBAL, GBGLD, GWAL	15W PCB LED 3000K (Inte.)	14"L x 14"W x 8"H, 129"OAH	90+	1500 720
C	E24904 GBAL, GWAL	20W PCB LED 3000K (Inte.)	24"L x 24"W x 13"H, 134"OAH	90+	1900 960
D	E24906 GBAL, GBGLD	30W PCB LED 3000K (Inte.)	31"L x 31"W x 17"H, 136"OAH	90+	2900 1440

Finish Options: Glossy Black/Aluminum (GBAL) Glossy Black/Gold (GBGLD) Glossy White/Aluminum (GWAL)

FUNGO & PALLA



Classic contemporary shaped pendants are constructed with a uni-body design, where the bottom is a continuation of the top. A dramatic two-tone finish is available in Black/Satin Brass. The LED light source is concealed to reduce glare while providing ample light below.



Spherical shaped pendants are constructed unibody design. A dramatic two-tone finish is available in Satin Brass/Coffee. The LED light source is concealed to reduce glare while providing ample light below.

FUNGO & PALLA


- Aluminum construction
- Two tone finish
- Driverless LED, dimmable with ELV dimmers

FUNGO


PALLA




E24914-BKSBR
Pendant




E24916-BKSBR
Pendant



E24924-SBRCOF
Pendant



E24926-SBRCOF
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional	
					CRI	INIT.	DEL.	Information	
A	E24914	BKSBR	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11"H, 135.25"OAH	90+	720	230	LED	DIM
B	E24916	BKSBR	12W PCB LED 3000K (Inte.)	23.5"L x 23.5"W x 16.5"H, 136.25"OAH	90+	1080	310	LED	DIM
C	E24924	SBRCOF	8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 11.75"H, 135.75"OAH	90+	720	325	LED	DIM
D	E24926	SBRCOF	12W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 14.5"H, 139"OAH	90+	1080	480	LED	DIM

Finish: Black/Satin Brass (BKSBR) Satin Brass/Coffee (SBRCOF)




CARMEN

Poetic and organic in design, the undulating form of the metal shade appears to float effortlessly on a slender frame. Abstract discs of LED lighting are encased in round, adjustable heads so that the light can be directed upwards for indirect lighting reflected on the internal white painted face of the shade or the light sources can be rotated downward to provide bright illumination exactly where needed. The simple, sculptural form adds dimension in its scale evocative of a manta ray or the seductive quality of a woman wearing a large floppy hat.




CARMEN

- Abstract undulating metal shades partly conceal light source while reflecting light downward
- Rotatable LED discs direct light where desired
- Available in 3 sizes and 2 finish combinations:
White shades with black hardware or Black exterior/
White interior shade with Satin Brass hardware



E24964-WTBKGLD
Pendant

A



E24966-WTBK, -WTBKGLD
Pendant

B

ROTATABLE PANEL
DIRECTS LIGHTING



E24968-WTBK, -WTBKGLD
Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24964	WTBKGLD	7W PCB LED 3000K (Inte.)	16.5"L x 16.5"W x 6"H, 51.75"OAH	90+	560	420	  
B	E24966	WTBK, WTBKGLD	14W PCB LED 3000K (Inte.)	24"L x 24"W x 8"H, 53.75"OAH	90+	1120	720	  
C	E24968	WTBK, WTBKGLD	21W PCB LED 3000K (Inte.)	32"L x 32"W x 10.75"H, 54.5"OAH	90+	1680	960	  

Finish Options: White shade (WT) White/Black shade (WTBK) Black (BK) Gold (GLD)




DWELL

Classic cylinder pendants of White with a very unique feature. The bottom is gimbaled to allow the light to be adjusted 30° to direct the light where you most need it. Each fixture is supplied with a replaceable LED reflector bulb.



- Bulb is on gimbal to direct light
- 3000K Color Temperature
- CRI 90+ for best color rendering
- Dimmable with Triac or ELV dimmers
- JA8 LED GU10 Bulbs Included
- Title 24 Compliant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25002	WT	7W GU10 LED 3000K (Incl.)	3.5"L x 3.5"W x 6.25"H, 125.5"OAH	90+	450	360	JA8 Bulb Incl.
B	E25004	WT	7W GU10 LED 3000K (Incl.)	3.5"L x 3.5"W x 11.75"H, 131"OAH	90+	450	360	JA8 Bulb Incl.

Finish: White (WT)

ROLLO

A softer approach to modern lighting, this collection utilizes a hydro dipping technique to create an Antique Pecan finish with Matte Black accents. The LED integrated light source evenly illuminates a white polycarbonate lens that provides ample down-lighting wherever it is installed.




ROLLO

- Hydro-dipped wood finish
- Adjustable configuration
- 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer




E24943-APBK
Pendant

A



E24946-APBK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					CRI	INIT.	DEL.		
A	E24943	APBK	40W PCB LED 3000K (Inte.)	28"L x 28"W x 6.5"H, 48.5"OAH	90+	3300	2800	LED	DIM
B	E24946	APBK	34W PCB LED 3000K (Inte.)	40"L x 3"W x 3.5"H, 124.25"OAH	90+	1700	1400	LED	DIM

Finish: Antique Pecan/Black (APBK)

CUFF

Varied lengths of Matte Black cylinders feature a cuffed edge in Gold and suspend on thin black wire. Available in multiple configurations, this integrated LED pendant collection provides an attractive design for economical pricing.

E22945-BKGLD
Pendant

A




CUFF


- Various pendant configurations
- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Dimmable with Triac and ELV at 120V



E22943-BKGLD
Pendant
B



E22941-BKGLD
Pendant
C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22945	BKGLD	5 x 8W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 8.75"H, 129.5"OAH	90+	3600	1200	LED DIM ↑
B	E22943	BKGLD	3 x 9W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 8.75"H, 129.5"OAH	90+	2160	770	LED DIM ↑
C	E22941	BKGLD	1 x 10W PCB LED 3000K (Inte.)	3.25"L x 3.25"W x 8.75"H, 129.5"OAH	90+	800	220	LED DIM ↑

Finish: Black/Gold (BKGLD)



CORTEX

A central, cylinder diffuser of opal white acrylic diffuses LED lighting within a cavity of thin ribbed glass of various lengths. Both imaginative and functional, the bright pendants encase an additional down light recessed within a Polished Chrome, Naturally Aged Brass or Matte Black housing casting light downward.



- External ribbed glass with internal white acrylic diffuser
- Additional down light at bottom
- Available in Gold, Polished Chrome, or matte Black finishes
- Coordinating wall sconces are ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E11061-144BK, -144NAB
Pendant

A




E11062-144BK, -144NAB, -144PC
Pendant

B



E11060-144BK, -144NAB, -144PC
Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
A	E11061	144BK, 144NAB	7.5W PCB LED 3000K (Inte.)	1.5\"L x 1.5\"W x 10.75\"H, 133.25\"OAH	90+	600	450	LED DIM 1
B	E11062	144BK, 144NAB, 144PC	10W PCB LED 3000K (Inte.)	1.5\"L x 1.5\"W x 14.5\"H, 137.25\"OAH	90+	800	600	LED DIM 1
C	E11060	144BK, 144NAB, 144PC	10W PCB LED 3000K (Inte.)	4.75\"W x 14.5\"H x 2.5\"Ext.	13\"	90+	800	600 LED DIM 1 2 3 4

Finish Options: Clear Ribbed glass (144) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

ARAGON

Featuring carved Spanish Alabaster shades in sleek cylindrical forms, the Aragon collection conceals high-powered LED light sources within, providing both beauty and functionality. The natural alabaster is elegantly complemented by plated Gold accents, adding an upscale, luxurious touch. Available as pendants or sconces, these fixtures are damp rated, making them ideal for interior spaces including bathrooms



ARAGON

- Spanish Alabaster shades in sleek cylindrical forms
- LED integrated 3000K
- 120-277V Input
- 3-in-1 dimming: Triac/ELV/0-10V
- Plated Matte Gold finish
- Damp-Rated



E11201-WAGLD

See page 357 for full Bath Vanities

C


SPANISH
ALABASTER



DOWNLIGHT

E11204-WAGLD
Pendant

A



E11202-WAGLD
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E11204	WAGLD	2 x 9.5W PCB LED 3000K (Inte.)	2"L x 2"W x 18"H, 140"OAH		90+	1900	1000	LED DIM I
B	E11202	WAGLD	1 x 12W PCB LED 3000K (Inte.)	2"L x 2"W x 10"H, 131.5"OAH		90+	1200	600	LED DIM I
C	E11201	WAGLD	2 x 9W PCB LED 3000K (Inte.)	5"W x 17.25"H x 3.5"Ext.	8.5"	90+	1800	900	LED DIM DAMP

Finish: White Alabaster (WA) Gold (GLD)



SYNDICATE

Segmented by bright LED rings finished in Matte Black, glass shades of an hourglass shape are combined into various configurations. The hand-blown glass is entirely transparent and varies in size creating an undulating pattern. All together, the series includes pendants, flush mounts, and portable lamps.




SYNDICATE

- Blown Clear glass shades
- LED Integrated, 3000K Color Temperatur
- Range voltage 120-277V input with universal 3-in-1 dimming power sources




E21380-18BK
Flush Mount

A




E21389-18BK
Floor Lamp

B




E21384-18BK
Pendant

C



E21382-18BK
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21380	18BK	2 x 8W PCB LED 3000K (Inte.)	8.75"L x 8.75"W x 11.25"H	90+	960	720	LED DIM CLAMP
B	E21389	18BK	5 x 8W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 62"H	90+	2400	1800	LED DIM
C	E21384	18BK	4 x 8W PCB LED 3000K (Inte.)	8.75"L x 8.75"W x 44.25"H, 88"OAH	90+	1800	1350	LED DIM KEY
D	E21382	18BK	2 x 8W PCB LED 3000K (Inte.)	8.75"L x 8.75"W x 18.75"H, 62.5"OAH	90+	960	720	LED DIM KEY

Finish: Clear glass (18) Black (BK)



ELYSIAN



Segments of Clear glass cylinders are separated by distinctly rippled Clear crystal fonts on a thin Natural Aged Brass frame. The translucent segments are backlit with integrated LED illumination creating an airy, ethereal composition of glass textures. Available in vertical and horizontal configurations as well as sconce and portable configurations.






- Clear Crystal bands in distinctive rippled texture
- Clear glass cylinders
- Pendants can be mounted vertically or horizontally
- Floor Lamp with Step down dimming switch
- Pendants are 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming

E11083-124NAB
Pendant
A



E11084-124NAB
Pendant
B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11083	124NAB	28W PCB LED 3000K (Inte.)	41.5"L x 5.5"W x 5.5"H, 120"OAH	90+	2300	1610	LED DIM UP
B	E11084	124NAB	35W PCB LED 3000K (Inte.)	58.25"L x 5.5"W x 5.5"H, 120"OAH	90+	2800	1960	LED DIM UP


Finish: Ripple crystal (124) Natural Aged Brass (NAB)

ELYSIAN


- Clear Crystal bands in distinctive rippled texture
- Clear glass cylinders
- Pendants can be mounted vertically or horizontally
- Floor Lamp with Step down dimming switch
- Pendants are 120-277V Range Voltage Input
- 3-in-1 universal dimming:
 Triac/ELV at 120V or 0-10V dimming




E11080-124NAB
Wall Mount



E11082-124NAB
Pendant



E11081-124NAB
Pendant




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
A	E11082	124NAB	18W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 20.75"H, 67.25"OAH		90+	1500	1050	LED DIM I
B	E11080	124NAB	8W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 6.75"Ext.	6"	90+	640	450	LED DIM DAMP I
C	E11081	124NAB	12W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 3.5"H, 50.25"OAH		90+	990	690	LED DIM I

Finish: Ripple crystal (124) Natural Aged Brass (NAB)




E11089-124NAB
Flush Mount

D




E11087-124NAB
Table Lamp

E



E11088-124NAB
Floor Lamp

F



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
D	E11089	124NAB	10W PCB LED 3000K (Inte.)	5.5"L x 5.5"W x 4.5"H	90+	800	560	LED DIM DIMP
E	E11087	124NAB	8W PCB LED 3000K (Inte.)	7.75"L x 5.5"W x 22"H	90+	640	450	LED DIM
F	E11088	124NAB	35W PCB LED 3000K (Inte.)	15"L x 15"W x 69"H	90+	2800	1960	LED DIM

Finish: Ripple crystal (124) Natural Aged Brass (NAB)

MARTINI

Class and character describe these unique LED light pendants. Start by taking a spike in Natural Aged Brass and stick it through multiple layers of glass globe shades. The outer layer is an oversized Clear glass with a slanted opening exposing a smaller White glass globe inside illuminated by the LED concealed within it. It's serving a martini and bright ideas.




- Clear/White glass with Natural Aged Brass hardware
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




• Frosted globe can be installed top or bottom


E11091-10NAB
Pendant



E11092-10NAB
Pendant



E11096-10NAB
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11093	10NAB	1 x 12W PCB LED 3000K (Inte.)	15.75"L x 15.75"W x 19.75"H, 66"OAH	90+	960	840	LED DIM UP
B	E11091	10NAB	1 x 7W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 12.5"H, 58.75"OAH	90+	560	490	LED DIM UP
C	E11092	10NAB	1 x 10W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 18.25"H, 65"OAH	90+	800	700	LED DIM UP
D	E11096	10NAB	4 x 8.5W PCB LED 3000K (Inte.)	27.5"L x 23.75"W x 18.25"H, 64.25"OAH	90+	2720	2060	LED DIM UP

Finish: Clear/White glass (10) Natural Aged Brass (NAB)


NIMBUS

Oblong glass globe shades feature a intriguing Marble swirl pattern that obscures the integrated LED lighting within. Thin black electrical cords are easily adjustable. A larger oval 8-Light configuration features multiple sizes of the glass to create an interpretative congregation of clouds. Also available as a 3-Light, 5-Light and single pendant.



NIMBUS

- Swirling Marble glass
- LED 3000K Color Temperature
- Matte Black frame and cord
- 3 varied sizes of glass shades




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11529	113BK	10 x 7.5W PCB LED 3000K (Inte.)	39.25"L x 20.25"W x 8"H, 129.5"OAH	90+	5000	4800	LED DIM ⓘ

Finish: Marble Swirl glass (113) Black (BK)



NIMBUS

- Swirling Marble glass
- LED 3000K Color Temperature
- Matte Black frame and cord
- 3 varied sizes of glass shades



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E11525	113BK	5 x 7W PCB LED 3000K (Inte.)	26.25"L x 26.25"W x 8"H, 127.5"OAH	90+	3400	2800	  



Finish: Marble Swirl glass (113) Black (BK)



E11523-113BK

Pendant


B



E11521-113BK

Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information		
					CRI	INIT.	DEL.	LED	DIM	
B	E11523	113BK	3 x 7W PCB LED 3000K (Inte.)	20.5"L x 20.5"W x 8"H, 127.25"OAH	90+	2000	1680	LED	DIM	①
C	E11521	113BK	1 x 9W PCB LED 3000K (Inte.)	9.5"L x 9.5"W x 8"H, 129.25"OAH	90+	880	720	LED	DIM	①

Finish: Marble Swirl glass (113) Black (BK)

PLEAT & ALLEN

Pleated cylinders shades formed by White plaster cast molds are contrasted with matte Black hardware to provide a crisp, contemporary design. JA8 Listed LED GU10 lamps included that brightly illuminate spaces below with excellent color rendering. A surface mount option features a joint that can be positioned to direct the light. The joint is made so that it can function on both wall and ceiling applications, with the added feature of directing the shades to exact positions required.




PLEAT & ALLEN

- Cast White Plaster shades with pleated texture
- Dimmable LED GU10 lamps provided, JA8 Listed
- Adjustable joint on surface mount configuration directs light
- Two tone White plaster with Black accents




PLEAT

E25038-WTBK
Pendant



ALLEN

E25037-WTBK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25038	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.25"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)
B	E25037	WTBK	1 x 7W GU10 LED 3000K (Incl.)	3.75"L x 3.25"W x 12.5"H, 131.75"OAH	90+	490	450	JA8 bulb (Incl.)

Finish: White/Black (WTBK)

SWAY

Unique shaped pendant of Grey concrete provide an economical solution for your lighting needs. With LED GU10 light bulbs included you get both style and long life from these durable pendants.



- Cast Concrete and Gypsum shades
- Paintable surface
- 3000K Color Temperature, CRI 90+
- 7 watt JA8 LED GU10 included



E25034-GY
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E25034	GY	1 x 7W GU10 LED 3000K (Incl.)	7"L x 7"W x 7.5"H, 126"OAH	90+	490	450	LED DIM ⓘ 120V JA8 bulb (Incl.)

Finish: Gray (GY)

FROST


Illumination on ice best describes the contemporary Frost collection. Exquisitely designed clear/white glass cylinders, accented by Polished Chrome ring spacers, delivers on the promise of chic. With each light individually hung, this fixture provides illumination from each lamp for high-key drama that is perfect for kitchen utility or dining elegance.

- Cylinder glass, frosted inside glass, clear outer glass
- Polished Chrome ring spacers add a refined accent
- Provides bright, high-impact illumination
- Ideal for kitchens, dining areas, or modern entertaining spaces



E22000-10
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	Additional Information
A	E22000	10	1 x 50W MB PAR20 (Not Incl.)	5.5"W x 15"H, 136"OAH	 
Finish: Clear/White glass (10) Polished Chrome (PC)					

CILANDRO

As efficient as it is beautiful, the Cilandro collection is poetry in motion. Presenting a simple statement with both style and grace, the collection is sure to add a touch of elegance to any room. With a combination of cylinder Matte White glass and a Satin Nickel finish, the collection's incandescent illumination offers a warm flare, complementing its design style.



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E53009	11	1 x 40W MB T10 (Not Incl.)	4.5"W x 10"H, 134"OAH			Glass is enclosed 
B	E63109	11SN	4 x 2.4W LED 3000K (Incl.)	4.75"W x 12.5"H, 134"OAH	80	672	Glass is enclosed Dry Location only  

Finish: Matte White glass (11) Satin Nickel (SN)




VANISH

A disappearing act of LED along an extended length of crystal-clear acrylic, these pendants vanish from view and simultaneously guide the slim, streamlined LED light source. Twist the machined aluminum ends finished in Gunmetal or Brushed Aluminum to direct the light wherever you choose.



VANISH

- Crystal-clear acrylic
- Available in Polished Gunmetal or Brushed Aluminum
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24837	75AL, 75GM	24W PCB LED 3000K (Inte.)	72"L x 2"W x 2"H, 124"OAH	85+	1920	1850	LED DIM
B	E24833	75AL, 75GM	12W PCB LED 3000K (Inte.)	36"L x 2"W x 2"H, 124"OAH	85+	960	900	LED DIM
C	E24835	75AL, 75GM	18W PCB LED 3000K (Inte.)	52"L x 2"W x 2"H, 124"OAH	85+	1440	1350	LED DIM

Finish Options: Clear Acrylic (75) Aluminum (AL) Gunmetal (GM)



JOIST

Horizontal Spans of natural wood frame an evenly diffused LED omnidirectional light source. Choose from genuine Walnut with Black or Natural Aged Brass accents or solid oak in a hand-applied Driftwood finish. Whether surface mounted or suspended as a pendant, this collection provides a natural touch to an otherwise modern, minimalist design.




JOIST

- Solid Wood Construction
- Solid North American Walnut or Oak wood in a Driftwood finish
- Matte White Acrylic diffuser
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming




E24932-DWCHL, -WNAB, -WNBK
Pendant

A




E24930-DWCHL, -WNAB, -WNBK
Wall Mount

B



E24938-DWCHL, -WNAB, -WNBK
Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E24932	DWCHL, WNAB, WNBK	28W PCB LED 3000K (Inte.)	45.25"L x 2"W x 4"H, 125.5"OAH		90+	2240	1680	LED DIM 1
B	E24930	DWCHL, WNAB, WNBK	13W PCB LED 3000K (Inte.)	21.75"W x 4.75"H x 2"Ext.	2.25"	90+	1040	780	LED DIM DAMP ADA
C	E24938	DWCHL, WNAB, WNBK	30W PCB LED 3000K (Inte.)	45.25"W x 4.75"H x 2"Ext.	2.25"	90+	2400	1800	LED DIM DAMP ADA

Finish Options: Driftwood/Charcoal (DWCHL) Walnut/Antique Brass (WNAB) Walnut/Black (WNBK)



DORIAN

A bold and timeless sconce, Dorian features a sleek, square block support with two cylinder LED tubes that extend horizontally. These tubes rotate individually to position the LED light. The collection features linear and vertical pendant configurations with slender profiles. The elongated vertical pendants are perfect to light lofty spaces. Individual segments rotate to direct the light along areas such as stairwells and can highlight artwork and collectible displayed at taller heights. The wall-mounted sconces offer similar features with additional streamlined back plate designs that mounts to either a single gang junction box or common 3-0 or 4-0 boxes with cover plate included. The sconces work well as portrait lighting, integrated into shelving, or above bath vanities. Two options for extension including one that extends less than four inches for ADA compliance. Available in Matte Black, Polished Chrome, and plated Gold, this collection is a subtle, handsome design with timeless appeal.




DORIAN

- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature
- Sconces offered with ADA compliant and extended dimensions for portrait lighting

E21355-BK, -GLD, -PC

Pendant

A



E21354-BK, -GLD, -PC

See page 347 for full Bath Vanities and Picture Lights


C

ROTATABLE
SEGMENTS

E21357-BK, -GLD

Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E21355	BK, GLD, PC	2 x 7.2W PCB LED 3000K (Inte.)	34.75"L x 4.75"W x 1"H, 46"OAH		90+	1000	860	LED DIM U
B	E21357	BK, GLD	3 x 6W PCB LED 3000K (Inte.)	47.5"L x 4.75"W x 1"H, 44.5"OAH		90+	1260	1080	LED DIM U
C	E21354	BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.5"W x 3"H x 3.5"Ext.	2.5"	90+	1260	900	LED DIM U ADA

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)

CONTINUUM

Elongated tubes of LED light are housed in incredibly small 1" diameter aluminum and suspended by nearly invisible support cables. Engineered to connect the various lengths end-to-end or with use of the rigid, angled adapters, adds endless applications for creativity and function. Each length includes a power feed within a surface mounted canopy and non-electrical support cables that standoff using ceiling anchors. With no additional power source components required, the continuous run pendants in this series are a welcome convenience for commercial applications. Lengths range from 36" to impressive 96" long. Individually, the fixtures provide ample lighting downward with minimal disruption to the architectural sight lines of a space. Available in Black, White, and brushed Aluminum finishes these are exemplary streamlined forms with functional purpose.




CONTINUUM


- 1 inch diameter tubes of aluminum available in Black White and Brushed Aluminum
- White acrylic diffuser evenly distributes light source
- Pendant lengths range from 3ft – 8ft
- Each pendant comes with mounting canopy and power source with cable standoffs
- Continuous-run design allows for connections end to end or with use of angled connectors (sold separately)
- LED Integrated, 3000-3500-4000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources



EMSC2600-BK, -SA, -WT
Connector Joint




Linkable end to end




E26008-90BK, -90SA, -90WT
Pendant

A




E26003-90BK, -90SA, -90WT
Pendant

B



E26004-90BK, -90SA, -90WT
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E26008	90BK, 90SA, 90WT	68W PCB LED 3000K-4000K (Inte.)	93.75"L x 1.5"W x 1.25"H, 121"OAH	90+	5250	4200	LED DIM I CCT
B	E26003	90BK, 90SA, 90WT	28W PCB LED 3000K-4000K (Inte.)	38.5"L x 1.5"W x 1.25"H, 121"OAH	90+	2250	1800	LED DIM I CCT
C	E26004	90BK, 90SA, 90WT	34W PCB LED 3000K-4000K (Inte.)	47"L x 1.5"W x 1.25"H, 121"OAH	90+	2650	2100	LED DIM I CCT

Finish Options: Frosted glass (90) Black (BK) Satin Aluminum (SA) White (WT)




BELT

An articulating LED linear pendant finished in Matte Black that can extend or shorten according to the length required for various applications. Expand the lighting surface by pulling the panels at opposite ends away from each other. As the light source wraps around the edge of the panels, it casts light both upward and downward along its shape. Perfect for multipurpose areas, above a kitchen island or dining table, it is ideal when measurements fall between sizes or require flexibility, allowing you to precisely customize the pendant's width to the required measurements.




BELT

- Matte Black finish
- Adjustable length from 42"-60"
- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




• Contracted



E22954-BK
Linear Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional	
				CRI	INIT.	DEL.	Information	
A E22954	BK	2 x 20W LED PCB 3000K (Inte.)	60"L x 2.5"W x 2.75"H, 48.25"OAH	90+	3200	2800	LED	ⓘ

Finish: Black (BK)

POLO

Modern, Clear glass cylinders suspended by streamlined pole structures that brightly illuminate surfaces below with high powered integrated LED. Select from two finishes, Black or Gold, and two sizes of pendants, 9 or 12.5 inch diameters, as well as a coordinating wall sconce.





POLO

- Available in Black or Gold finish
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E26380-18BK, -18GLD
Wall Mount

A




E26382-18GLD
Pendant

B



E26381-18BK, -18GLD
Mini Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS CRI INIT. DEL.	Additional Information
A	E26380	18BK, 18GLD	7W PCB LED 3000K (Inte.)	5"W x 9"H x 6.75"Ext.	2.5"	90+ 560 360	LED DIM
B	E26382	18GLD	22W PCB LED 3000K (Inte.)	12.5"L x 12.5"W x 8.25"H, 52.5"OAH		90+ 1760 990	LED DIM
C	E26381	18BK, 18GLD	10W PCB LED 3000K (Inte.)	8.75"L x 7.75"W x 12"H, 56.25"OAH		90+ 800 450	LED DIM

Finish Options: Clear glass (18) Black (BK) Gold (GLD)


BOMBONA

Large cylindrical glass shades feature a unique return as they are illuminated with LED integrated light sources. Available in 3 varying proportions, a combination of which adds a moody, contemporary styling to your interior space.




BOMBONA

- Gradient Grey Smoke Glass
- Matte Black Finish
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers




E20254-142BK
Pendant

A



E20255-142BK
Pendant

B



E20256-142BK
Pendant

C

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E20254	142BK	22W PCB LED 3000K (Inte.)	12"W x 10"H, 55.25"OAH	90+	1810	990	LED DIM+ ⓘ
B	E20255	142BK	22W PCB LED 3000K (Inte.)	16"W x 7"H, 52.75"OAH	90+	1810	990	LED DIM+ ⓘ
C	E20256	142BK	22W PCB LED 3000K (Inte.)	12"W x 16"H, 61.5"OAH	90+	1810	990	LED DIM+ ⓘ

Finish: Graduating Smoke glass (142) Black(BK)



DEWDROP

Suspended from slim cords, drops of blown glass encase a recessed LED light source casting light along the thick bottomed glass. Available in Matte Black with Mirror Smoked Glass, this simple design adds a statement to light.



DEWDROP


- Finishes Include: Black with Mirror Smoke glass
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21569-142BK

Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21569	142BK	15 x 8W PCB LED 3000K (Inte.)	33.75"L x 33.75"W x 6.75"H, 188.5"OAH	90+	8400	4200	LED DIM ⓘ

Finish: Graduating Smoke glass (142) Black (BK)


DEWDROP

- Finishes Include: Black with Mirror Smoke glass
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21566-142BK
Linear Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21566	142BK	10 x 8W PCB LED 3000K (Inte.)	30.5"L x 12.75"W x 6.75"H, 128"OAH	90+	6400	3200	LED dim ↑


Finish: Graduating Smoke glass (142) Black (BK)




E21561-142BK
Mini Pendant



E21562-142BK
Pendant



E21563-142BK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI	INIT.	DEL.	Additional Information
B	E21561	142BK	1 x 7W PCB LED 3000K (Inte.)	4"L x 4"W x 6.75"H, 128"OAH	90+	560	280	LED DIM ↑
C	E21562	142BK	1 x 10W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 13.75"H, 135"OAH	90+	800	400	LED DIM ↑
D	E21563	142BK	3 x 8W PCB LED 3000K (Inte.)	15"L x 15"W x 6.75"H, 128.25"OAH	90+	1920	960	LED DIM ↑

Finish: Graduating Smoke glass (142) Black (BK)


PIROUETTE

Twisted Black forms are illuminated on the edge with integrated LED to emphasize a spiraling effect. Available in pendant configurations, the collection is complemented by bath vanities in the same style. The vanity lights feature CCT Selectable light sources that allow you to adjust the color temperature of the lighting that best suits your application.



PIROUETTE

- Twisted Aluminum construction in matte Black finish
- 3200K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers



- Adjust product



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E24155	BK	32W PCB LED 3200K (Inte.)	40"L x 3.25"W x 2"H, 132"OAH		90+	2240	2400	LED DIM+ ⓘ
B	E24151	BK	16W PCB LED 3200K (Inte.)	8"L x 8"W x 18"H, 146"OAH		90+	1120	1040	LED DIM+ ⓘ
C	E24154	BK	66W PCB LED 3200K (Inte.)	16"L x 16"W x 22"H, 142.5"OAH		90+	4620	3900	LED DIM+ ⓘ
D	E24152	BK	15W LED 2700-3000-3500-4000-5000K (Inte.)	24"W x 4.75"H x 3.75"Ext.	4"	90+	1350	900	LED DIM+ ⓘ CCT+ ⓘ ⓘ

Finish: Black (BK)



INTERVAL

Three sizes stainless steel intersecting panels in ellipses and spheres are illuminated by a double raceway of dedicated LED light strips. An additional LED light source directs light downward. Stylishly finished in brushed Satin Brass or Matte Black, these sculptural lighting elements complement an architectural environment adding interest and functional light.




INTERVAL

- Available in Matte Black and brushed Satin Brass finishes
- Dedicated LED light source
- CRI 90+, 3000K
- 120-277V range voltage input
- Dimmable at 120V with ELV dimmers





E21486-BK, -SBR
Pendant

A




E21484-BK
Pendant

B



E21482-BK, -SBR
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21486	BK, SBR	35W PCB LED 3000K (Inte.)	9.75"L x 9.75"W x 14.25"H, 59.25"OAH	90+	2450	1750	LED DIM 90°
B	E21484	BK	26W PCB LED 3000K (Inte.)	7.75"L x 7.75"W x 12.25"H, 57.25"OAH	90+	1820	1300	LED DIM 90°
C	E21482	BK, SBR	18W PCB LED 3000K (Inte.)	8"L x 7.75"W x 8.25"H, 53.25"OAH	90+	1260	900	LED DIM 90°

Finish Options: Black (BK) Satin Brass (SBR)

SVEN

Clear glass domes are suspended from a machined aluminum font finished in your choice of two tone Silver with a Polished Chrome accent or Black with a brushed Coffee finish. Housed inside the machined font is a high power LED module which illuminates without glare.




- Machined Aluminum housing for LED module
- Two tone finishes available: Black with Coffee finish and Silver with Polished Chrome finish
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



BKCOF (Black/Coffee)



PCSV (Polished Chrome/Silver)



E24608-18BKCOF, -18PCSV
Pendant

A

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24608	18BKCOF 18PCSV	5W PCB LED 3000K (Integrated)	8"L x 8"W x 11.25"H, 133.25"OAH	80+	350	190	LED Dim i

Finish Options: Clear glass (18) Black/Coffee (BKCOF) Polished Chrome/Silver (PCSV)

BIG FIZZ

Our ever popular collection has grown up. Large scale fonts of clear bubble glass are suspended from Polished Chrome supports with no visible screws. Top of the line LED modules illuminate the glass from top to bottom with excellent color rendering.




BIG FIZZ

- Large scale Bubble glass
- 3000K Color Temperature, CRI 90+
- Dimmable with CL Triac Dimmer



E22877-91PC
Pendant

A




E22875-91PC
Pendant

B




E22873-91PC
Pendant

C



E22871-91PC
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22877	91PC	7 x 8W PCB LED 3000K (Integrated)	16"W x 26.5"H, 128"OAH	90+	3360	1750	LED DIM I DMF
B	E22875	91PC	5 x 8W PCB LED 3000K (Integrated)	13"W x 26.5"H, 128"OAH	90+	2400	1250	LED DIM I DMF
C	E22873	91PC	3 x 8W PCB LED 3000K (Integrated)	13"W x 26.5"H, 128"OAH	90+	1440	750	LED DIM I DMF
D	E22871	91PC	1 x 8W PCB LED 3000K (Integrated)	4.75"W x 26.75"H, 128"OAH	90+	480	250	LED DIM I DMF

Finish: Bubble glass(91) Polished Chrome (PC)

FIZZ III

This forever popular collection is now better than ever. High output LEDs now illuminate the bubble glass pendants. The LED modules produce 20% more light, 90% less heat, 25% longer life, and 75% less energy than the previous halogen lamp. You also still have dimming capability, adding a personal touch to your space.



FIZZ III

- 3000K Color Temperature
- Etched Bubble Glass shades
- Square columns of glass
- Dimmable with Triac dimmers





E22761-89BZ, -89PC
Pendant

A




E22760-89BZ, -89PC
Wall Mount

B



E22757-89PC
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E22761	89BZ, 89PC	1 x 7.5W LED 3000K (Integrated)	4.75"W x 12"H, 120"OAH		80+	525 300	LED DIM 1
B	E22760	89BZ, 89PC	1 x 7.5W LED 3000K (Integrated)	4.75"W x 14.5"H x 5.5"Ext.	7"	80+	525 233	LED DIM
C	E22757	89PC	2 x 22W LED 3000K (Integrated)	24"W x 5.25"H x 2.5"Ext.		80+	3000 2464	LED DIM 1

Finish Options: Etched/Bubble glass (89) Bronze (BZ) Polished Chrome (PC)



RHYTHM

Ablaze with omnidirectional LED light radiating from the center of perfectly ribbed spheres, the lustrous glow within accentuates the repeating pattern on the glass' exterior. With minimal hardware visible outside the glass, select from Polished Chrome or Gold to match your interior's decor.




RHYTHM

- Solid clear ribbed glass shades
- Omnidirectional low voltage LED
- 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24646-144GLD, -144PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24646	144GLD, 144PC	9 x 6W PCB LED 3000K (Inte.)	21.75"L x 21.75"W x 5"H, 127"OAH	90+	2430	1620	LED DIM ↑

Finish Options: Clear Ribbed glass (144) Gold (GLD) Polished Chrome (PC)




RHYTHM

- Solid clear ribbed glass shades
- Omnidirectional low voltage LED
- 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E24648-144GLD, -144PC
Linear Pendant

A





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24648	144GLD, 144PC	10 x 6W PCB LED 3000K (Inte.)	33.5"L x 11"W x 5"H, 127"OAH	90+	2700	1800	LED DIM ⓘ

Finish Options: Clear Ribbed glass (144) Gold (GLD) Polished Chrome (PC)




E24643-144GLD, -144PC
Pendant

B



E24641-144GLD, -144PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E24643	144GLD, 144PC	3 x 6W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 5"H, 135"OAH	90+	810	540	LED DIM ↑
C	E24641	144GLD, 144PC	1 x 6W PCB LED 3000K (Inte.)	4.25"L x 4.25"W x 5"H, 137"OAH	90+	270	180	LED DIM ↑

Finish Options: Clear Ribbed glass (144) Gold (GLD) Polished Chrome (PC)

HIGHBALL

Minimalist in form and futuristic in styling, a gradient color effect applied to cylindrical glass shades provides a dynamic lighting effect. A Polished Gunmetal LED housing supports the glass adds a mirror like effect to the highly reflective glass. The resulting effect is a replication of the LED light along the length of the glass. Available in a mirrored Gradient Smoke or Gradient Amber glass, the finishes remarkably coordinate with many interior color palettes.




HIGHBALL

- Polished Gunmetal finish
- Glass options include: (142) Mirror Smoke or (05) Amber
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21189-05GM, -142GM
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21189	05GM, 142GM	9 x 8W PCB LED 3000K (Inte.)	22.75"L x 22.75"W x 12.5"H, 130"OAH	90+	5680	3240	LED DIM ⓘ

Finish Options: Amber glass (05) Graduating Smoke glass (142) Gunmetal (GM)




HIGHBALL

- Polished Gunmetal finish
- Glass options include: (142) Mirror Smoke or (05) Amber
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E21183-05GM, -142GM
Pendant

A



E21185-05GM, -142GM
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21183	05GM, 142GM	3 x 9W PCB LED 3000K (Inte.)	12.5"L x 12.5"W x 12.5"H, 130"OAH	90+	2160	1080	LED DIM ↑
B	E21185	05GM, 142GM	5 x 8W PCB LED 3000K (Inte.)	16.5"L x 16.5"W x 12.5"H, 130"OAH	90+	3600	1800	LED DIM ↑


Finish Options: Amber glass (05) Graduating Smoke glass (142) Gunmetal (GM)



E21181-05GM, -142GM
Mini Pendant




E21180-05GM, -142GM
Wall Mount



• Removable Cover Plate



E21182-05GM, -142GM
Table Lamp



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
C	E21181	05GM, 142GM	1 x 10W PCB LED 3000K (Inte.)	4"L x 4"W x 8.5"H, 130"OAH		90+	800	400	LED DIM I
D	E21182	05GM, 142GM	1 x 10W PCB LED 3000K (Inte.)	4"L x 4"W x 14.25"H		90+	800	400	LED DIM
E	E21180	05GM, 142GM	1 x 10W PCB LED 3000K (Inte.)	5"W x 15"H x 4"Ext.	12.5"	90+	800	400	LED DIM DMP

Finish Options: Amber glass (05) Graduating Smoke glass (142) Gunmetal (GM)

MARSH

Drawing the outdoors in, the inspiration for this piece combines iconic modern lighting with biophilic forms. Long slender armatures descend in organic slopes to domed, ovoid shades that appear leaf-like. Finished in Matte Black the collection features coordinating low voltage garden lights that blend into outdoor spaces while providing useful illumination.



- Matte Black finish
- AC Integrated (No Driver) Indoor Lighting Fixtures
- 12V Low Voltage Coordinating Garden Lighting
- LED Integrated, 3000K Color temperature



• Convertible to Semi-Flush Mount



• Landscape lights found on page 505


ADJUSTABLE
DIRECTIONAL LIGHT



E24095-BK

Pendant/Semi-Flush Mount

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24095	BK	5 x 9W PCB LED 3000K (Inte.)	36"L x 36"W x 43"H, 89"OAH	90+	4500	1900	LED DIM UP

Finish: Black (BK)


MARSH

- Matte Black finish
- AC Integrated (No Driver) Indoor Lighting Fixtures
- 12V Low Voltage Coordinating Garden Lighting
- LED Integrated, 3000K Color temperature



E24094-BK
Semi-Flush Mount


A



• Convertible to Semi-Flush Mount

E24093-BK
Pendant/Semi-Flush Mount

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24094	BK	3 x 9W PCB LED 3000K (Inte.)	32"L x 32"W x 8"H	90+	2700	1200	LED DIM DMAP
B	E24093	BK	3 x 9W PCB LED 3000K (Inte.)	28"L x 28"W x 32.75"H, 78.75"OAH	90+	2700	1200	LED DIM I

Finish: Black (BK)



E24092-BK
Wall Mount



C	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
	E24092	BK	2 x 9W PCB LED 3000K (Inte.)	33.25"W x 28"H x 21.25"Ext.	19.75"	90+	1800	900	LED DIM DAMP

Finish: Black (BK)

PENROSE

A cubist work of art, the Penrose collection carefully calculates the structural form of a cube space when corners do not meet. This tracery of this shape is emphasized by its dedicated LED light source housed within aluminum channels and then cast in various directions. Available in Matte Black or Gold, this series is a feat of human engineering in design. Translating a mathematical challenge into a sculptural work of art with the function of delivering light to interior spaces.




PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24" vanity lighting
- Available in Black or painted Gold



E21266-BK, -GLD
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21266	BK, GLD	108W PCB LED 3000K (Inte.)	38"L x 16"W x 16"H, 138"OAH	90+	5400	3420	LED DIM ⓘ

Finish Options: Black (BK) Gold (GLD)




PENROSE

- Sculptural engineering where joints do not meet along the outline
- Dimmable LED integration casts light in all directions along the frame
- Cube and rectilinear pendants with coordinating ADA compliant sconce and 24" vanity lighting
- Available in Black or painted Gold




E21261-BK, -GLD
Pendant

A



E21262-BK
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21261	BK, GLD	23W PCB LED 3000K (Inte.)	7"L x 7"W x 18"H, 140"OAH	90+	1840	810	LED DIM UP
B	E21262	BK	54W PCB LED 3000K (Inte.)	16"L x 16"W x 16"H, 138"OAH	90+	2700	1700	LED DIM UP

Finish Options: Black (BK) Gold (GLD)




E21260-BK, -GLD
ADA Compliant Wall Mount

C




E21263-BK, -GLD
Wall Mount

D



E21269-GLD
Wall Mount

E




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
C	E21260	BK, GLD	14W PCB LED 3000K (Inte.)	7"W x 17.75"H x 2.25"Ext.	9"	90+	700 470	LED DIM DAMP
D	E21263	BK, GLD	30W PCB LED 3000K (Inte.)	8.5"W x 24"H x 7"Ext.	12"	90+	1500 950	LED DIM DAMP
E	E21269	GLD	23W PCB LED 3000K (Inte.)	12"W x 18"H x 4.5"Ext.	9"	90+	1840 650	LED DIM DAMP


Finish Options: Black (BK) Gold (GLD)

LINK

Chain links of Satin Nickel are illuminated internally by encased LED light. The suspending frames are adjustable to create different expansions of the linear pendants and flush mounts. A coordinating wall sconce completes this streamlined contemporary collection.




- Satin Nickel finish
- Adjustable frames to expand the pendants dimensions
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmer





E20352-SN
Flush Mount

B



E20354-SN
Pendant

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information			
A	E20350	SN	18W PCB LED 3000K (Integrated)	5.5"W x 20.25"H x 6.5"Ext.	3.75"	90+	1260	990				
B	E20352	SN	49W PCB LED 3000K (Integrated)	29.25"L x 29.25"W x 7"H		90+	3430	2380				
C	E20354	SN	30W PCB LED 3000K (Integrated)	42"L x 6.25"W x 7.25"H, 129"OAH		90+	2100	1620				

Finish: Satin Nickel (SN)


STEALTH

Channels of Black are fused in an erratic fashion concealing a LED light source which emits a soft and even illumination to the surface below. Light intensity is adjustable down to 10% to allow for multiple mood settings.




STEALTH

- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E30574-BK
Pendant

A



E30576-BK
Pendant


B

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E30574	BK	36W PCB LED 3000K (Integrated)	21.25\"L x 21.25\"W x 8.5\"H, 128.5\"OAH	80+	2500	1600	LED DIM ⓘ
B	E30576	BK	50W PCB LED 3000K (Integrated)	34.75\"L x 33\"W x 10.25\"H, 132\"OAH	80+	3500	2200	LED DIM ⓘ

Finish: Black (BK)


TWISTED

Arched Matte White aluminum channel is artfully formed into unique lighting sculptures. Two rows of LEDs are used to double the light output but are fully dimmable for your comfort level.



TWISTED

- 120-277V Input
- 3000K Color Temperature, CRI 90
- Dimmable with ELV Dimmer at 120V
- Damp Location Rated



E30644-MW
Pendant

A




E30640-MW
Flush Mount

B



E30647-MW
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E30644	MW	52W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 10.25"H, 131.5"OAH	90+	3640	2340	LED DIM KEY DAMP
B	E30640	MW	52W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 11"H	90+	3640	2340	LED DIM KEY DAMP
C	E30647	MW	66W PCB LED 3000K (Integrated)	36.75"L x 26.25"W x 10.25"H, 131.5"OAH	90+	4620	2970	LED DIM KEY DAMP

Finish: Matte White (MW)



SIGNATURE

Organic lines sweep across horizontally and terminate as if a signature was written in 3 dimensions. Finished in a rich Brushed Champagne or Black Chrome, this collection is as much a sculpture as it is a functional light source.




SIGNATURE

- Exclusive high end finish
- Neutral 3000K 90+ CRI
- Dimmable to 10% using ELV dimmer



E20468-BC, -BCN
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E20468	BC, BCN	63W PCB LED 3000K (Inte.)	37.5"L x 15.75"W x 13"H, 131.75"OAH	90+	4410	2520	LED DIM ⓘ

Finish Options: Black Chrome (BC) Brushed Champagne (BCN)

CURVO

A double stacked ring of undulating forms creates an interesting pattern of modern design. Finished in Matte Black, the LED faces inward reducing glare while providing ample illumination. Available in two sizes of pendants.




CURVO

- Available as a 20" and 40" double stacked ring
- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E22922-BK
Pendant

A



E22924-BK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22922	BK	40W PCB LED 3000K (Inte.)	20"L x 20"W x 4.75"H, 127"OAH	90+	3200	1100	LED DIM ↑
B	E22924	BK	80W PCB LED 3000K (Inte.)	38.75"L x 38.75"W x 6.75"H, 129"OAH	90+	6400	2200	LED DIM ↑

Finish: Black (BK)

SERPENTINE

Spiraling sinews of LED tape light swirl in a snake like formation. Black aluminum channels are illuminated by strips of LED tape evenly diffused across a silicone lens. These sleek, modern designs, which come in two pendant sizes and a semi-flush mount, are sure to make a statement.




SERPENTINE

- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




E30668-BK
Linear Pendant

A



E30666-BK
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E30668	BK	78W PCB LED 3000K (Inte.)	56.5"L x 16.25"W x 15.75"H, 61.5"OAH	90+	6240	4640	LED DIM ↑
B	E30666	BK	80W PCB LED 3000K (Inte.)	59.75"L x 13.75"W x 6.25"H, 127"OAH	90+	6400	5500	LED DIM ↑


Finish: Black (BK)

SERPENTINE

- LED Integrated, Neutral 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V




E30667-BK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E30667	BK	80W PCB LED 3000K (Inte.)	21.25"L x 21.25"W x 59"H, 152.25"OAH	90+	6400	5500	  

Finish: Black (BK)



E30660-BK
Semi-Flush Mount

B




E30664-BK
Pendant

D



E30662-BK
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information		
					CRI	INIT.	DEL.			
B	E30660	BK	39W PCB LED 3000K (Inte.)	32.25"L x 13"W x 19"H	90+	3120	2930	LED	DIM	ULMP
C	E30662	BK	39W PCB LED 3000K (Inte.)	32.25"L x 13"W x 17.25"H, 64"OAH	90+	3120	2930	LED	DIM	ULMP
D	E30664	BK	39W PCB LED 3000K (Inte.)	25"L x 24.75"W x 15.5"H, 62"OAH	90+	3120	2930	LED	DIM	ULMP

Finish: Black (BK)

CYCLE

This playful design of continuous channel finished in Black, spiral from the canopy to create unique lighting sculptures. LED mounted inside the channel provides ample illumination with an indirect effect.




CYCLE


- Metalwork finished in Black
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers




E21325-BK
Pendant



E21320-BK
Flush Mount



E21322-BK
Flush Mount



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21327	BK	98W PCB LED 3000K (Integrated)	31.5"L x 31.5"W x 2"H, 124"OAH	80+	6860	5880	LED DIM ↑
B	E21325	BK	77W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 2"H, 124"OAH	80+	5390	4690	LED DIM ↑
C	E21320	BK	53W PCB LED 3000K (Integrated)	18"L x 18"W x 2.75"H	80+	3710	3200	LED DIM
D	E21322	BK	75W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 2.75"H	80+	5250	4500	LED DIM

Finish: Black (BK)



COASTER

Take a ride on this fun lighting collection featuring channel of Polished Chrome skillfully formed in a twisted design. Unique in its approach, light is distributed in all directions and is fully dimmable.





COASTER

- 110-277V Input
- 3000K Color Temperature
- Dimmable with ELV Dimmer at 120V
- Damp Location Rated




E24134-PC
Flush Mount

A




E24132-PC
Pendant

B



E24136-PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24134	PC	40W PCB LED 3000K (Integrated)	20.25"L x 20.25"W x 7.5"H	90+	2800	2105	LED DIM+ DAMP
B	E24132	PC	40W PCB LED 3000K (Integrated)	20.25"L x 20.25"W x 3.75"H, 129"OAH	90+	2800	2200	LED DIM+ UP DOWN DAMP
C	E24136	PC	48W PCB LED 3000K (Integrated)	30.25"L x 10"W x 5.5"H, 127"OAH	90+	3360	2140	LED DIM+ UP DOWN DAMP

Finish: Polished Chrome (PC)

ENTANGLEMENT

A network of wire and crystal are suspended within a box frame illuminated from above. The light panel above highlights the iridescence of the crystal while providing ample illumination to the space below.




ENTANGLEMENT

- K9 Crystal jewels suspended in aircraft cable sculpture
- LED Integrated, 3CCT Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility



E21254-20BK
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21254	20BK	73.5W PCB LED 3000/3500/4000K (Inte.)	27.5"L x 27.5"W x 12.75"H, 134.5"OAH	90+	4400	1800	   


Finish: Crystal (20) Black (BK)

ENTANGLEMENT

- K9 Crystal jewels suspended in aircraft cable sculpture
- LED Integrated, 3CCT Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility





E21253-20BK
Pendant



E21256-20BK
Linear Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21253	20BK	39.5W PCB LED 3000/3500/4000K (Inte.)	41.75"L x 11.5"W x 12.75"H, 134.5"OAH	90+	2370	1570	LED DIM I CCT
B	E21256	20BK	59W PCB LED 3000/3500/4000K (Inte.)	47.25"L x 10"W x 6.75"H, 129"OAH	90+	3550	1900	LED DIM I CCT


Finish: Crystal (20) Black (BK)






E21250-20BK
Flush Mount

C



E21251-20BK
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E21250	20BK	36.5W PCB LED 3000/3500/4000K (Inte.)	19.75"L x 19.75"W x 8"H	90+	2200	1500	LED DIM CCT
D	E21251	20BK	11W PCB LED 3000/3500/4000K (Inte.)	6"L x 6"W x 12.75"H, 134.5"OAH	90+	660	390	LED DIM CCT

Finish: Crystal (20) Black (BK)

AURA

A sculpture of Polished Chrome or Black channel is gracefully formed with offsetting waves of motion. This collection is fully dimmable for a great combination of form and function.




AURA

- Functional sculptures of illumination
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21178-BK, -PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21178	BK, PC	149W PCB LED 3000K (Integrated)	31"W x 35"H, 158"OAH	80+	10,430	9180	


Finish Options: Black (BK) Polished Chrome (PC)

AURA

- Functional sculptures of illumination
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21176-BK, -PC
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E21176	BK, PC	104W PCB LED 3000K (Integrated)	24"W x 26"H, 148"OAH	80+	7257	6380	  

Finish Options: Black (BK) Polished Chrome (PC)




E21174-BK, -PC
Pendant

B



E21172-BK, -PC
Pendant

C




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E21174	BK, PC	60W PCB LED 3000K (Integrated)	17"W x 18"H, 142"OAH	80+	4233	3730	LED DIM Y
C	E21172	BK, PC	32W PCB LED 3000K (Integrated)	12"W x 14"H, 134"OAH	80+	2268	2000	LED DIM Y

Finish Options: Black (BK) Polished Chrome (PC)

4 SQUARE

Cubes of Black and Polished Chrome are lit from the inside by LED strips concealed in a channel. The silhouette created by this inward design creates a dramatic light effect.



4 SQUARE

- Available in Black or Polished Chrome
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




BK Black



PC Polished Chrome

E30582-BK, -PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E30582	BK, PC	24W PCB LED 3000K (Integrated)	20.5"L x 20.5"W x 21"H, 120"OAH	90+	1680	1500	LED DIM ⓘ

Finish Options: Black (BK) Polished Chrome (PC)



CHAMBER

Blocks of Black encase a series of contrasting U shape Gold structures which house the LED. Positioned in various directions, the entire room is illuminated by this unique architectural design.




CHAMBER



- Two tone Black and painted Gold finish
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers



E21224-BKGLD
Pendant



E21226-BKGLD
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E21224	BKGLD	44W PCB LED 3000K (Integrated)	18.25"L x 18.25"W x 18.75"H, 132.25"OAH	90+	3080	1840	LED DIM ↑
B	E21226	BKGLD	51W PCB LED 3000K (Integrated)	23.75"L x 23.75"W x 24.25"H, 137.75"OAH	90+	3570	2130	LED DIM ↑

Finish: Black/Gold (BKGLD)

SENSE

Bring a touch of contemporary style to any design space with the Sense Collection. The external mirrored glass enveloping a sphere of xenon emanates the heart and soul of the space it inhabits. With an added touch of elegance, the clean simple orb frame falls gracefully from the ceiling on a gently swirling lifeline.




- Standard Dimmable
- 3000K Color Temperature
- G9, Xenon Lamps Included




E21206-10PC
Pendant

B



E21200-10PC
Flush Mount

A




MIRROR SHADE BECOMES
TRANSPARENT
WHEN ILLUMINATED

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS INIT. DEL.	Additional Information
A	E21200	10PC	5 x 3W G9 LED 3000K (Incl.)	15.75"W x 8.75"H	1500 1400	LED DIM
B	E21206	10PC	6 x 3W G9 LED 3000K (Incl.)	19.75"W x 8.75"H, 120"OAH	1800 1680	LED DIM ⓘ

Finish: Mirror Chrome (10) Polished Chrome (PC)

SPIRAL

The Spiral Collection features curled metal tubing that shines like diamonds radiating in the sun. Strands of high quality K9 crystal beads add to the opulence of the fixture, offering a distinct sparkle visible whether off or on.



SPIRAL

- Twisted aluminum rods
- Features K9 crystal beads
- Upgrade to LED G9 Bulbs





(Optional)
BL4G9CL120V30
G9 LED Bulb **LED**



E23133-10PC
Flush Mount

A



CURLED METAL TUBING



E23146-10PC
Pendant

B


	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
A	E23133	10PC	7 x 4W G9 LED 3000K (Incl.)	16.75"W x 9.5"H	3430	LED DIM
B	E23146	10PC	9 x 4W G9 LED 3000K (Incl.)	35"L x 11"W x 10"H, 118"OAH	4500	LED DIM ⓘ

Finish: Clear/White (10) Polished Chrome (PC)



SOLEIL

Sweeping matte white acrylic tubes encase an omnidirectional LED light source, arranged in abstract configurations inspired by solar flares. Minimal in composition yet dramatic in form, the Soleil collection offers a striking lighting solution. Available in a range of sizes, including fixed flush mount and field-adjustable pendant configurations, Soleil is offered in Polished Chrome, Matte Black, and Natural Aged Brass, making it a perfect complement to a variety of interior color schemes.




- Abstract configurations of matte white acrylic tubes evoke the dynamic beauty of solar flares.
- Omnidirectional LED integrated light source
- Offered in fixed flush mount configurations and field-adjustable pendant
- Available in Polished Chrome, Matte Black, and Natural Aged Brass finishes to complement diverse interior styles.



E24989-BK, -NAB, -PC
Flush Mount

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24989	BK, NAB, PC	130W PCB LED 3000K (Inte.)	42"L x 20"W x 31.5"H	90+	10400	6100	LED DIM


Finish Options: Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

SOLEIL

- Abstract configurations of matte white acrylic tubes evoke the dynamic beauty of solar flares.
- Omnidirectional LED integrated light source
- Offered in fixed flush mount configurations and field-adjustable pendant
- Available in Polished Chrome, Matte Black, and Natural Aged Brass finishes to complement diverse interior styles.



E24988-BK, -NAB, -PC
Pendant




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24988	BK, NAB, PC	110W PCB LED 3000K (Inte.)	35.5"L x 35.5"W x 33.5"H, 155.5"OAH	90+	8800	5200	  

Finish Options: Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)




E24987-BK, -NAB, -PC
Flush Mount

B



E24983-BK, -NAB, -PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E24987	BK, NAB, PC	70W PCB LED 3000K (Inte.)	20"L x 20"W x 26"H	90+	5600	3300	LED DIM
C	E24983	BK, NAB, PC	45W PCB LED 3000K (Inte.)	13"L x 13"W x 29"H, 151"OAH	90+	3000	2700	LED DIM

Finish Options: Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

PICOLO

Tall-scale tubular shades of Polished Chrome are draped in a choice of unique configurations. Light provided by the energy efficient and low maintenance 40,000 rated life hour 3500K LED source mysteriously radiates from the bottom of the tube and highlights the Clear Acrylic diffuser on the bottom.



E22271-75PC
Pendant

A

14.5"

6"

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
A	E22271	75PC	1 x 1W PCB LED 3500K (Integrated)	6"W x 14.5"H x 136"OAH	65	LED ⓘ


Finish: Clear Acrylic (75) Polished Chrome (PC)

ZEPHYR

Rectangular Beveled Crystals are banded together to form soft square cylinders which are illuminated by LED that creates a brilliant lighting effect. Some items include metal chassis of Black which frame the crystal for a beautiful silhouette.



E23301-20BK
Pendant




BRILLIANT

With formed metal spheres of Polished Chrome framing multifaceted crystal jewelry and illuminating for extra brilliance, the Brilliant Collection adds a touch of contemporary elegance to any design space.



E24023-20PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
A	E23301	20BK	6.5W PCB LED 3000K (Inte.)	6"L x 6"W x 8"H, 51.75"OAH	310	LED DIM+ UP 90°
B	E24023	20PC	1 x 40W G9 Xenon (Incl.)	5"W x 7"H, 128"OAH	500	DIM+ UP

Finish: Crystal (20) Black (BK) Polished Chrome (PC)



ECHO

Surrounded by a metal drum shade in a variety of sizes and finishes, an internal acrylic shade evenly diffuses bright LED illumination. Designed for simpler installation and an aesthetically pleasing silhouette, these practical metal drum shades are offered in Matte White inside and out, or enhanced with gold or black interiors to reduce glare and add stylish contrast. The series also features a chic Black shade with a Gold interior color combination. To round out the collection, all of these color options are also compatible with a pendant accessory that quickly converts the flush mount fixtures into drum shade pendants.



- Chic metal shades with internal white acrylic drums available as flush mounted or suspended ceiling light fixtures
- Choose from warm to cool color temperatures that include: 2700-3000-3500-4000-5000K
- Available in 4 Color Options: Black/Gold, White, White/Black, White/Gold
- 3 sizes available: 13" – 16" – 24"
- LED integrated light sources with both high voltage and range voltage universally dimmable options




E51012-BKGLD, -WT, -WTBK, -WTGLD
Flush Mount

A




E51014-BKGLD, -WT, -WTBK, -WTGLD
Flush Mount

B



E51013-BKGLD, -WT, -WTBK, -WTGLD
Pendant

C



E51015-BKGLD, -WT
Pendant

D

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A	E51012 BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16"L x 16"W x 4.25"H	90+	2000	1500	LED DIM OAMP CCT 24
B	E51014 BKGLD, WT, WTBK, WTGLD	40W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 4.25"H	90+	3200	2400	LED DIM OAMP CCT 24
C	E51013 BKGLD, WT, WTBK, WTGLD	25W PCB LED 2700-5000K (Inte.)	16"L x 16"W x 10.75"H, 122"OAH	90+	2100	1500	LED DIM OAMP CCT 24
D	E51015 BKGLD, WT	40W PCB LED 2700-5000K (Inte.)	24"L x 24"W x 5"H, 37"OAH	90+	3200	2400	LED DIM OAMP CCT 24

Finish Options: Black/Gold (BKGLD) White (WT) White/Black (WTBK) White/Gold (WTGLD)



SOUFFLE

Deep pans of cast concrete in a traditional scalloped edge house LED integrated light sources behind curved opal white acrylic diffusers. Reminisce in the classical forms that benefits from the organic texture of cast concrete to add character to the design. Inspired by ramekins, these delectable LED treats are available in Chalk White, Terra Cotta, and Grey.



SOUFFLE

- Cast concrete lamp bodies
- White acrylic diffusers evenly and softly diffuse lighting
- Available in Chalky White, Terra Cotta, and Gray Aggregate
- Damp location rated
- LED dimmable with Triac and ELV dimmers



E25050-CHK, -GY, -TRC
Flush Mount

A





E25051-CHK, -GY, -TRC
Flush Mount

B




E25058-CHK, -GY, -TRC
Flush Mount

C



E25052-CHK, -GY, -TRC
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E25050	CHK, GY, TRC	15W PCB LED 3000K (Inte.)	10.5"L x 10.5"W x 3.25"H	90+	840	680	  
B	E25051	CHK, GY, TRC	25W PCB LED 3000K (Inte.)	13.25"L x 13.25"W x 3.75"H	90+	1320	1120	  
C	E25058	CHK, GY, TRC	30W PCB LED 3000K (Inte.)	18"L x 18"W x 4.5"H	90+	1700	1350	  
D	E25052	CHK, GY, TRC	7W MB LED 3000K (Incl.)	5.75"L x 5.75"W x 8.5"H, 127.25"OAH	90+	700	600	    JA8 bulb (Incl.)

Finish Options: Chalky White (CHK) Gray (GY) Terra Cotta (TRC)



ZIGGURAT

Two tiers appear to spiral in this series of flush mounts. Finished in matte White, this subtle form is available in 3 sizes including an extra large 31.5" diameter bright enough for hospitality applications.




ZIGGURAT

- Matte White Finish
- Damp location rated
- LED Integrated, 3000K
- Compatible with Triac and ELV dimmers




E51042-WT
Flush Mount

A




E51044-WT
Flush Mount

B



E51046-WT
Flush Mount

C




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E51042	WT	63W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 4.75"H	90+	4410	2000	LED DIM DAMP
B	E51044	WT	86W PCB LED 3000K (Inte.)	24"L x 24"W x 4.75"H	90+	6020	3000	LED DIM DAMP
C	E51046	WT	155W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 4.75"H	90+	10,850	5050	LED DIM DAMP

Finish: White (WT)




SLANT

A distinctive slant defines this series of flush mounts. Finished in an exterior sandy Matte White finish with an interior in Gold, the flush mounts add unique flair to your ceiling.




SLANT

- Matte White Exterior with Gold Interior
- Damp location rated
- LED Integrated, 3000K
- Compatible with Triac and ELV dimmers




E51032-WTGLD
Flush Mount

A



E51034-WTGLD
Flush Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E51032	WTGLD	42W PCB LED 3000K (Inte.)	19.75"L x 19.75"W x 4.75"H	90+	2940	1320	LED DIM DAMP
B	E51034	WTGLD	88W PCB LED 3000K (Inte.)	31.5"L x 31.5"W x 4.75"H	90+	6160	3150	LED DIM DAMP

Finish: White/Gold (WTGLD)

iCORONA

Meet the new standard in smart lighting, Friends of HUE together with ET2 introduce the iCorona collection. Encased inside a dual Matte White ring is a Philips Hue light engine which will change the color temperature, dim the lights, and a wide variety of programmable room scenes. All of this can be done from your phone, Amazon Alexa, Apple HomeKit, and many other Smart Home controls.




- Winner of the 2020 Red Dot Award for Best of Lighting
- Unlock smart control features with Philips Wiz control
- Indirect lighting within the aluminum ring
- Matte White finish reflects light
- Color Ambience tuning
- CRI 90+
- Compatible with Amazon Echo, Apple HomeKit, Google Home, and other Smart Home Controls



RGB COLOR
CHANGE


E35100-BK, -MW
Flush Mount

A



E35101-BK, -MW
Flush Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E35100	BK, MW	36W PCB LED (Integrated)	17.75"L x 17.75"W x 5.5"H	90+	2400	1800	LED DIM
B	E35101	BK, MW	36W PCB LED (Integrated)	22.75"L x 22.75"W x 5.75"H	90+	2800	2100	LED DIM

Finish Options: Black (BK) Matte White (MW)

BUBBLE

Double bubble, this series of flush mounts feature a Clear acrylic shade that encases an internal frosted shade. Integrated LED technology evenly illuminates the inner shades available in two sizes.




BUBBLE

- Clear Acrylic Exterior with Frosted Interior
- Damp location rated
- LED Integrated, 3000K
- Compatible with Triac and ELV dimmers




E51021-10WT
Flush Mount

A



E51022-10WT
Flush Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E51021	10WT	16W PCB LED 3000K (Inte.)	13.75"L x 13.75"W x 3.25"H	90+	840	720	LED DIM DAMP
B	E51022	10WT	24W PCB LED 3000K (Inte.)	18"L x 18"W x 4"H	90+	1920	1680	LED DIM DAMP

Finish: Clear/White glass (10) White (WT)






Continuum TRACK

CONTINUUM - TRACK

The next generation of track lighting is here with the ultra-slim Continuum series from ET2. Field adjustable track lengths can be extended, connected, or cut to fit the space they are installed. On them, a variety of low voltage light sources can be quickly snapped into place adding and directing light exactly where desired. Various power feed options are available including recessed, on-track, or integrated dimmable driver and switch. Available in Matte Black or Matte White, the track lengths can even be painted to match the exact paint color of the surfaces they are installed. This adaptable track system makes it simple to design the lighting in your space according to your vision and is only limited to your imagination.

SURFACE MOUNTED CONNECTORS




SURFACE MOUNTED TRACK



- Surface Mount Installation
- Field Cuttable
- Various Track Connectors Adaptable
- Available in Black or White
- 3M Stickers Cover Screw Caps

ETRK25080-BK, -WT 33"L
ETRK25150-BK, -WT 60"L
ETRK25200-BK, -WT 80"L



ON-TRACK DRIVER

24V Low Voltage Output
Plug-In and Hardwire Options



96W On-Track Driver
ETDRV001-24100-BK, -WT
11.5"L x 1"W x 2.25"H
Includes 48" Plug


INSTALL TRACK 3 WAYS



INSTALL OPTION: PLUG-IN



INSTALL OPTION: HARDWIRE KNOCKOUT



INSTALL OPTION: DISCREETLY WIRE WITHIN

COVER PLATE ACCESSORIES



Track Cover Plate
ETMSC02-BK, -WT
5"L x 5"W x 0.25"H



Track Cover Plate
ETMSC03-BK, -WT
5"L x 5"W x 0.25"H


CONTINUUM - TRACK

REMOTE HARDWIRED DRIVER



EDHW-2496AL
Hardwire Driver
(Remote Installation)
8.5"L x 3.25"W x 1.5"H

DRIVER & DIMMER SWITCH





60W Driver & Dimmer Switch
SWT898-2460WT 60W
2.25"L x 2"W x 4.25"H

SPLICE BOX




Splice Box
ETMSC04-BK, -WT
3.5"L x 1.5"W x 0.75"H



ELECTRICITY FEED & COVER PLATE




Electricity Module and Cover Plate
(Driver not included)
ETMSC01-BK, -WT
5"L x 5"W x 0.25"H



CONTINUUM-TRACK LIGHT

- Flat Lens Diffuser with even light distribution
- Available with adjustable gimbal
- 3 Lengths Available: 5" - 9" - 13.5"
- 24V LED, 3000K Color Temperature


STANDARD LENS




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	ETL26212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	600	300	   
B	ETL26216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	900	450	   
C	ETL26218	BK, WT	12W PCB LED 3000K (Inte.)	13.5"L x 1"W x 1.5"H	90+	1500	750	   
D	ETL25212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 2.25"H	90+	600	300	   
E	ETL25216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 2.25"H	90+	900	450	   

Finish Options: Black (BK) White (WT)

OPTICAL LENS



ANTI-GLARE LENS




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
F	ETL24212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	550	450	   
G	ETL24216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	800	675	   
H	ETL23212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 2.25"H	90+	550	450	   
I	ETL23216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 2.25"H	90+	800	675	   
J	ETL28212	BK, WT	6W PCB LED 3000K (Inte.)	5"L x 1"W x 1.5"H	90+	600	250	   
K	ETL28216	BK, WT	9W PCB LED 3000K (Inte.)	9"L x 1"W x 1.5"H	90+	900	350	   

Finish Options: Black (BK) White (WT)

CONTINUUM-SPOT LIGHT

- Spot Lights to direct light where needed
- Different apertures and lumen packages available
- Available in Black and White with Black interior
- Adjustable Beam Angle Model
- 24V Low Voltage LED 3000K Color Temperature



80°
Wide optic lens

ETL21214-BK, -WT
Track Light

A




SUNSET LENS
ETL21214-114BK, -114WT

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	ETL21214	BK, WT, 114BK, 114WT	5W PCB LED 3000K (Inte.)	5.75"L x 2.75"W x 4.25"H	90+	450	350	   
Finish Options: Black (BK) White (WT)								





ETL21210-BK, -WTBK, -WT
Spot Light

B




ETL21211-BK, -WT
Spot Light

C



ETL21212-BK, -WT
Spot Light

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI	INIT.	DEL.	Additional Information
B	ETL21210	BK, WTBK, WT	7W PCB LED 3000K (Inte.)	5.75"L x 1.5"W x 5.75"H	90+	650	500	LED DIM 124
C	ETL21211	BK, WT	12W PCB LED 3000K (Inte.)	5.75"L x 2.5"W x 4.25"H	90+	1100	850	LED DIM 124
D	ETL21212	BK, WT	10W PCB LED 3000K (Inte.)	5.75"L x 2"W x 4.75"H	90+	900	300	LED DIM 124


Finish Options: Black (BK) White/Black (WTBK) White (WT)

CONTINUUM-TRACK LIGHT


- Corner Modules Illuminate at 90 degrees
- 24V Low Voltage LED, 3000K Color Temperature
- 90 degree single surface module
- 90 degree Wall to Ceiling Module
- Flat PMMA Acrylic Diffusers
- Available in Black and White

Corner Light

90 degrees, Single surface



ETL29212-BK, -WT
Track Light
A




Wall-to-Ceiling Light

90 degrees, Two Plane surface




ETL29222-BK, -WT
Track Light
B




WALL WASHERS



ETL29223-BK
Track Wall Wash
C




ETL29224-BK
Track Wall Wash
D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information
A	ETL29212	BK, WT	15W PCB LED 3000K (Inte.)	9"L x 9"W x 1.5"H	90+	1500	950	   
B	ETL29222	BK, WT	15W PCB LED 3000K (Inte.)	9"L x 1"W x 9"H	90+	1500	950	   
C	ETL29223	BK	5W PCB LED 3000K (Inte.)	6.5"L x 6.5"W x 1.5"H	90+	450	350	   
D	ETL29224	BK	5W PCB LED 3000K (Inte.)	6.5"L x 6.5"W x 1.5"H	90+	450	350	   

Finish Options: Black (BK) White (WT)

TUBE LIGHT




READING LIGHT

FLEXIBLE ARM HOLDS
POSITION
With Touch Switch



ETL21216-BK, -BKGLD
Track Read Light
F



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
E	ETL21232	BK, WT	12W PCB LED 3000K (Inte.)	19.75"L x 1.25"W x 3"H	90+	1100	850	LED DIM U2A 
F	ETL21216	BK, BKGLD	2W PCB LED 3000K (Inte.)	5.75"L x 1"W x 17.5"H	90+	200	150	LED DIM U2A 

Finish Options: Black (BK) White (WT) Black/Gold (BKGLD)

CONTINUUM TRACK

ETL31003-WTBK
Pendant


A




ETL31006-WTBK
Pendant

B







ETL31622-BK, -NAB, -WT
Pendant
C



ETL31022-BK, -NAB, -WT
Pendant
D



ETL31013-WT, -WTNAB
Pendant
E



ETL31251-BK, -NAB, -WT
Pendant
F

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	ETL31003	WTBK	12W PCB LED 3000K (Inte.)	39.25"L x 1.25"W	90+	600	600	LED DIM 124
B	ETL31006	WTBK	20W PCB LED 3000K (Inte.)	78.5"L x 1.25"W	90+	1000	1000	LED DIM 124
C	ETL31622	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 10"H, 69"OAH	90+	450	350	LED DIM 124
D	ETL31022	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 10"H, 69"OAH	90+	450	350	LED DIM 124
E	ETL31013	WT, WTNAB	5W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 4.75"H, 63.75"OAH	90+	450	350	LED DIM 124
F	ETL31251	BK, NAB, WT	5W PCB LED 3000K (Inte.)	2"L x 2"W x 2.25"H, 61.25"OAH	90+	450	350	LED DIM 124

Finish Options: Black (BK) Natural Aged Brass (NAB) White (WT)

TAYLOR


A clean update to the fixed rail track fixture, the Taylor features machined aluminum heads finished in Satin Nickel, White or Black that swivel to direct the light where it's needed most. Great for family rooms and multi-family applications.



- High Lumen output LED light source
- Range voltage input 110V-277V
- Dimmable with ELV and 0-10V dimmers



E52004-BK, -SN, -WT
Track Light



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
A E52004	BK, SN, WT	4 x 7W PCB LED 3000K (Inte.)	34"L x 5"W x 5.75"H	90+	1820	1580	     

Finish Options: Black (BK) Satin Nickel (SN) White (WT)




A modern bathroom interior featuring a large window with a black frame, wooden walls, and a white sink. The scene is lit with warm, golden light, possibly from a sunset or sunrise. A small, rectangular, illuminated wall-mounted light fixture is visible on the right wall. A potted plant with yellow flowers sits on the windowsill. A white sink with a modern faucet is in the foreground. A stack of folded towels is visible on the left.

WALL MOUNTS

HANDLER

Excellently crafted mini spotlights are ideal for highlighting spaces and providing ambient, articulating light. A knurled section of aluminum tubing meets a larger smooth surfaced aluminum housing. Recessed within this housing is a high powered, low voltage LED light source. Either wire multiple in series or individually to various accessories not provided.





Dimmable Driver & Switch
SWT898-2460WT 60W
 2.25"L x 2"W x 4.25"H

HANDLER

- LED Integrated, 2700K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Low Voltage 24V Spot Lights, E21620 LED driver REQ, not included




24V

DRIVER SOLD SEPARATELY

E21620-GM, -NAB, -WT
 Spot Light

A




WET

DRIVER INCLUDED

E21720-BK, -GM
 Spot Light

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E21620	GM, NAB, WT	5W PCB LED 2700K (Inte.)	2"W x 5.75"H x 3.5"Ext.	3.5"	90+	300	200	LED DIM WET
B	E21720	BK, GM	5W PCB LED 2700K (Inte.)	5"W x 5.75"H x 3.5"Ext.	3.5"	90+	300	200	LED DIM WET

Finish Options: Gunmetal (GM) Black (BK) Natural Aged Brass (NAB) White (WT)

CAULDRON INDOOR

Drawing inspiration from the Olympic cauldron that begins the iconic games, this series of sconces can be installed facing upwards indoors or downwards in indoor applications. Two sizes of the sconce are available with a Gold model constructed of aluminum so it is suitable for indoor applications.



CAULDRON


- AC LED Integrated (no driver)
- 3000K Color Temperature
- Gold finish is Suitable for Indoor Applications
- Dimmable with Triac and ELV



• Matching Outdoors found on page 485


E30243-GLD
Wall Mount

A



E30245-GLD
Wall Mount

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30243	GLD	12W PCB LED 3000K (Inte.)	6"W x 5"H x 7.75"Ext.	2.5"	90+	840	600	LED DIM INCH
B	E30245	GLD	17.5W PCB LED 3000K (Inte.)	7"W x 5"H x 9"Ext.	2.5"	90+	1200	900	LED DIM INCH

Finish: Gold (GLD)



SOJI

Drawing from the purity and grace of traditional Japanese lanterns, the Soji collection evokes a quiet sophistication through timeless form and thoughtful contrast. Sculpted Satin White glass diffuses a warm, inviting glow while suspended within bold two-tone frames of Gold and Black. With a wide array of pendants, sconces, and portable lamps in varied silhouettes, each piece embodies a soft contemporary aesthetic that resonates across interiors -- minimal yet impactful, refined yet approachable. Soji's expanded range offers design versatility for architectural spaces, layered lighting plans, and modern living environments seeking serene illumination with sculptural presence.




- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- See the full collection on page 17




E25060-92BKGLD
Wall Mount

A




E25061-92BKGLD
Wall Mount

B



E25062-92BKGLD
Wall Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
A	E25060	92BKGLD	1 x 4W G9 LED 3000K (Incl.)	4.75"W x 9.25"H x 9"Ext.	4.5"	90+	480	380	LED DIM D&P 124
B	E25061	92BKGLD	1 x 4W G9 LED 3000K (Incl.)	4.75"W x 10.25"H x 9"Ext.	4.5"	90+	480	380	LED DIM D&P 124
C	E25062	92BKGLD	1 x 4W G9 LED 3000K (Incl.)	6"W x 9.25"H x 10"Ext.	5"	90+	480	380	LED DIM D&P 124

Finish: Satin White glass (92) Black/Gold (BKGLD)

CONICO

Like a translucent sheath delicately draped around the most graceful form, Conico offers a delicate Opal White panel of glass floating over a slender Satin Nickel metal rod like a sophisticated designer dress on the red carpet. A study in simplicity, the hour glass shape and understated light speak of classic sophistication and impeccable taste.




- Elegant hourglass silhouette with draped Opal White glass
- 1 and 2-Light option
- Slender Satin Nickel rod adds a refined, minimalist accent
- Evokes the sophistication of high fashion and timeless design
- Finish: Opal White glass with Satin Nickel hardware




E20413-09
Wall Mount

A



E20412-09
Wall Mount

B






	ITEM #	FINISH	LAMPING	DIMENSION	Additional HCO Information
A	E20413	09	1 x 60W MB, Incan. (Not Incl.)	8.5"W x 12"H x 4.5"Ext.	10" 
B	E20412	09	2 x 60W CA, Incan. (Not Incl.)	8.5"W x 20"H x 4"Ext.	10"  

Finish: Opal White glass (09) Satin Nickel (SN)

OMNI

Machined aluminum interior up and down wall sconce available in your choice of White or Black providing you an economical and architectural lighting fixture.

- Machined Aluminum construction
- Available in White and Black
- Wet location rated
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac or ELV dimmers
- Can be mounted vertically and horizontally





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E23210	90BK, 90WT	7W PCB LED 3000K (Integrated)	7.25"W x 4.75"H x 3.5"Ext.	2.25"	80+	560	390	

Finish Options: Frosted glass (90) Black (BK) White (WT)

REVOLVER

This interesting wall or ceiling fixture is created in two sections finished in Matte White. The exterior section is lit on the edge and rotates from the top creating a halo effect on the surface behind.

- Directional light source
- Finished in Matte White
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



A	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
	E20090	MW	10W PCB LED 3000K (Integrated)	10"W x 10"H x 2.5"Ext.	2.5"	80+	700	600	LED DIM DAMP ADA

Finish: Matte White (MW)

WINK

Modern art meets modern light, the Wink collection combines form and function in a unique, wallmounted hemisphere. Powerful, yet hidden, Xenon lamps spill light through elliptical windows in the dome refracting and diffusing the warm glow, reflections radiate and add to the dance of light while a Satin Nickel finish creates a more subtle effect.




- ADA Approved
- Dimmable with Triac dimmer
- Directional light both up and down



E20540-BK, -SN
Wall Mount

A



A	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS	Additional Information
	E20540	BK, SN	1 x 40W G9, Xenon 2900K (Incl.)	5.25"W x 5.25"H x 2.75"Ext.	2.5"	500	   

Finish Options: Black (BK) Satin Nickel (SN)

SPARTAN INDOOR

The rounded ends soften the overall appearance of these sconces. Hardworking features provide ample illumination built within the sconce's low profile that complies with ADA regulations. Its LED light source shines up and down and includes a 120-277V range voltage input driver. Great for applications both interior or exterior, this collection can be used in residential or commercial applications as well. Available in Natural Aged Brass.



SPARTAN


- Rounded edge profiles
- Available in Natural Aged Brass
- Range voltage 120-277V input, LED Integrated
- Neutral 3000K Color Temperature



• Matching Outdoors found on page 449


E23233-NAB
Wall Mount

A



E23235-NAB
Wall Mount

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E23233	NAB	2 x 6W PCB LED 3000K (Inte.)	6"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1000	LED DIM ♿
B	E23235	NAB	2 x 7W PCB LED 3000K (Inte.)	7.75"W x 6.25"H x 1.5"Ext.	3.25"	90+	1400	1200	LED DIM ♿

Finish: Natural Aged Brass (NAB)

BOOKKEEPER

A directional light source that can be used as a vanity sconce or portrait lighting. The fixture features a curved metal panel that directs the light precisely where desired, while a dual mount junction box allows you to install it seamlessly on a horizontally installed single gang junction box or standard 3-0 or 4-0 junction box with the cover plate included. Available in Black, Polished Chrome, and Natural Aged Brass.





BOOKKEEPER


- Available in Matte Black, Polished Chrome, or Natural Aged Brass
- Dual Mount back plate: Fits on a single gang junction box or standard 3-0/4-0 junction box
- LED Integrated, 3000K Color Temperature
- Range Voltage 120-277V Input
- Compatible with Triac, ELV, and 0-10V Dimmer




E21392-BK, -NAB, -PC
Wall Mount
A



E21393-BK, -NAB, -PC
Wall Mount
B



• Rotates



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
A	E21392	BK, NAB, PC	17W PCB LED 3000K (Inte.)	20.25"W x 4.75"H x 6"Ext.	2.5"	90+	1300	930	
B	E21393	BK, NAB, PC	28W PCB LED 3000K (Inte.)	30"W x 4.75"H x 6"Ext.	2.5"	90+	2100	1460	

Finish Options: Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)



BRAQUE

A bold reimagining of the classic picture light, Braque pairs a faceted polygonal profile with refined technical performance. Supported at both ends, its geometric body is precision-machined and finished with matching endcaps for a tailored aesthetic. The integrated LED rotates to direct light with precision, while a dual-mounting backplate—paired with an optional 5" square cover plate—provides added versatility. Whether illuminating art, mirrors, or shelving, Braque balances architectural strength with sculptural restraint.



BRAQUE




- Rotates

- Sculpted polygonal body with matching endcaps
- Rotatable integrated LED for directing the light source
- Ideal for vanity lighting, portrait illumination, or integrated into bookshelves
- Integrated LED light source, 5CCT Color Temperature
- 120-277V Input
- 3-in-1 dimming: Triac, ELV, and 0-10V
- Available in Gold, Satin Nickel, and Black




E21491-BK, -GLD, -SN
Picture Light

A



E21492-BK, -GLD, -SN
Picture Light

B



CCT SWITCH

REMOVABLE BACKPLATE



E21493-BK, -GLD, -SN
Picture Light

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E21491	BK, GLD, SN	19.5W LED 2700-3000-3500-4000-5000K (Inte.)	18"W x 2.75"H x 6"Ext.	1.5"	90+	1360	870	LED DIM TRIAC ELV CCT ROTATE
B	E21492	BK, GLD, SN	30W LED 2700-3000-3500-4000-5000K (Inte.)	24"W x 2.75"H x 6"Ext.	1.5"	90+	2100	1350	LED DIM TRIAC ELV CCT ROTATE
C	E21493	BK, GLD, SN	40W LED 2700-3000-3500-4000-5000K (Inte.)	31.75"W x 2.75"H x 6"Ext.	1.5"	90+	2800	1800	LED DIM TRIAC ELV CCT ROTATE

Finish Options: Black (BK) Gold (GLD) Satin Nickel (SN)




PASHA

Pasha combines architectural lines with regal inspiration. Thin Trapezoid shades function as elevated task lighting or picture lighting. The arm from the back plate to the light source is extendable allowing you to position the strip of light housed in the metal shade closer or further in position while a pivoting gimbal at its joint allows you to rotate the light and direct its beam. Available in Gold and Black, these picture lights coordinate with many interior color schemes.




- Thin Trapezoid form on LED housing and at backplate
- Locking knuckles allow movement to position the light upwards and downwards as well as rotate inward and outward.
- Dual-mounting backplate with optional 5" square cover plate provided
- Integrated LED light source, 3000K Color Temperature
- 120-277V Input
- 3-in-1 dimming: Triac , ELV, and 0-10V
- Available in Gold and Black




E21431-BK, -GLD
Picture Light

A




E21432-BK, -GLD
Picture Light

B




REMOVABLE BACKPLATE



E21433-BK, -GLD
Picture Light

C









	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E21431	BK, GLD	14W PCB LED 3000K (Inte.)	19"W x 1.5"H x 11.5"Ext.	2.25"	90+	1120	1000	LED DIM
B	E21432	BK, GLD	19W PCB LED 3000K (Inte.)	23"W x 1.5"H x 11.5"Ext.	2.25"	90+	1520	1200	LED DIM
C	E21433	BK, GLD	27W PCB LED 3000K (Inte.)	30.5"W x 1.5"H x 11.5"Ext.	2.25"	90+	2160	1500	LED DIM

Finish Options: Black (BK) Gold (GLD)

HOVER

- Square aluminum extrusions
- Light output from two faces of V shaped acrylic
- 3000K Color Temperature, CRI 80+
- See the full collection on page 95







• Position Light to Desired Direction



E21372-BK
Wall Mount
A



E21374-BK
Wall Mount
B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
A	E21372	BK	15.6W PCB LED 3000K (Inte.)	24"W x 4.75"H x 4.25"Ext.	3.75"	90+	1100	750	
B	E21374	BK	19W PCB LED 3000K (Inte.)	30"W x 4.75"H x 4.25"Ext.	2.5"	90+	1330	950	

Finish: Black (BK)




MONA

Whether used as vanity lighting or above portraits and bookcases, the Mona LED integrated wall sconces are sure to illuminate a masterpiece. The tubular LED frame rotates along the center to position the lighting wherever it is directed unlocking more potential uses for the hard-wired light source. A slim single gang box back plate or an additional cover plate can be used to mount the fixture more conveniently. Available in a rich Gold plated finish or Matte Black powder coat, these sconces pair well in both modern and traditional settings.




- Dual junction box mounting configuration with additional cover plate for standard junction boxes
- Available in a plated Gold finish or Matte Black powder coat
- Dimmable LED light source, 3000K Color Temperature
- Rotatable light source for portrait or above vanity lighting




E21340-BK, -GLD
Wall Mount

A



E21344-BK, -GLD
Wall Mount

B





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information	
							INIT.	DEL.		
A	E21340	BK, GLD	14W PCB LED 3000K (Inte.)	18.5"W x 4.25"H x 3"Ext.	2"	90+	980	680	LED	DIM
B	E21344	BK, GLD	18W PCB LED 3000K (Inte.)	30.5"W x 4.25"H x 3"Ext.	2"	90+	1260	900	LED	DIM


Finish Options: Black (BK) Gold (GLD)

DORIC


Clear ribbed glass encases a tube of opal white acrylic evenly illuminated by LED. The ends of the glass shade are fitted with knurled cylinder forms that suspend the sconces from their mounting plates. Dual mounted options are available for this series allowing it to be installed on single gang junction boxes. Available in Natural Aged Brass, Polished Chrome, or Matte Black finishes.




- External ribbed glass with internal white acrylic diffuser
- Knurled End Caps add decorative detail
- Dual Mount Structure installs to either single gang box or standard 3-0 and 4-0 with use of cover plate included
- Available in Natural Aged Brass, Polished Chrome, or Matte Black finishes
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers




E23480-144BK, -144NAB, -144PC
Wall Mount




REMOVABLE
BACKPLATE



E23482-144BK, -144NAB, -144PC
Wall Mount



E23484-144BK, -144NAB, -144PC
Wall Mount




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E23480	144BK, 144NAB, 144PC	12W PCB LED 3000K (Inte.)	19"W x 4.75"H x 3"Ext.	2.5"	90+	1080	750	LED DIM DIMP ADA
B	E23482	144BK, 144NAB, 144PC	16W PCB LED 3000K (Inte.)	25.5"W x 4.75"H x 3"Ext.	2.5"	90+	1440	1000	LED DIM DIMP ADA
C	E23484	144BK, 144NAB, 144PC	18W PCB LED 3000K (Inte.)	30"W x 4.75"H x 3"Ext.	2.5"	90+	1620	1130	LED DIM DIMP ADA

Finish Options: Clear Ribbed glass (144) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

RUBELLE

A sculptural take on classic form, Rubelle pairs gentle curvature with purposeful design. Its bulbous oval shade is suspended by an arched backplate and adjustable arm, allowing the light to be positioned closer to its subject. The name merges "Rubin" and "Belle"—a nod to graceful proportions and timeless beauty. Whether mounted as a portrait light, vanity fixture, or bookshelf accent, Rubelle offers quiet drama and tailored sophistication.




- Softly contoured oval silhouette with sculptural presence
- Telescopic arm allows extension to be set anywhere between 8.5"-11.25"
- Gimbal at light source allows upward or downward positioning
- Perfect for vanity lighting, portrait illumination, or integrated into bookshelves
- Dual-mounting backplate with optional 5" square cover plate provided
- Integrated LED light source, 3000K Color Temperature
- 120-277V Input
- 3-in-1 dimming: Triac, ELV, and 0-10V
- Available in Gold and Black




E21471-BK, -GLD
Picture Light

A



E21472-BK, -GLD
Picture Light

B




REMOVABLE BACKPLATE



E21473-BK, -GLD
Picture Light

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E21471	BK, GLD	11W PCB LED 3000K (Inte.)	18.5"W x 0.5"H x 8.5-11.25"Ext.	1.2"	90+	510	500	LED DIM
B	E21472	BK, GLD	12W PCB LED 3000K (Inte.)	25.5"W x 0.5"H x 8.5-11.25"Ext.	1.2"	90+	570	560	LED DIM
C	E21473	BK, GLD	14W PCB LED 3000K (Inte.)	31.5"W x 0.5"H x 8.5-11.25"Ext.	1.2"	90+	650	640	LED DIM

Finish Options: Black (BK) Gold (GLD)


DORIAN

A bold and timeless collection, Dorian features a square block support with two cylinder LED tubes that extend horizontally. The tubes rotate individually to position light making it perfect for highlighting artwork and collectibles in stairwells or walls. The collection features elongated linear and vertical pendants, picture lights and damp rated sconces. The wall-mounted sconces have streamlined back plates that are either square or round that can mount to a single gang junction box or common 3-0 or 4-0 boxes with cover plate included. Two options for extension including one that extends less than four inches for ADA compliance. Available in Matte Black, Polished Chrome, and plated Gold, this collection is a subtle, handsome design with timeless appeal.




E21351-BK, -GLD, -PC
Picture Light

A



E21353-BK, -GLD, -PC
Picture Light

B




REMOVABLE BACKPLATE



E21356-BK, -GLD, -PC
Picture Light



C





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E21351	BK, GLD, PC	12W PCB LED 3000K (Inte.)	19"W x 4.5"H x 8.75"Ext.	2"	90+	800	575	LED DIM+ ROTATE
B	E21353	BK, GLD, PC	15W PCB LED 3000K (Inte.)	23"W x 4.5"H x 8.75"Ext.	2"	90+	1050	750	LED DIM+ ROTATE
C	E21356	BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.75"W x 4.5"H x 8.75"Ext.	2"	90+	1260	900	LED DIM+ ROTATE

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)

- Slender round profile with rotatable light source
- Available in Gold, Polished Chrome, or Matte Black
- ADA compliant sconces
- Dual mounting sconce applications for single gang or 3-0/4-0 junction boxes
- LED integrated 3000K color temperature
- Sconces offered with ADA compliant and extended dimensions for portrait lighting
- See the full collection on page 211



- Rotates



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
D	E21352	BK, GLD, PC	15W PCB LED 3000K (Inte.)	22.5"W x 3"H x 3.5"Ext.	1.5"	90+	1050	750	LED DIM ADA DAMP ROTATE
E	E21354	BK, GLD, PC	18W PCB LED 3000K (Inte.)	30.5"W x 3"H x 3.5"Ext.	2.5"	90+	1260	900	LED DIM ADA DAMP ROTATE

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC)



A



B



C



D



E



F



G



H

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information
						CRI	INIT. DEL.	
A	E24030	24BK, 24NAB	8W PCB LED 3000K (Inte.)	8.5"W x 5"H x 10"Ext.	4"	90+	640 400	LED DIM DAMP
B	E11080	124NAB	8W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 6.75"Ext.	6"	90+	640 450	LED DIM DAMP
C	E24711	144BK, 144PC, 144GLD	12W PCB LED 3000K (Inte.)	4.75"W x 16.5"H x 4"Ext.	8.25"	90+	960 750	LED DIM DAMP
D	E24181	138GLD	1 x 3W G9 LED 3000K (Incl.)	6.25"W x 9.5"H x 7.25"Ext.	3"	90+	300 260	LED DIM DAMP
E	E24182	148GLD	2 x 3W G9 LED 3000K (Incl.)	11.5"W x 10.5"H x 10"Ext.	3.5"	90+	600 400	LED DIM DAMP
F	E25140	CHK	1 x 7W GU10 LED 3000K (Incl.)	8"W x 7.5"H x 4"Ext.	4"	90+	600 450	LED DIM DAMP
G	E11050	01TVGLD	1 x 12W PCB LED 3000K (Inte.)	5.5"W x 12.75"H x 4"Ext.	2"	90+	810 630	LED DIM DAMP
H	E32792	93BK, 93NAB	2 x 4W G9 LED 3000K (Incl.)	10.5"W x 18.75"H x 6.5"Ext.	12"	80+	1000 800	LED DIM



A




B



C



D



E



F



G



H



I



J



K

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
A	E24938	DWCHL, WNAB, WNBK	30W PCB LED 3000K (Inte.)	45.25"W x 4.75"H x 2"Ext.	2.25"	90+	2400	1800	LED DIM DAMP
B	E24930	DWCHL, WNAB, WNBK	13W PCB LED 3000K (Inte.)	21.75"W x 4.75"H x 2"Ext.	2.25"	90+	1040	780	LED DIM DAMP
C	E11041	24GLD	10W PCB LED 3000K (Inte.)	8"W x 15.75"H x 9"Ext.	8"	90+	900	720	LED DIM DAMP
D	E11060	144BK, 144PC, 144NAB	10W PCB LED 3000K (Inte.)	4.75"W x 14.5"H x 2.5"Ext.	13"	90+	800	600	LED DIM DAMP
E	E24072	BKNAB	2 x 5W LED 3000K (Inte.)	13"W x 11.75"H x 26.5"Ext.	6"	90+	1000	650	LED DIM DAMP
F	E11030	95BK, 95GLD	5W PCB LED 3000K (Inte.)	4.75"W x 15.75"H x 4.5"Ext.	3.5"	90+	400	240	LED DIM DAMP
G	E25151	BKNAB	8W PCB LED 3000K (Inte.)	7"W x 12.75"H x 9"Ext.	4"	90+	480	560	LED DIM DAMP
H	E34251	BKSBR, BKSBN	17W LED 2700-5000K (Inte.)	14"W x 15"H x 7"Ext.	7.5"	90+	1190	500	LED DIM DAMP CCT
I	E21180	05GM, 142GM	10W PCB LED 3000K (Inte.)	5"W x 15"H x 4"Ext.	12.5"	90+	800	400	LED DIM DAMP
J	E11010	144BK, 144GLD	5W PCB LED 3000K (Inte.)	5"W x 16"H x 3.75"Ext.	2.75"	90+	400	240	LED DIM DAMP
K	E24220	122BK, 122GLD	3W PCB LED 3000K (Inte.)	2.25"W x 20.75"H x 4"Ext.	2.25"	80+	350	220	LED DIM DAMP



A



B



C



D



E



F



G



H



I



J



K

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information
						CRI	INIT. DEL.	
A	E21263	BK, GLD	30W PCB LED 3000K (Inte.)	8.5"W x 24"H x 7"Ext.	12"	90+	1500 950	LED DIM DAMP
B	E24590	93NAB, 93PC	6W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 6"Ext.	2.5"	80+	480 440	LED DIM DAMP
C	E26380	18BK, 18GLD	7W PCB LED 3000K (Inte.)	5"W x 9"H x 6.75"Ext.	2.5"	90+	560 360	LED DIM DAMP
D	E21269	GLD	23W PCB LED 3000K (Inte.)	12"W x 18"H x 4.5"Ext.	9"	90+	1840 650	LED DIM DAMP
E	E31240	20BK, 20PC	6W PCB LED 3000K (Inte.)	4.75"W x 14.5"H x 5"Ext.	7.25"	90+	560 480	LED DIM DAMP
F	E24260	91PC	5W PCB LED 3000K (Inte.)	6"W x 6"H x 6.25"Ext.	3"	80+	385 365	LED DIM DAMP
G	E20369	92BK, 92MG	9W MB LED 3000K (Incl.)	7.75"W x 7.75"H x 9.25"Ext.	2.25"	90+	630 580	LED DIM DAMP
H	E21260	BK, GLD	14W PCB LED 3000K (Inte.)	7"W x 17.75"H x 2.25"Ext.	9"	90+	700 470	LED DIM DAMP
I	E32770	91BC	7.5W PCB LED 3000K (Inte.)	5"W x 18.75"H x 5.5"Ext.	7"	90+	525 225	LED DIM
J	E22760	89BZ, 89PC	7.5W PCB LED 3000K (Inte.)	4.75"W x 14.5"H x 5.5"Ext.	7"	80+	525 233	LED DIM
K	E22770	91PC	7.5W PCB LED 3000K (Inte.)	6"W x 14"H x 6.25"Ext.	7"	80+	525 260	LED DIM



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
						CRI	INIT.	DEL.	
A	E24613	BC, BCN	30W PCB LED 3000K (Inte.)	8"W x 27.25"H x 10.5"Ext.	10.25"	90+	2400	1350	LED DIM DAMP
B	E24871	133BGM, 133FG, 133PC	4.5W PCB LED 3000K (Inte.)	9.25"W x 16.5"H x 6.25"Ext.	7.75"	90+	350	210	LED DIM DAMP
C	E20350	SN	18W PCB LED 3000K (Inte.)	5.5"W x 20.25"H x 6.5"Ext.	3.75"	90+	1260	990	LED DIM DAMP INSTALL
D	E21511	BK	31W PCB LED 3000K (Inte.)	10"W x 19.75"H x 4.75"Ext.	5"	80+	2170	2120	LED DIM WET INSTALL
E	E24092	BK	2 x 9W PCB LED 3000K (Inte.)	33.25"W x 28"H x 21.25"Ext.	19.75"	90+	1800	900	LED DIM DAMP
F	E24320	BKGLD, WTGLD	12W PCB LED 3000K (Inte.)	12"W x 12"H x 2.5"Ext.	10"	90+	1000	600	LED DIM DAMP
G	E21540	90BKGLD	8W PCB LED 3000K (Inte.)	7"W x 7"H x 2.5"Ext.	3.5"	80+	560	400	LED DIM DAMP
H	E23910	112GLD	6.5W PCB LED 3000K (Inte.)	8.75"W x 10.5"H x 2"Ext.	2.5"	90+	450	290	LED DIM DAMP
I	E24080	NAB	11.6W PCB LED 3000K (Inte.)	11.75"W x 20.75"H x 5"Ext.	3"	90+	460	350	LED DIM
J	E11072	122BKPG	2 x 1W PCB LED 4000K (Inte.)	4.75"W x 23.75"H x 2.75"Ext.	2.25"	90+	200	160	LED DIM DAMP
K	E30521	BK	2 x 5W PCB LED 3000K (Inte.)	4.5"W x 14"H x 4.75"Ext.	7"	90+	900	600	LED DIM DAMP



A



B



C



D



E



F



G



H



I



J



K



L

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E41501	ABZ, BK, SA	14W PCB LED 3000K (Inte.)	6.75"W x 6.75"H x 1.25"Ext.	3.25"	90+	1400	880	LED DIM WET DS
B	E41280	BK, SA, WT	15W PCB LED 3000K (Inte.)	10"W x 10"H x 1.5"Ext.	5"	90+	1050	830	LED DIM WET DS
C	E23212	BK, NAB, WT	2 x 6W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1050	LED DIM WET DS INSTALL
D	E30220	99BK	12W PCB LED 3000K (Inte.)	6"W x 12"H x 1.75"Ext.	6"	90+	900	500	LED DIM WET DS
E	E41343	BK, BZ, SA	13W PCB LED 3000K (Inte.)	4.5"W x 24"H x 2.25"Ext.	12"	80+	1300	1040	LED DIM WET DS
F	E41307	BK, SA, WT	5W PCB LED 3000K (Inte.)	4.25"W x 15.75"H x 3.75"Ext.	12.5"	90+	430	300	LED WET DS
G	E41332	BK, WT	12W PCB LED 3000K (Inte.)	5"W x 7"H x 2.75"Ext.	3.5"	90+	1400	680	LED DIM WET DS
H	E30164	BK	8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800	380	LED DIM WET DS DS
I	E41388	BK, WT	14W PCB LED 3000K (Inte.)	6.75"W x 6.75"H x 1.25"Ext.	3.5"	90+	1400	880	LED DIM WET DS
J	E41329	BK, SA, WT	8W PCB LED 3000K (Inte.)	4.5"W x 4.5"H x 0.75"Ext.	3.25"	80+	560	180	LED DIM WET DS
K	E23234	ABZ, BK	2 x 6W PCB LED 3000K (Inte.)	6"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1000	LED DIM WET DS
L	E41308	BK, BZ	10W PCB LED 3000K (Inte.)	4.5"W x 4.5"H x 4.25"Ext.	2.25"	90+	1000	580	LED WET DS



BRING THE OUTDOORS INSIDE





BATH VANITIES

ARAGON

Featuring carved Spanish Alabaster shades in sleek cylindrical forms, the Aragon collection conceals highpowered LED light sources within, providing both beauty and functionality. The natural alabaster is elegantly complemented by plated Gold accents, adding an upscale, luxurious touch. Available as pendants or sconces, these fixtures are damp rated, making them ideal for interior spaces including bathrooms.



ARAGON


- Spanish Alabaster shades in sleek cylindrical forms
- LED integrated 3000K
- 120-277V Input
- 3-in-1 dimming: Triac/ELV/0-10V
- Plated Matte Gold finish
- Damp-Rated




• Matching Pendants
found on page 187



E11201-WAGLD
Bath Vanity



E11203-WAGLD
Bath Vanity





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E11201	WAGLD	2 x 9W PCB LED 3000K (Inte.)	5"W x 17.25"H x 3.5"Ext.	8.5"	90+	1800 900	LED DIM DAMP
B	E11203	WAGLD	3 x 9W PCB LED 3000K (Inte.)	5"W x 25.75"H x 3.5"Ext.	12.5"	90+	2700 1500	LED DIM DAMP

Finish: White Alabaster (WA) Gold (GLD)

DELPHI

Long spans of fluted concrete panels blend Western classicism with modern technology. Scalloped concrete is finished in a Chalky White finish and suitable for damp locations. Choose from stem hung pendants or backlit wall panels that provide ambient lighting and bring tranquility to spaces.







- Concrete construction
- Chalky White finish
- LED Integrated, 5CCT Select: 2700-3000-3500-4000-5000K
- 120-277V Range Voltage Input
- Triac or ELV at 120V
- Suitable for Damp Locations
- See the full collection on page 13




E25171-CHK
Bath Vanity

A





E25172-CHK
Bath Vanity

B



E25173-CHK
Bath Vanity

C



E25174-CHK
Bath Vanity

D






	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E25171	CHK	6W PCB LED 2700-5000K (Inte.)	8.75"W x 6.25"H x 1.75"Ext.	3"	90+	500	480	LED, DIM, DAMP, INSTALL, CCT
B	E25172	CHK	24W PCB LED 2700-5000K (Inte.)	23.75"W x 6.25"H x 1.75"Ext.	3"	90+	2100	2000	LED, DIM, DAMP, INSTALL, CCT
C	E25173	CHK	24W PCB LED 2700-5000K (Inte.)	30"W x 6.25"H x 1.75"Ext.	3"	90+	2300	2200	LED, DIM, DAMP, INSTALL, CCT
D	E25174	CHK	24W PCB LED 2700-5000K (Inte.)	47.5"W x 6.25"H x 1.75"Ext.	3"	90+	2100	2000	LED, DIM, DAMP, INSTALL, CCT

Finish: Chalky White (CHK)



MANTA

Legendary meets contemporary with the Inca Collection. Reminiscent of the mythical tales of Incan treasures, the fixtures offer brilliantly shining crystal enclosed within a precision laser-cut sheath that cannot be duplicated. The glow of the light from within casts a beautifully radiant shine that adorns the outer permeable layer.




- Hand formed transparent acrylic with unique pattern
- Available in plated Gold or Matte Black
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- See the full collection on page 139




E24712-144BK, -144GLD, -144PC
Bath Vanity

A



E24713-144BK, -144GLD, -144PC
Bath Vanity

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
A	E24712	144BK, 144GLD, 144PC	20W PCB LED 3000K (Inte.)	24.75"W x 6.75"H x 5.5"Ext.	3.5"	90+	1440	900	LED DIM DAMP
B	E24713	144BK, 144GLD, 144PC	30W PCB LED 3000K (Inte.)	30"W x 6.75"H x 5.5"Ext.	3.5"	90+	2400	1300	LED DIM DAMP

Finish Options: Clear Ribbed acrylic (144) Black (BK) Gold (GLD) Polished Chrome (PC)

CELINE

A study in subtle radiance, Celine captures the essence of quiet luxury. A luminous slab of artisan-crafted Clear and White swirl glass glows from within, its ethereal marbling evoking the movement of fine stone. Framed in a sleek, full-length metal backplate and held in place by slender side channels, the form feels both grounded and weightless. Offered in plated Natural Aged Brass, Satin Nickel, or Matte Black finishes, the sconces complement interiors with understated refinement and timeless elegance. Perfectly suited for refined bath environments, its ADA profile gives this design more flexibility in residential and commercial applications.




- Clear and White swirling marble glass panels
- Full metal backplate for convenient placement and elevated design aesthetic
- Side channels offer sleek and structural support
- CCT Selectable: 2700-3000-3500-4000-5000K options
- Dimmable via Triac or ELV
- Interior and Exterior configurations
- Available in plated Natural Aged Brass, Satin Nickel, and Matte Black finishes



CCT SWITCH


E24431-112BK, -112NAB, -112SN
Bath Vanity

A



E24432-112BK, -112NAB, -112SN
Bath Vanity

B



E24433-112BK, -112NAB, -112SN
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E24431	112BK, 112NAB, 112SN	12.5W LED 2700-3000-3500-4000-5000K (Inte.)	16"W x 5.5"H x 2.25"Ext.	2.25"	90+	870	560	LED DIM WET CCT
B	E24432	112BK, 112NAB, 112SN	20.5W LED 2700-3000-3500-4000-5000K (Inte.)	24"W x 5.5"H x 2.25"Ext.	2.25"	90+	1430	920	LED DIM WET CCT
C	E24433	112BK, 112NAB, 112SN	29.5W LED 2700-3000-3500-4000-5000K (Inte.)	32"W x 5.5"H x 2.25"Ext.	2.25"	90+	2060	1328	LED DIM WET CCT

Finish Options: Clear/White glass (112) Black (BK) Natural Aged Brass (NAB) Satin Nickel (SN)

RIPPLE

A rippled horizontal bar in Polished Chrome illuminates hand-crafted artisanal Piastra-style glass. The glass's intricate texture creates an interesting light effect on the wall. Can be mounted either vertically as a wall sconce or horizontally over a mirror.




- Polished Chrome metalwork
- Hand formed Piastra-style glass
- Indirect illumination
- 3000K Color Temperature, CRI 90+




E24424-124PC
Bath Vanity

A



E24426-124PC
Bath Vanity

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
					HCO	CRI	INIT.	DEL.	
A	E24424	124PC	20W PCB LED 3000K (Integrated)	24"W x 4.75"H x 3.5"Ext.	12"	90+	1420	1110	LED DIM+ DMX+ INSTALL+ WHEEL
B	E24426	124PC	24W PCB LED 3000K (Integrated)	30"W x 4.75"H x 3.5"Ext.	15"	90+	1711	1335	LED DIM+ DMX+ INSTALL+ WHEEL

Finish: Ripple glass (124) Polished Chrome (PC)

FUSE



Within the void of clear glass, a white cylindrical tube of LED light extends in two directions. The evenly distributed light source can be adjusted to 5 selectable color temperatures, from warm 2700k to a cool 5000K and neutral white light sources in between. Available in three finish options: matte Black, Natural Aged Brass, and Polished Chrome, these sconces are great for use in bathrooms and along corridors with extensions less than 4 inches for ADA compliance.




- Dual Mount Structure installs to either single gang box or standard 3-0 and 4-0 with use of cover plate included
- Available in Natural Aged Brass, Polished Chrome, or Matte Black finishes
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E23442-10BK, -10NAB, -10PC
Bath Vanity



E23443-10BK, -10NAB, -10PC
Bath Vanity



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E23442	10BK, 10NAB, 10PC	13W PCB LED 2700-5000K (Inte.)	23.25"W x 4.75"H x 3.25"Ext.	2.5"	90+	1000	600	LED DIM DIMP ADA ICCI
B	E23443	10BK, 10NAB, 10PC	15W PCB LED 2700-5000K (Inte.)	30"W x 4.75"H x 3.25"Ext.	2.5"	90+	1400	900	LED DIM DIMP ADA ICCI

Finish Options: Clear/White glass (10) Black (BK) Natural Aged Brass (NAB) Polished Chrome (PC)

PIROUETTE



PIROUETTE

- Twisted Aluminum construction in matte Black finish
- 3200K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers
- See the full collection on page 225




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E24152	BK	15W LED 2700-3000-3500-4000-5000K (Inte.)	24"W x 4.75"H x 3.75"Ext.	4"	90+	1350	900	     
B	E24153	BK	25W LED 2700-3000-3500-4000-5000K (Inte.)	32"W x 4.75"H x 3.75"Ext.	4"	90+	2250	1500	     


Finish: Black (BK)

ZEPHYR

Rectangular Beveled Crystals are banded together to form soft square cylinders which are illuminated by LED that creates a brilliant lighting effect. Some items include metal chassis of Black which frame the crystal for a beautiful silhouette.





- Rectangular beveled crystals
- Matte Black steel frame
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers




E23307-20PC
Bath Vanity

A




E23308-20PC
Bath Vanity

B



E23301-20BK
Pendant

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E23307	20PC	18W PCB LED 3000K (Integrated)	24"W x 5.5"H x 3.25"Ext.	2.75"	90+	1980	1265	LED     
B	E23308	20PC	22W PCB LED 3000K (Integrated)	30"W x 5.5"H x 3.25"Ext.	2.75"	90+	2420	1532	LED     
C	E23301	20BK	6.5W PCB LED 3000K (Integrated)	6"L x 6"W x 8"H, 51.75"OAH		90+	715	310	LED    

Finish: Crystal (20) Black (BK) Polished Chrome (PC)

INCA

Legendary meets contemporary with the Inca Collection. Reminiscent of the mythical tales of Incan treasures, the fixtures offer brilliantly shining crystal enclosed within a precision laser-cut sheath that cannot be duplicated. The glow of the light from within casts a beautifully radiant shine that adorns the outer permeable layer.




- Stainless Steel
- LED G9 Bulbs (included)



E21316-10BZ/BUL, -10PC/BUL
Bath Vanity

A




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A E21316	10BZ, 10PC	3 x 4W G9 LED 3000K (Incl.)	24"W x 5"H x 4.25"Ext.	2.5"	80+	1350	1200	LED DIM DALI CLEAR

Finish Options: Mirror Chrome (10) Bronze (BZ) Polished Chrome (PC)

SIDELINE 5CCT BATH VANITY

A straight line profile of aluminum casts lights along the length of the profile in both directions with adjustable color temperatures. Simply toggle between the 5 settings: 2700-3000-3500-4000-5000K to suit the space where it is installed. Available in outdoor configurations in powder coat finishes including: Black and Architectural Bronze. A variation of the sconce is plated in Satin Brass and Polished Chrome suitable for interior spaces such as above bath vanities.




SIDELINE 5CCT

- Anti corrosive aluminum construction
- Varying lengths from 18" to 30"
- CCT Selectable: 2700-3000-3500-4000-5000K
- Dimmable via Triac or ELV
- Interior and Exterior configurations
- Outdoor rated powder coat options include: Black and Architectural Bronze - E42361, E42362, E42364, E42368
- Interior finish options include Satin Brass and Polished Chrome
- ADA Compliant



E42661-SBR, -PC
Bath Vanity


A



CCT SWITCH


E42662-SBR, -PC
Bath Vanity

B



E42663-SBR, -PC
Bath Vanity

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E42661	SBR, PC	2 x 9W LED 2700-3000-3500-4000-5000K (Inte.)	18"W x 4.75"H x 3"Ext.	2.25"	90+	1260 820	
B	E42662	SBR, PC	2 x 12W LED 2700-3000-3500-4000-5000K (Inte.)	24"W x 4.75"H x 3"Ext.	2.25"	90+	1680 1220	
C	E42663	SBR, PC	2 x 15W LED 2700-3000-3500-4000-5000K (Inte.)	30"W x 4.75"H x 3"Ext.	2.25"	90+	2100 1550	

Finish Options: Satin Brass (SBR) Polished Chrome (PC)

LOOP

A single loop of fixed omnidirectional LED light is fixed to a full backplate in either Polished Chrome or Gold. The backplate can be mounted to a horizontally installed single gang junction box or on a standard 4-inch junction box with the cover plate included.





LOOP

- Available in Polished Chrome or Gold
- Dual Mount back plate: Fits on a single gang junction box or standard 4 inch junction box
- LED Integrated, 3000K Color Temperature
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E23432-01GLD, -01PC
Bath Vanity

A




REMOVABLE
BACKPLATE




E23434-01GLD, -01PC
Bath Vanity

B



E23436-01GLD, -01PC
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E23432	01GLD, 01PC	12W PCB LED 3000K (Inte.)	24"W x 3.25"H x 4"Ext.	1.5"	90+	1020	800	LED DIM ♿
B	E23434	01GLD, 01PC	14W PCB LED 3000K (Inte.)	30"W x 3.25"H x 4"Ext.	1.5"	90+	1190	1000	LED DIM ♿
C	E23436	01GLD, 01PC	16W PCB LED 3000K (Inte.)	36"W x 3.25"H x 4"Ext.	1.5"	90+	1360	1200	LED DIM ♿

Finish Options: White glass (01) Gold (GLD) Polished Chrome (PC)

LATITUDE

Soft oval forms add a modern and playful touch to this LED wall-mounted sconce. The face of the fixture features a light-guided White acrylic diffuser that evenly distributes the edge-lit LED illumination. Its sleek shape is further enhanced by the bright light emitted from within. Ideal for bathrooms or corridors, the fixture is ADA compliant and available in four lengths.

A recessed housing behind the fixture not only provides mounting but also creates an attractive extension that gives the illusion of the sconce floating off the wall. Additionally, it includes a 5-step color temperature select switch, allowing you to discreetly adjust the LED lighting between 2700K, 3000K, 3500K, 4000K, and 5000K. These added features offer greater design flexibility without the need for custom requests.





LATITUDE

- Available in Black, Satin Nickel, Polished Chrome, or Gold finishes
- Accessible and inconspicuous dip-switch sets CCT at 5 options: 2700-3000-3500-4000-5000K
- Damp location rated and ADA compliant
- AC 120V LED Integrated
- Dimmable with Triac and ELV dimmers




E23421-BK, -GLD, -PC, -SN
Bath Vanity

A




E23422-BK, -GLD, -PC, -SN
Bath Vanity

B




E23423-BK, -GLD, -PC, -SN
Bath Vanity

C




E23424-BK, -GLD, -PC, -SN
Bath Vanity

D



E23426-BK, -GLD, -PC, -SN
Bath Vanity

E



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E23421	BK, GLD, PC, SN	15W PCB LED 2700-5000K (Inte.)	18"W x 5"H x 2.5"Ext.	9"	90+	1500	1050	     
B	E23422	BK, GLD, PC, SN	20W PCB LED 2700-5000K (Inte.)	24"W x 5"H x 2.5"Ext.	12"	90+	2000	1350	     
C	E23423	BK, GLD, PC, SN	25W PCB LED 2700-5000K (Inte.)	30"W x 5"H x 2.5"Ext.	15"	90+	3000	1700	     
D	E23424	BK, GLD, PC, SN	30W PCB LED 2700-5000K (Inte.)	36"W x 5"H x 2.5"Ext.	18"	90+	3500	2150	     
E	E23426	BK, GLD, PC, SN	40W PCB LED 2700-5000K (Inte.)	48"W x 5"H x 2.5"Ext.	24"	90+	4000	2620	     

Finish Options: Black (BK) Gold (GLD) Polished Chrome (PC) Satin Nickel (SN)



CLUTCH

Designed to fit the essentials, this bath vanity series will always come in clutch. Dedicated LED illuminates the backside of a low-profile curved opal White glass sweeping upwards to a metal latch conveniently finished in your choice of Gold and Matte Black. Make a statement without saying too much.




CLUTCH

- Opal White glass
- Available in Gold and Matte Black
- Driver-less LED integrated technology
- CRI 90+, 3000K
- Dimmable with ELV and Triac dimmers




E25131-92BK, -92GLD
Bath Vanity

A




E25133-92BK, -92GLD
Bath Vanity

B



E25135-92BK
Bath Vanity

C





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E25131	92BK, 92GLD	12W PCB LED 3000K (Inte.)	13"W x 4.75"H x 3"Ext.	2.5"	90+	960	670	LED DIM DAMP INSTALL
B	E25133	92BK, 92GLD	20W PCB LED 3000K (Inte.)	22"W x 4.75"H x 3"Ext.	2.5"	90+	1600	1200	LED DIM DAMP INSTALL
C	E25135	92BK	28W PCB LED 3000K (Inte.)	30"W x 4.75"H x 3"Ext.	2.5"	90+	2240	1700	LED DIM DAMP INSTALL

Finish Options: White glass (92) Black (BK) Gold (GLD)

CANELLO

A tube of evenly diffused LED light in matte White acrylic. The body is made of heavy duty extruded aluminum finished in Matte Black. Ideal for use in both residential and commercial settings, both indoors and out. With large scale options, these sconces are all ADA compliant.




CANELLO

- White UV-stabilized acrylic diffuser
- Matte Black finish
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- Suitable for use in Wet Locations




E30092-01BK
Bath Vanity

A




E30093-01BK
Bath Vanity

B



E30094-01BK
Bath Vanity

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E30092	01BK	14W PCB LED 3000K (Inte.)	24.5"W x 4.5"H x 4"Ext.	2.25"	90+	1120	1090	LED DIM DIMP WIP WIP
B	E30093	01BK	20W PCB LED 3000K (Inte.)	30"W x 4.5"H x 4"Ext.	2.25"	90+	1600	1460	LED DIM DIMP WIP WIP
C	E30094	01BK	40W PCB LED 3000K (Inte.)	48"W x 4.5"H x 4"Ext.	2.25"	90+	3200	3140	LED DIM DIMP WIP WIP

Finish: White Acrylic (01) Black (BK)



SOPRANO

Hitting a high note with an affordable solution for LED bath vanities, the Soprano series features an Satin White glass tube supported on a streamlined aluminum extrusion finished in Polished Chrome. On its backside, a dip-switch allows you to select between 5 color temperatures to allow simple changes from a relaxingly warm 2700K to more neutral white lighting temperatures and up to a daylight white of 5000K. Convenient and clean, this LED bath bar is an easy choice to update a bathroom.




SOPRANO

- Satin White glass cylinder
- Polished Chrome metalwork
- Driver-less LED integrated
- CCT Selectable:
2700-3000-3500-4000K-5000K
- Dimmable with Triac and ELV dimmers



E23412-01PC
Bath Vanity

A




CCT SWITCH



E23414-01PC
Bath Vanity

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E23412	01PC	20W PCB LED 2700-5000K (Inte.)	24"W x 4.75"H x 3.5"Ext.	2.5"	90+	1400	1200	LED DIM DIMP CCT
B	E23414	01PC	30W PCB LED 2700-5000K (Inte.)	30"W x 4.75"H x 3.5"Ext.	2.5"	90+	2100	1550	LED DIM DIMP CCT

Finish: White glass (01) Polished Chrome (PC)

BARITONE

Squares of Satin White glass are supported by flat Polished Chrome end caps with an extruded aluminum frame. Housed on the backside of the LED vanity light is a device to select from 5 color temperatures: 2700K-3000K-3500K-4000K-5000K. A dual mounting backplate allows for the fixture to seamlessly install to a switch box making the glass appear as if floating on the wall. An additional mounting bracket and cover plate is included in the packaging to accommodate larger junction boxes. Enhancing these features with a range voltage 120-277V input, makes this heavy hitting note land squarely into specification requests as well as the home improvement do-it-yourselfer.



BARITONE


- Satin White glass with Polished Chrome (PC) or Satin Nickel (SN) Caps
- Dual Mounting System on either switch box or standard 3-0 and 4-0 junction box
- Range Voltage 120-277V Input
- Dimmable with ELV at 120V
- Dip Switch CCT Selectable: 2700-3000-3500-4000-5000K



REMOVABLE
BACKPLATE


E23408-01PC, -01SN
Bath Vanity

A




E23406-01PC, -01SN
Bath Vanity

B




E23404-01PC, -01SN
Bath Vanity

C




E23402-01PC, -01SN
Bath Vanity

D



E23400-01PC, -01SN
Bath Vanity

E




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E23408	01PC, 01SN	40W PCB LED 2700-5000K (Inte.)	48"W x 5"H x 3.25"Ext.	2.25"	90+	3370	2700	LED DIM DIMP CCT
B	E23406	01PC, 01SN	35W PCB LED 2700-5000K (Inte.)	36"W x 5"H x 3.25"Ext.	2.25"	90+	2400	1930	LED DIM DIMP CCT
C	E23404	01PC, 01SN	30W PCB LED 2700-5000K (Inte.)	30"W x 5"H x 3.25"Ext.	2.25"	90+	2050	1650	LED DIM DIMP CCT
D	E23402	01PC, 01SN	25W PCB LED 2700-5000K (Inte.)	24"W x 5"H x 3.25"Ext.	2.25"	90+	1700	1380	LED DIM DIMP CCT
E	E23400	01PC, 01SN	20W PCB LED 2700-5000K (Inte.)	18"W x 5"H x 3.25"Ext.	2.25"	90+	1350	1100	LED DIM DIMP CCT

Finish Options: White glass (01) Polished Chrome (PC) Satin Nickel (SN)

ELISSE LED MIRRORS

Elipses of Arches and Ovals are finishes in your choice of Black or Gold. The mirrors feature discreet LED channels along their frame. Whereas white acrylic diffusers pair with Gold frame, the Black mirrors are even less conspicuous featuring a black diffuser along the mirror edge appearing as if there is no light source when turned off.





ELISSE LED MIRRORS

- Black mirror features black acrylic diffuser
- Available in Black or Gold
- Discreet touch dimmable switch on frame
- LED 3000K Color Temperature
- Plug-in or Direct Wire
- CRI 90+




E42070-BK, -GLD
Mirror

A



E42071-BK, -GLD
Mirror

B




BLACK
DIFFUSER



E42072-BK
Mirror

C




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E42070	BK, GLD	44W PCB LED 3000K (Inte.)	24"W x 30"H x 1.75"Ext.	90+	3900	780	LED DIM+ DM+ DM+ ♿
B	E42071	BK, GLD	41W PCB LED 3000K (Inte.)	20"W x 32"H x 1.75"Ext.	90+	4300	860	LED DIM+ DM+ DM+ ♿
C	E42072	BK	66W PCB LED 3000K (Inte.)	68"W x 28"H x 1.75"Ext.	90+	5400	1080	LED DIM+ DM+ DM+ ♿

Finish Options: Black (BK) Gold (GLD)




SAWYER LED MIRRORS

A wood-framed mirror is offered in a choice of Walnut or Distressed Oak, combining natural elements with modern functionality. A 2-inch frosted band along the frame's interior is backlit with LEDs, providing optimal illumination above a vanity. A discreetly hidden control along the edge of the frame allows easy selection between 3000K, 4000K, and 5000K color temperatures for personalized lighting.



SAWYER LED MIRRORS



- Wood Framed LED Mirror
- Available in Walnut or Distressed Oak
- Discreet touch dimmable switch on frame
- CCT Selectable: 3000-4000-5000K
- Plug-in or Direct Wire
- CRI 90+



CCT SWITCH



E42054-OK, -WN
Mirror



E42057-OK, -WN
Free Standing/Wall Mirror

C

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI INIT. DEL.	Additional Information
A	E42052	OK, WN	52W PCB LED 3000-4000-5000K (Inte.)	24"W x 36"H x 2"Ext.	90+ 5200 1800	LED DIM+ DMM+ ♿ 12A CCT
B	E42054	OK, WN	72W PCB LED 3000-4000-5000K (Inte.)	48"W x 32"H x 2"Ext.	90+ 7200 2520	LED DIM+ DMM+ ♿ 12A CCT
C	E42057	OK, WN	86W PCB LED 3000-4000-5000K (Inte.)	32"W x 68"H x 2"Ext.	90+ 8600 3000	LED DIM+ DMM+ ♿ 12A CCT

Finish Options: Oak (OK) Walnut (WN)



FLOATING LED MIRRORS

LED mirrors are an excellent addition to any upscale home, offering top-of-the-line quality, features, and appearance. In addition to adjustable brightness, they allow you to change the color temperature to suit both the room's design and functional needs. Available in a variety of sizes and shapes, you're sure to find the perfect match for your décor.





FLOATING LED MIRRORS


- Touch Dimmable
- Plug in or direct wire
- CRI 90+



E42036-GLBK

Mirror


A



E42046-GLBK

Free Standing/Wall Mirror


C



E42040-GLBK

Mirror

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E42036	GLBK	24W PCB LED 3000K (Inte.)	23.5"W x 23.5"H x 1.75"Ext.	11.75"	90+	1920	1795	LED DIM DIMP + - ♿
B	E42040	GLBK	28W PCB LED 3000K (Inte.)	31.5"W x 31.5"H x 1.5"Ext.	15.75"	90+	2240	2087	LED DIM DIMP + - ♿
C	E42046	GLBK	60W PCB LED 3000K (Inte.)	30"W x 67"H x 2.25"Ext.		90+	6000	1200	LED DIM DIMP + - ♿

Finish: Golden/Black (GLBK)

LED MIRRORS ALUMINUM FRAME



LED MIRRORS


ALUMINUM FRAME

- Touch Dimmable
- Plug in or direct wire
- 3000 – 4500 – 6400K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers
- Available in Anodized Bronze or Brushed Aluminum
- Coordinating free standing mirror that can be wall mounted as well




E42016-90AL, -90BRZ
Mirror

A




E42012-90AL, -90BRZ
Mirror

B



E42014-90AL, -90BRZ
Mirror

C




CCT AND DIMMING



E42018-90AL
Free Standing/Wall Mirror

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS	CRI	INIT.	DEL.	Additional Information
A	E42016	90AL, 90BRZ	22W PCB LED 3000/4500/6400K (Inte.)	27.5"W x 27.5"H x 1.5"Ext.	13.75"	80+	1540	1100	LED, DIM, DAM, CCT, ADA, WC
B	E42012	90AL, 90BRZ	22W PCB LED 3000/4500/6400K (Inte.)	23.75"W x 29.5"H x 1.5"Ext.	14.75"	80+	1540	1100	LED, DIM, DAM, CCT, ADA, WC
C	E42014	90AL, 90BRZ	25W PCB LED 3000/4500/6400K (Inte.)	23.75"W x 31.5"H x 1.5"Ext.	15.75"	80+	1750	1250	LED, DIM, DAM, CCT, ADA, WC
D	E42018	90AL	42W PCB LED 3000/4500/6400K (Inte.)	27.5"W x 67"H x 1.5"Ext.	33.5"	80+	2940	2100	LED, DIM, DAM, CCT, ADA, WC

Finish Options: Frosted glass (90) Aluminum (AL) Anodized Bronze (BRZ)



BEVEL LED MIRRORS

White Acrylic diffusers are miter cut and beveled along the edge of these mirror frames allowing for wider, and brighter lighting. Robust in size, these mirrors are feature excellent construction and 2CCT light selection using a discreet touch switch on the frames edge. Hardwire the mirrors to a dimmer switch to control the brightness and the memory function on the LED will recall the chosen color temperature of the previous setting.




BEVEL LED MIRRORS

- Miter cut beveled edge acrylic
- Available in Brushed Black or Satin Nickel
- Discreet touch dimmable switch on frame
- 2 CCT Select: 3000-4000K
- Plug-in or Direct Wire
- CRI 90+




E42061-BBK, -SN
Mirror

B



E42062-BBK, -SN
Mirror

C




DIMMER WITH 2CCT
(3000/4000K)




E42063-BBK, -SN
Mirror

D



E42064-BBK, -SN
Mirror

E



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information
A	E42065	BBK, SN	47W PCB LED 3000K (Inte.)	24"W x 36"H x 6.25"Ext.	90+	4000	1500	LED DIM DIMP 12A
B	E42061	BBK, SN	44W PCB LED 3000-4000K (Inte.)	24"W x 30"H x 2.25"Ext.	90+	4000	1400	LED DIM DIMP 2CCT CCT
C	E42062	BBK, SN	50W PCB LED 3000-4000K (Inte.)	30"W x 36"H x 2.25"Ext.	90+	5300	1800	LED DIM DIMP 2CCT CCT
D	E42063	BBK, SN	55W PCB LED 3000-4000K (Inte.)	48"W x 30"H x 2.25"Ext.	90+	5800	2030	LED DIM DIMP 2CCT CCT
E	E42064	BBK, SN	60W PCB LED 3000-4000K (Inte.)	60"W x 28"H x 2.25"Ext.	90+	6600	2300	LED DIM DIMP 2CCT CCT

Finish Options: Brushed Black (BBK) Satin Nickel (SN)



LUMINANCE

A flexible LED mirror that allows for both vertical and horizontal installation with an endless length configuration. LED light bars projecting 50% more light than your typical concealed light source match the exact dimensions of selected mirror lengths and suspend them to the wall. Additional light bars can be added to create wider mirror lengths broken up by the light source. A remote driver was created to fit within standard junction boxes for convenient installation. This economical LED mirror kit can be configured to your space requirements.




LUMINANCE

- Easy to install mirror bracket
- Requires 4" outlet box with wall switching
- Dimmable to 10% using ELV dimmer



E42082-90PC
Mirror

B



E42080-90PC
Mirror

A



E42086-90PC
Mirror

D



E42084-90PC
Mirror

C

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E42080	90PC	2 x 14W PCB LED 3000K (Inte.)	30"W x 24"H	90+	2160	1052	Includes 1xEMB2430-SV, 2xELB24-PC, 1xEDRV30
B	E42082	90PC	2 x 18W PCB LED 3000K (Inte.)	24"W x 30"H	90+	2640	1404	Includes 1xEMB2430-SV, 2xELB30-PC, 1xEDRV30
C	E42084	90PC	2 x 18W PCB LED 3000K (Inte.)	36"W x 30"H	90+	2640	1404	Includes 1xEMB3036-SV, 2xELB30-PC, 1xEDRV30
D	E42086	90PC	2 x 20W PCB LED 3000K (Inte.)	30"W x 36"H	90+	3240	1584	Includes 1xEMB3036-SV, 2xELB36-PC, 1xEDRV30

Finish: Frosted glass (90) Polished Chrome (PC)



Step 1



Step 2



Step 3



Easily customizable mirror kit system Installs vertically or horizontally

- Easy to install mirror bracket
- Requires 4" outlet box with wall switching
- Dimmable to 10% using ELV dimmer



EMB3036-SV
Mirror
A




EMB2430-SV
Mirror
B



EDCV24V40W
Driver
E



ELB24-PC
LED Light Bar
C



ELB30-PC
LED Light Bar
D

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	EMB3036	SV	30"W x 36"H				
B	EMB2430	SV	24"W x 30"H				
C	ELB24	PC	10.8W PCB LED 3000K (Inte.)	24"L	90+	1080	526   
D	ELB30	PC	13.2W PCB LED 3000K (Inte.)	30"L	90+	1320	702   
E	EDCV24V40W		3"W x 3"H x 1.25"Ext.				24V, 40W Driver

Finish: Silver (SV) Polished Chrome (PC)






LAMPS

PADDLE

Frames of Black hold edge lit discs which can be adjusted to direct the light. Soft and even illumination is provided by the 3000K LED which is adjustable by use of a dimmer. Classic European design sure to bring interest wherever it is installed.





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E23299	BK	33W PCB LED 3000K (Integrated)	24"L x 24"W x 68"H	80+	2310	2145	LED DIM

Finish: Black (BK)



CYCLONE

Twisted aluminum channels of Matte White terminate into solid castings to form unique and functional lighting designs. Large scale pieces can be used in conference rooms and tall entries with the comfort of long life LED on board.




CYCLONE

- Twisted aluminum channels terminate at solid castings
- Unique and functional LED lighting designs
- Large scale pieces for commercial and residential applications
- 3000K Color Temperature, CRI 80+
- Dimmable with Triac dimmers



E41398-11MW
Floor Lamp

A




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E41398	11MW	44W LED 3000K (Integrated)	9.75"W x 71.75"H	80+	3080	2200	 

Finish: Matte White glass (11) Matte White (MW)




EMBRACE

A modern matte black frame crafted with rectilinear tubing supports circular LED light modules. Designed to appear as if they are facing each other in an embrace, the modules create a harmonious and dynamic aesthetic. The two modules, positioned at opposite ends, cast evenly distributed light and seamlessly rotate to direct illumination precisely where it's needed. Two versatile surface-mount fixtures are suitable for wall or ceiling installation, as well as two portable lamp options. The portable designs feature a tabletop lamp and a larger-profile floor lamp, both equipped with an integrated touch switch for easy operation and dimming control.




EMBRACE

- Rotating light modules in round housings
- Matte Black rectilinear frame
- 3000K Color Temperature
- Sconce and Portable Lamp configurations





E30529-BK
Floor Lamp




ROTATING
LIGHT HEADS


E30520-BK
Flush Mount



E30521-BK
Wall Mount



E30523-BK
Table Lamp



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30520	BK	2 x 5W PCB LED 3000K (Inte.)	8.25"L x 4.75"W x 4.25"H		90+	900	600	 
B	E30521	BK	2 x 5W PCB LED 3000K (Inte.)	14"W x 4.5"H x 4.75"Ext.	2.5"	90+	900	600	   
C	E30529	BK	1 x 10W PCB LED 3000K (Inte.)	10"L x 7.75"W x 64.75"H		90+	900	600	 
D	E30523	BK	2 x 5W PCB LED 3000K (Inte.)	14.25"L x 4.75"W x 14.75"H		90+	900	600	 

Finish: Black (BK)





E30529-BK

A



E11088-124NAB

B



E21389-18BK

C

	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E30529	BK	1 x 10W PCB LED 3000K (Inte.)	10"L x 7.75"W x 64.75"H	90+	900	600	LED DIM
B	E11088	124NAB	35W PCB LED 3000K (Inte.)	15"L x 15"W x 69"H	90+	2800	1960	LED DIM
C	E21389	18BK	5 x 8W PCB LED 3000K (Inte.)	11.75"L x 11.75"W x 62"H	90+	2400	1800	LED DIM

Finish: Ripple glass (124) Clear glass (18) Black (BK) Natural Aged Brass (NAB)



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E11087	124NAB	8W PCB LED 3000K (Inte.)	7.75"L x 5.5"W x 22"H	90+	640	450	 
B	E25166	92BKGLD	15W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 13"H	90+	1050	690	 
C	E25167	92BKGLD	18.5W PCB LED 3000K (Inte.)	4.75"L x 4.75"W x 17.5"H	90+	1300	910	 
D	E21182	05GM, 142GM	1 x 10W PCB LED 3000K (Inte.)	4"L x 4"W x 14.25"H	90+	800	400	 
E	E25179	SSN	10W PCB LED 2700-5000K (Inte.)	9.5"L x 9.5"W x 13.75"H	90+	900	800	  
F	E30523	BK	2 x 5W PCB LED 3000K (Inte.)	14.25"L x 4.75"W x 14.75"H	90+	900	600	 
G	E24669	138GM, 18NAB	2 x 8W PCB LED 3000K (Inte.)	12"L x 12"W x 17.5"H	90+	1000	750	 

Finish: Ripple glass (124) Satin White glass (92) Amber glass (05) Graduating Smoke glass (142) Clear glass (18)
Graduating Smoke glass (138) Black (BK) Gunmetal (GM) Black/Gold (BKGLD) Natural Aged Brass (NAB) Sandstone (SSN)







OUTDOOR LIGHTING

LINE 5CCT

An update to our popular Line series, the Line 5CCT uses a wider profile of aluminum with adjustable color temperatures. Simply toggle between the 5 settings: 2700-3000-3500-4000-5000K to suit the space where it is installed. Following the original design's premise, the Line is a straight and flat bar that indirectly casts light indirectly on the surface behind it.




LINE 5CCT


- Indirect light source shines back towards surfaces behind it
- Anti corrosive aluminum construction
- Varying lengths from 18" to 96"
- CCT Selectable: 2700-3000-3500-4000-5000K
- Dimmable via Triac or ELV
- ADA Compliant




E42348-ABZ, -BK, -SA, -WT
Outdoor Wall




E42344-ABZ, -BK, -SA, -WT
Outdoor Wall



E42342-ABZ, -BK, -SA, -WT
Outdoor Wall



E42341-ABZ, -BK, -SA, -WT
Outdoor Wall



	ITEM #	FINISH	LAMPING	DIMENSION	HCO CRI		LUMENS		Additional Information
					INIT.	DEL.	INIT.	DEL.	
A	E42348	ABZ, BK, SA, WT	2 x 30W LED 2700-3000-3500-4000-5000K (Inte.)	4.75"W x 96"H x 2.75"Ext.	48"	90+	4200	3500	LED DIM WET ADA ICC-ETL
B	E42344	ABZ, BK, SA, WT	2 x 15W LED 2700-3000-3500-4000-5000K (Inte.)	4.75"W x 51"H x 2.75"Ext.	25.5"	90+	2100	1750	LED DIM WET ADA ICC-ETL
C	E42342	ABZ, BK, SA, WT	2 x 13W LED 2700-3000-3500-4000-5000K (Inte.)	4.5"W x 24"H x 2.75"Ext.	12"	90+	1820	1250	LED DIM WET ADA ICC-ETL
D	E42341	ABZ, BK, SA, WT	1 x 9W LED 2700-3000-3500-4000-5000K (Inte.)	4.5"W x 18"H x 2.75"Ext.	9"	90+	630	540	LED DIM WET ADA ICC-ETL

Finish Options: Architectural Bronze (ABZ) Black (BK) Satin Aluminum (SA) White (WT)

RAMPART

Sharp rectilinear metal lines surround a squared LED housing that shines both upwards and downwards, creating an intriguing pattern of light. This collection offers a full range of products that suits exterior and interiors without bounds. Available in a variety of scone sizes, as well as an additional pendant and post mount option, the design is completed in a matte Black finish that complements most settings.



RAMPART

- Corrosive-resistant Aluminum construction
- Squared rods surround LED housing
- Up/Down Lighting
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated
- Available as a pendant, post mount, and 5 sizes of wall sconce in Matte Black




E30119-BK
Outdoor Pendant

B




E30110-BK
Outdoor Post

A



E30112-BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E30110	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 15"H			90+	840	600	LED DIM WET
B	E30119	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H, 60"OAH			90+	840	600	LED DIM WET
C	E30112	BK	2 x 4W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	4.5"W x 4.5"H	4"	90+	540	300	LED DIM WET

Finish: Black (BK)


RAMPART

- Corrosive-resistant Aluminum construction
- Squared rods surround LED housing
- Up/Down Lighting
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated
- Available as a pendant, post mount, and 5 sizes of wall sconce in Matte Black




E30114-BK
Outdoor Wall

A




E30116-BK
Outdoor Wall

B




	ITEM #	FINISH	LAMPING	DIMENSION	BP	LUMENS				Additional Information
						HCO	CRI	INIT.	DEL.	
A	E30114	BK	2 x 6W PCB LED 3000K (Inte.)	5.5"W x 11.75"H x 2.5"Ext.	4.5"W x 4.5"H	6"	90+	840	600	    
B	E30116	BK	2 x 6W PCB LED 3000K (Inte.)	6.25"W x 14"H x 2.5"Ext.	4.25"W x 3"H	7"	90+	840	600	    

Finish: Black (BK)




E30117-BK
Outdoor Wall

C



E30118-BK
Outdoor Wall

D



	ITEM #	FINISH	LAMPING	DIMENSION	BP	HCO	CRI	LUMENS		Additional Information
								INIT.	DEL.	
C	E30117	BK	2 x 15W PCB LED 3000K (Inte.)	8"W x 22"H x 3.5"Ext.	5.25"W x 5.25"H	11"	90+	1500	1060	
D	E30118	BK	2 x 15W PCB LED 3000K (Inte.)	8"W x 30"H x 3.5"Ext.	8"W x 15"H	15"	90+	3000	1000	


Finish: Black (BK)

LINE

The use of a line is one of the most basic elements of architectural design. Lines define the shape, form and volume of a design solution. With this driverless solution, solid lengths of machined aluminum encase a high powered LED to brightly illuminate structures without glare. Accentuate those great lines with an indirect lighting product as well built as its architectural environment.



- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Indirect back lighting
- Long lengths available (up to 8")
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E41348 BK, BZ, SA, WT	60W LED 3000K (Inte.)	4.5"W x 96"H x 2.25"Ext.	48"	80+	5800	3600	LED DIM WET ADA can be installed horizontally
B	E41344 BK, BZ, SA, WT	30W LED 3000K (Inte.)	4.5"W x 51"H x 2.25"Ext.	25.5"	80+	2800	1860	LED DIM WET ADA can be installed horizontally
C	E41343 BK, BZ, SA	13W LED 3000K (Inte.)	4.5"W x 24"H x 2.25"Ext.	12"	80+	1300	1040	LED DIM WET ADA can be installed horizontally
D	E41342 ABZ, BK, WT	9W LED 3000K (Inte.)	4.5"W x 18"H x 2.5"Ext.	16.5"	80+	900	520	LED DIM WET ADA can be installed horizontally

Finish Options: Architectural Bronze (ABZ) Black (BK) Bronze (BZ) Satin Aluminum (SA) White (WT)

INTERLACE

An Antique Copper grid constructed of 304 Grade Stainless Steel is framed along an integrated LED light source. The woven pattern of this grill is both elegant and adds an elegant element to the minimal design. Backlit along its sides the LED light highlights the pattern formed accentuating the design's most exemplary feature.




INTERLACE

- Woven 304 Grade Stainless Steel in Antique Copper
- Matte Black frame
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- Triac or ELV at 120V
- Suitable for use in Wet Locations




E30294-ACPBK
Outdoor Wall

A




E30292-ACPBK
Outdoor Wall

B



E30290-ACPBK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E30294	ACPBK	2 x 26W PCB LED 3000K (Inte.)	6.5"W x 60"H x 2.75"Ext.	30"	90+	4160	2400	LED DIM+ ♿ + + WET
B	E30292	ACPBK	2 x 11W PCB LED 3000K (Inte.)	6.5"W x 24"H x 2.75"Ext.	12"	90+	1540	990	LED DIM+ ♿ + + WET
C	E30290	ACPBK	1 x 7W PCB LED 3000K (Inte.)	6.5"W x 6.5"H x 2.5"Ext.	3.25"	90+	560	340	LED DIM+ ♿ + + WET

Finish: Antique Copper/Black (ACPBK)

SIDELINE OUTDOOR

A straight line profile of aluminum casts lights along the length of the profile in both directions with adjustable color temperatures. Available in powder coat finishes including: Black and Architectural Bronze.




SIDELINE

- Anti corrosive aluminum construction
- Varying lengths from 18" to 96"
- Dimmable via Triac or ELV
- Interior and Exterior configurations
- Outdoor rated powder coat options include:
Black and Architectural Bronze
- ADA Compliant




E42368-ABZ, -BK
Outdoor Wall

A



E42364-ABZ, -BK
Outdoor Wall

B




E42362-ABZ, -BK
Outdoor Wall

C



E42361-ABZ, -BK
Outdoor Wall

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E42368 ABZ, BK	2 x 60W LED 3000K (Inte.)	4.75"W x 96"H x 3"Ext.	48"	90+	8400 6120	LED DIM+ WET R WET R WET R
B	E42364 ABZ, BK	2 x 30W LED 3000K (Inte.)	4.75"W x 51"H x 3"Ext.	25.5"	90+	4200 3000	LED DIM+ WET R WET R WET R
C	E42362 ABZ, BK	2 x 13W LED 3000K (Inte.)	4.5"W x 24"H x 3"Ext.	24"	90+	1820 1270	LED DIM+ WET R WET R WET R
D	E42361 ABZ, BK	2 x 9W LED 3000K (Inte.)	4.5"W x 18"H x 3"Ext.	9"	90+	1260 620	LED DIM+ WET R WET R WET R

Finish Options: Architectural Bronze (ABZ) Black (BK)

ALUMILUX



426

RUNE

Artisanal cast glass slabs are supported by a central Die Cast Aluminum housing that is finished in an outdoor rated Black powder coat. Emphasizing the natural beauty of the glass' imperfect contours, the sconces humbly illuminate these casually luxurious materials. Available in 3 configurations that represent 3 sizes of the collection, the sconces provide sufficient light as they showcase artistic glass craftsmanship.




- Cast glass blocks supported by corrosive-resistant Aluminum brackets
- Dimmable LED light source, 3000K Color Temperature
- Available in 3 size configurations




E30132-24BK
Outdoor Wall

A




E30134-24BK
Outdoor Wall

B



E30136-24BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E30132	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 12"H x 2"Ext.	6"	90+	1280 650	LED DIM+ WET ♿
B	E30134	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 15.5"H x 2"Ext.	6"	90+	1280 690	LED DIM+ WET ♿
C	E30136	24BK	2 x 8W PCB LED 3000K (Inte.)	5.25"W x 19"H x 2"Ext.	9.5"	90+	1280 690	LED DIM+ WET ♿

Finish: Clear glass (24) Black (BK)

ACROPOLIS

A colonnade of faceted crystal columns form these rectangular wall sconces suitable for wet locations. The crystals are backlit with an evenly distributed LED light source that is set within non-corrosive Aluminum and Stainless Steel frames. With an extension compliant for ADA applications, this collection can be used on the interior or exterior of any space.




ACROPOLIS


- Faceted Crystal Rods
- Non-corrosive frame of Matte Black or Natural Aged Brass
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers




E30230-122BK, -122NAB
Outdoor Wall



E30232-122BK, -122NAB
Outdoor Wall



E30234-122BK, -122NAB
Outdoor Wall



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30230	122BK, 122NAB	15W PCB LED 3000K (Inte.)	6"W x 14"H x 3.25"Ext.	7"	90+	1050	680	LED DIM WET
B	E30232	122BK, 122NAB	18W PCB LED 3000K (Inte.)	8"W x 18"H x 3.25"Ext.	9"	90+	1260	810	LED DIM WET
C	E30234	122BK, 122NAB	22W PCB LED 3000K (Inte.)	8"W x 22"H x 3.25"Ext.	11"	90+	1540	990	LED DIM WET

Finish Options: Clear Crystal (122) Black (BK) Natural Aged Brass (NAB)



TECTONIC

An enigmatic light source projects from the wall, obscured by two panels with an organic textural relief and split down the center to cast soft ambient light. Open at the top and bottom as well, the light shines both upwards and downwards and signals the source of its illumination through the crevice that it creeps out from. Finished in Matte Black externally, the interior of the sconces are powder coated antique brass to add warmth to the rustic glow. Available in 3 sizes, this ADA compliant sconce series adds mystique to the spaces it's installed.




TECTONIC

- Unique cast aluminum with elevated relief patterns
- Exterior in Black finish, interior in Antique Brass for warm ambient light
- LED integrated, 3000K
- Available in 3 sizes, all ADA compliant extensions





E30142-BKAB
Outdoor Wall

A




E30144-BKAB
Outdoor Wall

B



E30146-BKAB
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30142	BKAB	2 x 8W PCB LED 3000K (Inte.)	4.75"W x 14"H x 3.75"Ext.	2.25"	90+	1280	480	LED DIM WET ADA
B	E30144	BKAB	2 x 10W PCB LED 3000K (Inte.)	4.75"W x 18"H x 3.75"Ext.	2.75"	90+	1600	520	LED DIM WET ADA
C	E30146	BKAB	2 x 12W PCB LED 3000K (Inte.)	4.75"W x 22"H x 3.75"Ext.	3.5"	90+	1920	560	LED DIM WET ADA

Finish: Black/Antique Brass (BKAB)

FUSE OUTDOOR

Within a solid tube of Clear glass, a White cylindrical acrylic tube encases omnidirectional LED light. Its frame is constructed of aluminum finished in Matte Black and extends less than 4 inches from the wall for ADA compliance making this collection suitable for indoor and outdoor applications.




FUSE OUTDOOR

- Constructed of aluminum
- Matte Black finish
- Solid Clear Glass tube encases white acrylic diffuser
- LED Integrated, 3000K Color Temperature
- ADA Compliant
- Suitable for Outdoor Applications
- Range Voltage Input: 120-277V
- Dimmable with Triac, ELV, and 0-10V Dimmer Compatibility




E30254-10BKGLD
Outdoor Wall

A



E30252-10BKGLD
Outdoor Wall

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30254	10BKGLD	19W PCB LED 3000K (Inte.)	4.75"W x 26.5"H x 4.25"Ext.	9"	90+	1330	990	   
B	E30252	10BKGLD	12.5W PCB LED 3000K (Inte.)	4.75"W x 18.5"H x 4.25"Ext.	9"	90+	880	650	   

Finish: Clear/White glass (10) Black/Gold (BKGLD)

TERRA

An line of indirect LED lighting shines back on a rough-hewn cast aluminum plate with an erosion pattern that curves slightly at its ends. The neutral 3000K color temperature casts warm lighting that creates shadows and depth on the fixtures surface. An earthly organic composition available in Matte Black and Architectural Bronze, these sconces will elevate a space whether it be used in a wet exterior application or interior. An extension of less than 4" makes these sconces ADA compliant.




- Cast aluminum body with deep ridge texture
- Indirect LED light source shines on the fixture's surface
- Neutral 3000K Color Temperature
- ADA compliant
- Dimmable with Triac or ELV



E30363-ABZ
Outdoor Wall


A

24.5"



E30362-ABZ
Outdoor Wall

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO		LUMENS		Additional Information
						CRI	INIT.	DEL.	
A	E30363	ABZ	1 x 28W PCB LED 3000K (Inte.)	7"W x 24.5"H x 4"Ext.	12.25"	90+	1950	900	LED DIM INSTALL WET ADA
B	E30362	ABZ	1 x 22W PCB LED 3000K (Inte.)	7"W x 16"H x 4"Ext.	8"	90+	1500	750	LED DIM INSTALL WET ADA

Finish: Architectural Bronze (ABZ)

TOWER

A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.

TOWER – A box of UV-rated acrylic is constructed of precise miter cut corners and silk screened white on its interior to form a tower of evenly distributed LED illumination. For wet locations, the LED light source is completely sealed and provides softer omnidirectional illumination to add security and sufficiently brighten spaces. The die cast aluminum frame is finished in a black outdoor rated powder coat for longer lasting color in outdoor settings.




TOWER

- Clear acrylic boxes are miter cut and silk screened white on their interior
- Evenly distributed lighting with high lumen output
- Constructed of corrosive-resistant Aluminum
- Sandy Black outdoor rated powder coat
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated




E30182-01BK
Outdoor Wall

A




E30184-01BK
Outdoor Wall

B



E30186-01BK
Outdoor Wall

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO CRI		LUMENS		Additional Information
							INIT.	DEL.	
A	E30182	01BK	15W PCB LED 3000K (Inte.)	8"W x 15"H x 4"Ext.	7.5"	90+	1200	1170	LED DIM+ WET RAIN+ ADA+ 0-10V
B	E30184	01BK	18W PCB LED 3000K (Inte.)	8"W x 18"H x 4"Ext.	9"	90+	1440	1270	LED DIM+ WET RAIN+ ADA+ 0-10V
C	E30186	01BK	22W PCB LED 3000K (Inte.)	8"W x 22"H x 4"Ext.	11"	90+	1760	1760	LED DIM+ WET RAIN+ ADA+ 0-10V

Finish: White Acrylic (01) Black (BK)



LIQUID


A water feature that seemingly flows down a narrow, elongated channel constructed of aluminum. Finished in Black the decorative plate is fabricated using 304 Grade Stainless Steel in a Polished Black finish making these impressive sconces suitable for outdoor applications.




LIQUID

- Constructed of aluminum
- Matte Black finish
- Textured 304 Grade Stainless Steel in Polished Black
- AC LED Integrated (no driver)
- 3000K Color Temperature
- ADA Compliant
- Suitable for Outdoor Applications
- Dimmable with Triac and ELV


E30286-125BK
Outdoor Wall




E30285-125BK
Outdoor Wall



E30283-125BK
Outdoor Wall



E30282-125BK
Outdoor Wall




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30286	125BK	60W PCB LED 3000K (Inte.)	5"W x 72"H x 2.5"Ext.	36"	90+	2400	1680	LED DIM WET
B	E30285	125BK	52W PCB LED 3000K (Inte.)	5"W x 60"H x 2.5"Ext.	30"	90+	2080	1460	LED DIM WET
C	E30283	125BK	30W PCB LED 3000K (Inte.)	5"W x 30"H x 2.5"Ext.	15"	90+	1200	840	LED DIM WET
D	E30282	125BK	22W PCB LED 3000K (Inte.)	5"W x 18"H x 2.5"Ext.	9"	90+	880	620	LED DIM WET

Finish: Polished Black (125) Black (BK)



GRATE

An array of precise slits are stacked in two columns on rectangular shade forms of various sizes. Housed in a blocked out space is a recessed LED light source that casts a filigree that radiate onto the surface surrounding the scone making a dazzling display from the simple geometrical frame. Available in Matte Black or Architectural Bronze, the LED is a neutral 3000K.



GRATE


- An array of precise slits are stacked in two columns
- Recessed LED light source
- Neutral 3000K Color Temperature
- ADA compliant
- Dimmable with Triac or ELV



E30392-ABZ, -BK

Outdoor Wall


A



E30393-ABZ, -BK

Outdoor Wall


B



E30394-ABZ, -BK

Outdoor Wall


C



E30395-ABZ, -BK

Outdoor Wall

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E30392	ABZ, BK	1 x 10W PCB LED 3000K (Inte.)	6.25"W x 14"H x 3.25"Ext.	3"	90+	700	450	LED DIM INSTALL WET ADA
B	E30393	ABZ, BK	2 x 12W PCB LED 3000K (Inte.)	6.25"W x 18"H x 3.25"Ext.	9"	90+	1680	890	LED DIM INSTALL WET ADA
C	E30394	ABZ, BK	2 x 12W PCB LED 3000K (Inte.)	6.25"W x 24"H x 3.25"Ext.	12"	90+	1680	890	LED DIM INSTALL WET ADA
D	E30395	ABZ, BK	2 x 12W PCB LED 3000K (Inte.)	6.25"W x 30"H x 3.25"Ext.	15"	90+	1680	890	LED DIM INSTALL WET ADA

Finish Options: Architectural Bronze (ABZ) Black (BK)




BRIK

Square aluminum blocks that are not only attractive but offer robust features. As a low profile LED up and down wall sconce, they provide ample illumination that complies with ADA regulations. Fitted with a 120-277V range voltage input driver, these sconces can be used in interior and exterior spaces whether residential or commercial applications call for them. Available in a variety of sizes including smaller square forms and oversized rectangular profiles, you can also select from three color options: Natural Aged Brass, Black, and White.





E23212-BK, -NAB, -WT
Outdoor Wall



- Machined Aluminum construction
- ADA compliant
- Available in Black, White, and Natural Aged Brass
- Wet location rated
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac or ELV dimmers
- Squared edge profiles
- Motion sensor / Photocell see "conoid" in Maxim

MOTION SENSOR/
PHOTOCELL




E23214-BK/MSP, -WT/MSP
E23214-BK, -NAB, -WT
Outdoor Wall

B




Without MSP




E23215-BK, -NAB, -WT
Outdoor Wall

D



E23211-BK, -NAB, -WT
Outdoor Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A E23212	BK, NAB, WT	2 x 6W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1050	LED DIM WET WHEEL INSTALL
B E23214/MSP	BK, WT	2 x 7W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 2"Ext.	3.25"	90+	1400	1200	LED DIM WET WHEEL INSTALL With MSP
B E23214	BK, NAB, WT	2 x 7W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 1.5"Ext.	3.25"	90+	1400	1200	LED DIM WET WHEEL INSTALL
C E23211	BK, NAB, WT	2 x 14W PCB LED 3000K (Inte.)	11.75"W x 7"H x 1.5"Ext.	3.5"	90+	2800	1750	LED DIM WET WHEEL INSTALL
D E23215	BK, NAB, WT	2 x 12W PCB LED 3000K (Inte.)	7"W x 14"H x 1.5"Ext.	7"	90+	2400	1500	LED DIM WET WHEEL INSTALL

Finish Options: Black (BK) Natural Aged Brass (NAB) White (WT)



BLOK

The classic cube form has become a staple in modern lighting design. These products have been designed with minimal extension for ADA compliance. The smaller downlight size is designed for Night Sky applications, while both sizes may be utilized in corridor areas for commercial and hospitality applications. This product range is not only commercially qualified, but also reasonably priced, with IP classifications that enable install in both indoors and outdoor areas. The high-powered LED light engine is low-voltage and comes with a range voltage driver, making it easier to fulfill a variety of site requirements.




- Cubes constructed of corrosive-resistant Aluminum
- ADA Compliant
- Down-light and Up/Down Light Configurations
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated





E23216-BK, -WT
Outdoor Wall

A




E23218-BK, -WT
Outdoor Wall

B




E23217-BK, -WT
Outdoor Wall

C



E23219-BK, -WT
Outdoor Wall

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO		CRI		LUMENS		Additional Information
				INIT.	DEL.					
A	E23216	BK, WT	1 x 8W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 4"Ext.	2.25"	90+	630	440		LED, DIM, WET, ADA, DS, 120-277V, 3000K
B	E23218	BK, WT	2 x 8W PCB LED 3000K (Inte.)	6.25"W x 6.25"H x 4"Ext.	3.25"	90+	1080	820		LED, DIM, WET, ADA, DS, 120-277V, 3000K
C	E23217	BK, WT	2 x 9W PCB LED 3000K (Inte.)	6.75"W x 3.25"H x 3.5"Ext.	2.25"	90+	1080	1480		LED, DIM, WET, ADA, DS, 120-277V, 3000K
D	E23219	BK, WT	2 x 12W PCB LED 3000K (Inte.)	9"W x 3.75"H x 4"Ext.	2.25"	90+	2400	1980		LED, DIM, WET, ADA, DS, 120-277V, 3000K

Finish Options: Black (BK) White (WT)



CUBED

A staple in modern design, the square block form is the perfect minimalist accent to your home's interior or exterior elevations. The third iteration in this concept, the cubes are enabled with updated features that include range voltage input for both residential and commercial applications, an adjustable beam angle structure within the die cast housing allows the end user to set the light spread from either the top or bottom individually, and the sconces meet the dimensional extension compliant for ADA applications. Available in Black or Satin Aluminum finishes rated for outdoor, this modern design just got better.




CUBED

- Available in Satin Aluminum and matte Black finishes
- Die Cast Aluminum construction
- Adjustable beam angle spread set within housing
- Wet Location rated and ADA compliant
- LED Integrated, 3000K Color Temperature
- Range voltage 120-277V input with universal 3-in-1 dimming power sources



E23222-BK, -SA
Outdoor Wall

A




Adjustable beam angle spread



E23224-BK, -SA
Outdoor Wall

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information	
					HCO	CRI		
A	E23222	BK, SA	1 x 10W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	2.25"	90+	900 650	   
B	E23224	BK, SA	2 x 10W PCB LED 3000K (Inte.)	5.5"W x 5.5"H x 2.5"Ext.	3.25"	90+	1800 1150	   

Finish Options: Black (BK) Satin Aluminum (SA)

SPARTAN OUTDOOR

The rounded ends soften the overall appearance of these sconces. Hardworking features provide ample illumination built within the sconce's low profile that complies with ADA regulations. Its LED light source shines up and down and includes a 120-277V range voltage input driver. Great for applications both interior or exterior, this collection can be used in residential or commercial applications as well. Available in Black and Architectural Bronze.



SPARTAN


- Rounded edge profiles
- Available in Architectural Bronze or Black
- Range voltage 120-277V input, LED Integrated
- Neutral 3000K Color Temperature



• Matching Indoors found on page 331


E23234-ABZ, -BK
Interior/Exterior Wall

A



E23236-ABZ, -BK
Interior/Exterior Wall

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E23234	ABZ, BK	2 x 6W PCB LED 3000K (Inte.)	6"W x 4.75"H x 1.5"Ext.	2.25"	90+	1200	1000	LED DIM+ WET
B	E23236	ABZ, BK	2 x 7W PCB LED 3000K (Inte.)	7.75"W x 6.25"H x 1.5"Ext.	3.25"	90+	1400	1200	LED DIM+ WET

Finish Options: Architectural Bronze (ABZ) Black (BK)

HIGHLANDER

A pattern of tartan linen is etched onto a glass that encloses an internally lit shadow box. The back plate features a polished stainless steel plate adding an almost infinite dimension to the pattern. Constructed of aluminum in Matte Black finish and 304 grade Stainless Steel, the product is also suitable for installations outdoors.



HIGHLANDER

- Constructed of aluminum and 304 grade Stainless Steel
- Linen pattern etched onto glass cover
- AC LED Integrated (no driver)
- 3000K Color Temperature
- Suitable for use outdoors




E30220-99BK
Wall Mount/Flush Mount

A




• Installed as Flush Mount





E30221-99BK
Interior/Exterior Wall

B



E30222-99BK
Interior/Exterior Wall

C



E30223-99BK
Interior/Exterior Wall

D

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30220	99BK	12W PCB LED 3000K (Inte.)	6"W x 12"H x 1.75"Ext.	6"	90+	900	500	LED DIM+ ♿ + WET
B	E30221	99BK	20W PCB LED 3000K (Inte.)	6"W x 15.75"H x 1.75"Ext.	7.5"	90+	1500	900	LED DIM+ ♿ + WET
C	E30222	99BK	30W PCB LED 3000K (Inte.)	6"W x 23.75"H x 1.75"Ext.	11.5"	90+	2250	1250	LED DIM+ ♿ + WET
D	E30223	99BK	36.5W PCB LED 3000K (Inte.)	6"W x 30"H x 1.75"Ext.	15"	90+	2500	1350	LED DIM+ ♿ + WET

Finish: Linen glass (99) Black (BK)

CITADEL

Vertical aluminum strands surround an acrylic LED tube that shines omnidirectional light filtered by the frame. The thin profile of the overall column extends less than 4" offering ADA compliant applications. Available in a variety of sconce sizes, the design is finished in a matte Black finish that complements most settings.



- Vertical struts of aluminum surround a cylindrical lamp body
- Integrated LED housed within glass tube with omnidirectional light
- Neutral 3000K Color Temperature
- ADA compliant
- 120-277V Input
- 3-in-1 dimming: Triac, ELV, and 0-10V




• Matching Garden Lights found on page 507




E30318-BK
Outdoor Wall

A




E30316-BK
Outdoor Wall

B



E30314-BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30318	BK	2 x 12W PCB LED 3000K (Inte.)	3.25"W x 28"H x 5"Ext.	14"	90+	2200	1600	LED DIM+ DIM- 0-10V WET
B	E30316	BK	2 x 9.5W PCB LED 3000K (Inte.)	3.25"W x 24"H x 5"Ext.	12"	90+	1900	1300	LED DIM+ DIM- 0-10V WET
C	E30314	BK	1 x 11W PCB LED 3000K (Inte.)	3.25"W x 15"H x 5"Ext.	12.5"	90+	1000	600	LED DIM+ DIM- 0-10V WET

Finish: Black (BK)

FOLIO

The soft fold of a rigid aluminum frame provides a look suitable for both interior and exterior applications. Select from a sandy Black exterior with Gold interior or Satin Aluminum with a White interior.




- Non-corrosive Aluminum Frame
- Available in Black with Gold Interior or Satin Aluminum with White interior
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers




E30151-BKGLD, -SAWT
Outdoor Wall

A




E30152-BKGLD, -SAWT
Outdoor Wall

B



E30156-BKGLD, -SAWT
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E30151	BKGLD, SAWT	2 x 5W PCB LED 3000K (Inte.)	6.25"W x 9.75"H x 3.25"Ext.	5"	90+	700	450	LED DIM WET ADA
B	E30152	BKGLD, SAWT	2 x 10W PCB LED 3000K (Inte.)	6.25"W x 13.75"H x 3.25"Ext.	7"	90+	1400	900	LED DIM WET ADA
C	E30156	BKGLD, SAWT	2 x 15W PCB LED 3000K (Inte.)	6.25"W x 20"H x 3.25"Ext.	10"	90+	2100	1350	LED DIM WET ADA

Finish Options: Black/Gold (BKGLD) Satin Aluminum/White (SAWT)

BRASILIA

Inspired by the architecture of grand civic pavilions, the 304 grade stainless steel cages feature beveled arches that incorporate LED light sources along their frame. Finished in Matte Black, the simple yet distinctive geometry of the lanterns provide a transitional look that pairs well with both modern and transitional aesthetics.




BRASILIA

- 304 Grade Stainless Steel Construction
- Matte Black finish with reflective matte black stainless steel backplate
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- 3-in-1 universal dimming: Triac/ELV at 120V or 0-10V dimming
- Suitable for use in Wet Locations





E30271-BK
Outdoor Wall

A



E30273-BK
Outdoor Wall

B



E30275-BK
Outdoor Wall

C

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E30271	BK	11W PCB LED 3000K (Inte.)	6.5"W x 12"H x 2.5"Ext.	6"	80+	210	120	LED DIM WET
B	E30273	BK	11W PCB LED 3000K (Inte.)	7"W x 14.5"H x 4.75"Ext.	7.25"	80+	180	90	LED DIM WET
C	E30275	BK	14W PCB LED 3000K (Inte.)	8"W x 18"H x 5.5"Ext.	9"	80+	220	130	LED DIM WET

Finish: Black (BK)



MAGLEV


Large aluminum extrusions with indirect lighting highlights cut outs in this architectural outlook. Directed outwards toward the cutouts, these sconces are rated for outdoor applications. Select from Black or Architectural Bronze finishes and two sizes of sconce, one of which is scaled for larger façade applications.




- Non-corrosive Aluminum Frame
- Available in Black or Architectural Bronze
- ADA Compliant
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers



E30214-ABZ, -BK
Outdoor Wall



E30218-ABZ, -BK
Outdoor Wall



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30214	ABZ, BK	18W PCB LED 3000K (Inte.)	6.25"W x 17.75"H x 3.25"Ext.	9"	90+	1260	810	LED DIM WET ADA
B	E30218	ABZ, BK	36W PCB LED 3000K (Inte.)	6.25"W x 33.5"H x 3.25"Ext.	16.75"	90+	2520	1620	LED DIM WET ADA

Finish Options: Architectural Bronze (ABZ) Black (BK)

PUFF

Softly rounding forms are constructed of outdoor-rated concrete molds. Finished in Chalky White, these sconces are both playful and sophisticated. A diagonal reveal along the fixture's body emits light while also casting light above and below the fixture.




- Solid Concrete shade
- Chalky White finish
- Outdoor Rated LED light source, 3000K
- 120-277V Range Voltage Input
- Triac or ELV at 120V




E14390-CHK
Outdoor Wall

A




E14392-CHK
Outdoor Wall

B




E14394-CHK
Outdoor Wall

C



E14396-CHK
Outdoor Wall

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E14390	CHK	12W PCB LED 3000K (Inte.)	6"W x 8"H x 4"Ext.	4"	90+	840	400	    
B	E14392	CHK	18W PCB LED 3000K (Inte.)	6"W x 12"H x 4"Ext.	6"	90+	1260	600	    
C	E14394	CHK	24W PCB LED 3000K (Inte.)	6"W x 16"H x 4"Ext.	8"	90+	1680	800	    
D	E14396	CHK	27W PCB LED 3000K (Inte.)	6"W x 22"H x 4"Ext.	11"	90+	2400	2200	    

Finish: Chalky White (CHK)

PILAR

This outdoor collection is cast in concrete for maximum durability in harsh climates such as coastal environments. Available in your choice of a lighter Sandstone or darker Greystone Aggregate, both are powered by dual integrated LED boards for efficient and long-life operation.




PILAR

- Solid Concrete shade
- Sandstone or Greystone Aggregate
- JA8 LED Lamps included




E14370-GSN, -SSN
Outdoor Flush Mount




E14373-GSN, -SSN
Outdoor Wall

A



E14374-GSN, -SSN
Outdoor Wall

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO		LUMENS		Additional Information
				CRI	INIT.	DEL.		
A	E14370	GSN, SSN	1 x 7W MB LED 3000K (Incl.)	4.5"W x 7"H	90+	700	600	LED DIM WET
B	E14373	GSN, SSN	2 x 7W MB LED 3000K (Incl.)	5"W x 13"H x 4"Ext.	6.5"	90+	1400	1200 LED DIM WET
C	E14374	GSN, SSN	2 x 7W MB LED 3000K (Incl.)	5"W x 13"H x 4"Ext.	6.5"	90+	1400	1200 LED DIM WET

Finish Options: Greystone (GSN) Sandstone (SSN)



REVEAL OUTDOOR

Inspired by the best-selling indoor series, this popular collection has now been made to enhance your outdoors. Tubular shaped sconces finished in Sandy Black with a Gold stainless steel band provide light from the bottom as well as a reveal behind the band. The soft glow of light from the band creates a beautiful lighting effect. Made of non-corrosive materials for longevity outdoors, this collection will suit both indoor and outdoor applications.



REVEAL OUTDOOR

- Non-corrosive Aluminum Frame
- Finished in two-tone Matte Black and Gold
- LED Integrated, 3000K Color Temperature
- Compatible with Triac and ELV dimmers
- Interior version found on page 33



• Matching Garden light found on page 508 • Matching Indoor collection found on page 39




LIGHT REVEAL




E34752-BKGLD
Outdoor Wall

A




E34754-BKGLD
Outdoor Wall

B



E34756-BKGLD
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E34752	BKGLD	1 x 12W PCB LED 3000K (Inte.)	5"W x 5.25"H x 6"Ext.	2.25"	90+	910	590	LED DIM WET
B	E34754	BKGLD	2 x 18W PCB LED 3000K (Inte.)	5"W x 12"H x 6.25"Ext.	6"	90+	1500	1260	LED DIM WET
C	E34756	BKGLD	2 x 18W PCB LED 3000K (Inte.)	5"W x 18"H x 6.25"Ext.	9"	90+	1500	1260	LED DIM WET

Finish: Black/Gold (BKGLD)



CANELLO

A tube of evenly diffused LED light in matte White acrylic. The body is made of heavy duty extruded aluminum finished in Matte Black. Ideal for use in both residential and commercial settings, both indoors and out. With large scale options, these sconces are all ADA compliant.




CANELLO

- White UV-stabilized acrylic diffuser
- Matte Black finish
- LED Integrated, 3000K Color Temperature
- 120-277V Range Voltage Input
- Suitable for use in Wet Locations




E30094-01BK
Outdoor Wall

A




E30093-01BK
Outdoor Wall

B



E30092-01BK
Outdoor Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E30094	01BK	40W PCB LED 3000K (Inte.)	4.5"W x 48"H x 4"Ext.	24"	90+	3200 3140	LED DIM WET
B	E30093	01BK	20W PCB LED 3000K (Inte.)	4.5"W x 30"H x 4"Ext.	15"	90+	1600 1460	LED DIM WET
C	E30092	01BK	14W PCB LED 3000K (Inte.)	4.5"W x 24.5"H x 4"Ext.	12.25"	90+	1120 1090	LED DIM WET

Finish: White Acrylic (01) Black (BK)



SMOKESTACK

Segmented glass cylinders in a grey Smoke Gradient filter nostalgic tubular LED lamps. The Matte Black frame adds a dark contrast providing ambient light as a guide to your exterior. Select from 3 sizes of wall sconces, all wet rated.





SMOKESTACK

- Gradient Grey Smoke Glass
- Matte Black Finish
- LED Tubular Lamps Included, 2200K




E26146-142BK
Outdoor Wall

A




E26144-142BK
Outdoor Wall

B



E26142-142BK
Outdoor Wall

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	LUMENS DEL.	Additional Information
A	E26146	142BK	1 x 6W MB LED 2200K (Incl.)	6.25"W x 20"H x 6"Ext.	10"	90+	600	420	LED DIM+ WET
B	E26144	142BK	1 x 6W MB LED 2200K (Incl.)	6"W x 16.75"H x 6"Ext.	8.25"	90+	590	400	LED DIM+ WET
C	E26142	142BK	1 x 6W MB LED 2200K (Incl.)	5.75"W x 13.75"H x 5.75"Ext.	7"	90+	590	400	LED DIM+ WET

Finish: Graduating Smoke glass (142) Black (BK)




GRAVITY

An elliptical shape in Gold finish is illuminated by dedicated LED lighting and secured to a disc in contrasting black finish making a modern silhouette rated for outdoor applications. Suitable for wet locations, the fixture is constructed of corrosive resistant aluminum channel finished in UV-rated outdoor powder coats and sealed within the frame to prevent water intrusion. With an extension less than 4 inches, this attractive sconce series is also inherently ADA compliant for indoor public spaces where needed.




GRAVITY

- Two tone Matte Black and Gold finish
- Constructed of anti-corrosive aluminum channel and sealed for wet locations
- LED integrated, 3000K
- ADA Compliant wall sconce
- New larger size available
- Powder coat finish




E42108-BKGLD
Outdoor Wall

A




E42106-BKGLD
Outdoor Wall

B




E42104-BKGLD
Outdoor Wall

C



E42102-BKGLD
Outdoor Wall

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E42108	BKGLD	27W PCB LED 3000K (Inte.)	6"W x 30"H x 1.75"Ext.	20"	90+	1200	1100	LED DIM WET ADA COMPLIANT
B	E42106	BKGLD	15W PCB LED 3000K (Inte.)	6"W x 18"H x 1.75"Ext.	15.5"	90+	670	450	LED DIM WET ADA COMPLIANT
C	E42104	BKGLD	13W PCB LED 3000K (Inte.)	6"W x 15.5"H x 1.75"Ext.	13"	90+	580	350	LED DIM WET ADA COMPLIANT
D	E42102	BKGLD	11W PCB LED 3000K (Inte.)	6"W x 13"H x 1.75"Ext.	10.5"	90+	500	250	LED DIM WET ADA COMPLIANT

Finish: Black/Gold (BKGLD)



ALUMILUX PRIME


Minimalist in design yet high in impact, the Alumilux Prime outdoor wall sconce delivers refined illumination with architectural appeal. Crafted from durable aluminum in a sleek Black, Satin Aluminum or White finishes, this ADA-compliant fixture features a slim vertical silhouette with indirect LED lighting that softly washes the wall for a dramatic effect. Integrated with energy-efficient LED technology, it emits 300 lumens of warm 3000K light, perfect for enhancing modern exteriors or indoor transitional spaces. Rated for outdoor use, Alumilux Prime combines lasting performance with a clean, contemporary aesthetic.



- Indirect Wall Lighting
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Title 24 listed
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+



E41307-BK, -SA, -WT
Interior/Exterior Wall




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS				Additional Information
				HCO	CRI	INIT.	DEL.	
A E41307	BK, SA, WT	5W LED 3000K (Inte.)	4.25"W x 15.75"H x 3.75"Ext.	12.5"	90+	430	300	   

Finish Options: Black (BK) Satin Aluminum (SA) White (WT)

COULEE


Like bridges over a babbling brook, this collection of sconces features a reflective black stainless steel with a wave-like water ripple texture. This decorative detail is fabricated using 304 Grade stainless steel and the sconce's frame is constructed of non-corrosive aluminum. Great for emulating a water feature indoors and suitable for outdoor applications.




- Constructed of aluminum
- Matte Black finish
- Textured 304 Grade Stainless Steel in Polished Black
- AC LED Integrated (no driver)
- 3000K Color Temperature
- ADA Compliant
- Suitable for Outdoor Applications
- Dimmable with Triac and ELV




E30260-125BK
Outdoor Wall



E30262-125BK
Outdoor Wall



E30264-125BK
Outdoor Wall



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30260	125BK	1 x 8W PCB LED 3000K (Inte.)	6.25"W x 7.75"H x 2.25"Ext.	3.5"	90+	450	250	   
B	E30262	125BK	3 x 8W PCB LED 3000K (Inte.)	6.25"W x 14.5"H x 2.25"Ext.	7"	90+	1120	650	   
C	E30264	125BK	4 x 8W PCB LED 3000K (Inte.)	6.25"W x 20.5"H x 2.25"Ext.	10"	90+	2240	1350	   

Finish: Polished Black (125) Black (BK)



ALCOVE


Die cast aluminum frames accommodate a niche that features a decorative panel of stainless steel in a Gold finish. Two strips of dedicated LED lighting illuminate the washboard form that in its contrasting Gold hue creates a warmer ambient light source for your exterior.




- Stainless steel corrugated panels in Gold finish
- Two tone Black with Gold outdoor rated powder coat
- Corrosive-resistant Aluminum with Stainless Steel
- Dimmable LED light source, 3000K Color Temperature
- Wet Location Rated




E30102-BKGLD
Outdoor Wall
A



E30104-BKGLD
Outdoor Wall
B



E30106-BKGLD
Outdoor Wall
C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30102	BKGLD	18W PCB LED 3000K (Inte.)	6.5"W x 10"H x 2.5"Ext.	5"	90+	1440	300	    
B	E30104	BKGLD	24W PCB LED 3000K (Inte.)	6.5"W x 14"H x 2.5"Ext.	7"	90+	1920	470	    
C	E30106	BKGLD	36W PCB LED 3000K (Inte.)	6.5"W x 20"H x 2.5"Ext.	10"	90+	2880	600	    

Finish: Black/Gold (BKGLD)



TOTEM


Zigzag towers of ribbed glass and a textured black frame. The ribbed glass texture is back lit by integrated LED strips housed within that shine bright illumination against a white reflective backdrop. With a 3" extension, these wall sconces add visual interest to your interior or exterior space, and meet ADA requirements for use down corridors and other public spaces.





E30122-144BK
Outdoor Wall

A




- Sculptural frames in a textured Black finish
- Clear Ribbed glass is backlit
- 4 sizes of pocket sconces ranging from 5" heights to 24"
- LED integrated 3000K
- ADA Compliant

INSTALL FACING
UP/DOWN




E30123-144BK
Outdoor Wall

B




E30124-144BK
Outdoor Wall

C



E30126-144BK
Outdoor Wall

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30122	144BK	2 x 6W PCB LED 3000K (Inte.)	5"W x 5"H x 4"Ext.	2.25"	90+	960	570	    
B	E30123	144BK	2 x 8W PCB LED 3000K (Inte.)	6"W x 16"H x 3"Ext.	8"	90+	1280	560	    
C	E30124	144BK	2 x 10W PCB LED 3000K (Inte.)	6"W x 20"H x 3"Ext.	10"	90+	1600	700	    
D	E30126	144BK	2 x 12W PCB LED 3000K (Inte.)	6"W x 24"H x 3"Ext.	12"	90+	1920	850	    

Finish: Clear Ribbed glass (144) Black (BK)



MODULAR

A series of shade options fit a streamlined cast aluminum disc with a slight curve. Choose from Dark Sky compliant down-lights using flat lenses or from several glass lens options including Clear prismatic patterns that create domes, spheres, or cylinders. The integrated LED lights provide ample functional lighting, while the minimal forms suit both indoor and outdoor applications.




MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Available in Black finish
- Wet Location Rated




E30162-144BK
Interior/Exterior Wall

A




E30166-144BK
Interior/Exterior Wall

B



E30163-126BK
Interior/Exterior Wall

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E30162	144BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 6.25"H x 6.5"Ext.	2.5"	90+	700 530	LED DIM+ WET
B	E30166	144BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 7.75"H x 6.5"Ext.	3.75"	90+	1500 1040	LED DIM+ WET RECALL
C	E30163	126BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	700 530	LED DIM+ WET

Finish: Prismatic Clear glass (126) Clear Ribbed glass (144) Black (BK)




MODULAR

- Modular sconce design constructed of corrosive-resistant Aluminum
- Select from cylindrical and dome glass shades or minimal flat lenses
- Range voltage 120-277V drivers included
- Dimmable LED light source, 3000K Color Temperature
- Available in Black finish
- Wet Location Rated





E30164-BK
Interior/Exterior Wall

A




E30165-10BK
Interior/Exterior Wall

B



E30175-10BK
Interior/Exterior Wall

C




	ITEM #	FINISH	LAMPING	DIMENSION	HCO CRI		LUMENS INIT. DEL.		Additional Information					
A	E30164	BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800	380						
B	E30165	10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800	600						
C	E30175	10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1600	1200						

Finish: Clear/White glass (10) Black (BK)




E30160-BK
Interior/Exterior Wall

D




E30161-10BK
Interior/Exterior Wall

E



E30170-BK
Interior/Exterior Wall

F




UP AND DOWN
LIGHT



E30171-10BK
Interior/Exterior Wall

G



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
D	E30160 BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800 380	LED DIM+ DMX+ WET 124 DS
E	E30161 10BK	1 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	800 600	LED DIM+ DMX+ WET 124
F	E30170 BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1600 750	LED DIM+ DMX+ WET 124 INSTALL
G	E30171 10BK	2 x 8W PCB LED 3000K (Inte.)	5"W x 5"H x 6.5"Ext.	2.5"	90+	1600 1200	LED DIM+ DMX+ WET 124 INSTALL

Finish: Clear/White glass (10) Black (BK)

CAULDRON OUTDOOR

Drawing inspiration from the Olympic cauldron that begins the iconic games, this series of sconces can be installed facing upwards indoors or downwards in indoor applications. Two sizes of the sconce are available with a Black model constructed of aluminum so it is suitable for outdoor applications.



CAULDRON


- AC LED Integrated (no driver)
- 3000K Color Temperature
- Black finish is Suitable for Outdoor Applications
- Dimmable with Triac and ELV



• Matching Indoors found on page 321


E30242-BK
Outdoor Wall

A



E30244-BK
Outdoor Wall

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E30242	BK	12W PCB LED 3000K (Inte.)	6"W x 5"H x 7.75"Ext.	2.5"	90+	840	600	LED DIM WET
B	E30244	BK	17.5W PCB LED 3000K (Inte.)	7"W x 5"H x 9"Ext.	2.5"	90+	1200	900	LED DIM WET

Finish: Black (BK)



GLOW


With a slim profile and bold geometric form, the Alumilux Glow LED wall sconce brings modern elegance to both indoor and outdoor spaces. A minimal 1.5-inch extension makes it ideal for ADA-compliant applications, while dual integrated LED light sources emit over 800 lumens of soft 3000K illumination. The fixture's flat square face is framed in sleek Black aluminum, with subtle acrylic diffusers that glow from the edges to create a warm, inviting halo effect. Designed for wet locations and versatile in orientation, this energy-efficient sconce installs in any direction to complement contemporary architecture with stylish precision.



- ETL & cETL wet location listed, IP65 rated
- ADA Compliant
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmer
- Interior/Exterior wall sconces
- Indirect backlight




E41280-BK, -SA, -WT
Interior/Exterior Wall



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41280	BK, SA, WT	15W PCB LED 3000K (Inte.)	10"W x 10"H x 1.5"Ext.	5"	90+	1050	830	     Bick Lit

Finish Options: Black (BK) Satin Aluminum (SA) White (WT)

Compact and architectural, the Alumilux Dish LED wall sconce delivers bold illumination from an ultra-slim profile. Its shallow circular form, finished in rich Architectural Bronze, projects only 1.25 inches from the wall, making it ideal for ADA-compliant installations. An integrated omni-directional LED light source emits 880 lumens of warm 3000K light, softly radiating from all sides to enhance outdoor or indoor environments. Designed for performance and versatility, the fixture can be installed in any orientation and is wet-rated for exterior applications, combining efficiency with refined design.




- Slim circular design with Architectural Bronze finish
- Integrated omni-directional LED light source
- Emits 880 delivered lumens at 3000K color temperature
- ADA compliant with a 1.25" low-profile extension
- Installs in any orientation for design flexibility
- Rated for wet locations, suitable for indoor or outdoor use
- CRI 90 for accurate color rendering
- Dimmable with Triac or ELV dimmers at 120V
- Input voltage: 120-277V
- Energy-efficient design with 25,000-hour rated life



E41501-ABZ, -BK, -SA
Interior/Exterior Wall

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B E41501	ABZ, BK, SA	14W LED 3000K (Inte.)	6.75"W x 6.75"H x 1.25"Ext.	3.25"	90+	1400	880	    

Finish Options: Architectural Bronze (ABZ) Black (BK) Satin Aluminum (SA)

TILT

With a minimalist form and precision lighting, the Alumilux Tilt LED outdoor sconce brings focused illumination to modern exteriors. Finished in sleek Black aluminum, its compact angled design directs light downward, creating subtle highlights along walls and pathways. Measuring just over 5 inches tall and under 3 inches deep, this ADA-compliant fixture is ideal for tight spaces or low-profile applications. Integrated LED technology provides 360 delivered lumens of warm 3000K light, while energy-efficient performance and wet location rating ensure longterm functionality and style.




- ETL & cETL wet location listed, IP65 rated
- Adjustable face plate for lighting direction
- Indirect lighting
- 220V & 277V available for special order




E41331-BK, -WT
Interior/Exterior Wall

A



E41332-BK, -WT
Interior/Exterior Wall

B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41331	BK, WT	8W LED 3000K (Inte.)	3"W x 5.25"H x 2.75"Ext.	2.25"	90+	700	360	   
B	E41332	BK, WT	12W LED 3000K (Inte.)	5"W x 7"H x 2.75"Ext.	3.5"	90+	1400	680	   

Finish Options: Black (BK) White (WT)






Simple in form yet bold in presence, the Alumilux Tau LED wall sconce offers omni-directional illumination from a compact, low-profile design. Finished in matte Black and constructed from durable aluminum, its clean square face extends just 1.25 inches from the wall, making it ADA compliant and ideal for modern indoor or outdoor applications. Integrated LED technology emits 880 delivered lumens of warm 3000K light, radiating softly from all sides to create a balanced and inviting glow. Versatile in function and form, this fixture installs in any orientation and is rated for wet locations.



- Indirect wall lighting
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Available in 120V and 220V-277V
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+

E41388-BK, -WT
Interior/Exterior Wall



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional	
				HCO	CRI	INIT.	DEL. Information
C E41388	BK, WT	14W LED 3000K (Inte.)	6.75"W x 6.75"H x 1.25"Ext.	3.5"	90+	1400	880     

Finish Options: Black (BK) White (WT)

CUBE

- Adjustable Wall Lighting Effect for up/ Down Light
- ETL & cETL wet location listed, IP65 rated
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 90+




• Adjustable



E41308-BK, -BZ
Interior/Exterior Wall

A



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E41308 BK, BZ	10W LED 3000K (Inte.)	4.5"W x 4.5"H x 4.25"Ext.	2.25"	90+	1000	580	LED, Wet, ADA

Finish Options: Black (BK) Bronze (BZ)

OUTLINE

Ultra-slim and effortlessly modern, the Alumilux Outline LED wall sconce delivers soft, ambient illumination within a barely-there frame. Measuring less than an inch in depth, this minimalist square fixture features a matte Black aluminum finish and an integrated LED source that emits a subtle halo of warm 3000K light. Ideal for contemporary exteriors or indoor applications where space is limited, the fixture is ADA compliant, wet-rated, and designed for versatility with omnidirectional lighting and multi-position installation.




- Low profile design available in 6" and 9" widths
- ADA Compliant
- ETL & cETL wet location listed, IP65 rated
- Driver located within fixture
- 35,000 hours rated life
- Color Temp: 3000K
- CRI: 80+



E41329-BK, -SA, -WT
Interior/Exterior Wall

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B E41329	BK, SA, WT	8W LED 3000K (Inte.)	4.5"W x 4.5"H x .75"Ext.	3.25"	80+	560	180	Dimmable with ELV dimmer

Finish Options: Black (BK) Satin Aluminum (SA) White (WT)

STEPPES

A slim profile extends from the wall with sharply angled facets. Available in various sizes and your choice of Matte Black or Antique Bronze finish, its scale allows it to function both as a step light and as a subtle LED outdoor wall sconce. Concealed within the top housing is an integrated LED light that casts light downward on a series of ridges capturing various intensities of light.




STEPPES

- Matte Black or Antique Bronze finish
- Stepped striation pattern along the frame
- LED Integrated, 3000K Color Temperature
- Dimmable with Triac or ELV
- Suitable for use in Wet Locations




E41552-ANB, -BK
Outdoor Wall

A




E41554-ANB, -BK
Outdoor Wall

B



E41556-ANB, -BK
Outdoor Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
A	E41552 ANB, BK	10W PCB LED 3000K (Inte.)	4.75"W x 4.75"H x 1"Ext.	2.25"	90+	800	240	LED DIM WET
B	E41554 ANB, BK	10W PCB LED 3000K (Inte.)	4.75"W x 6.75"H x 1"Ext.	3.25"	90+	800	240	LED DIM WET
C	E41556 ANB, BK	20W PCB LED 3000K (Inte.)	7.5"W x 9.5"H x 1"Ext.	4.75"	90+	2000	930	LED DIM WET

Finish Options: Antique Bronze (ANB) Black (BK)





LANDSCAPE & PATH





LANDSCAPE

Low voltage garden lights consisting of classic shaped shades to brighten your outdoor space. Choose from various lighting elements that pair with matching poles. In-ground stakes or bolt down installation mounting options are provided with a 16-inch pole. Extension rods in 8-inch increments sold separately.




LANDSCAPE

- LED Integrated, 3000K Color Temperature
- 12-24V Low Voltage Input
- Outdoor Landscape Transformer required (not included)




BEAM ANGLE
ADJUSTABLE

CCT WATTAGE
SELECT



E42351-BK
LED Adj. Pathway Light


A



• Installed as Wall Mount
(with Wall Plate)

E41354-BK, -BZ, -SA
LED Pathway Light


B



• Installed as Wall Mount
(with Wall Plate)

E41355-BK
LED Pathway Light

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT. DEL.	Additional Information
A	E42351	BK	9W COB LED 2700-3000-4000K (Inte.)	2"W x 9"H	90+	900 530	LED WET CCT 12V
B	E41354	BK, BZ, SA	5W PCB LED 3000K (Inte.)	2.75"L x 1.5"W x 8.25"H	90+	500 410	LED WET 12V
C	E41355	BK	8W PCB LED 3000K (Inte.)	3.75"L x 1.75"W x 8.25"H	90+	560 400	LED WET 12V

Finish Options: Black (BK) Bronze (BZ) Satin Aluminum (SA)




LANDSCAPE


- LED Integrated, 3000K Color Temperature
- 12-24V Low Voltage Input
- Outdoor Landscape Transformer required (not included)




E41352-BK
Pathway Light



E41359-BK
Pathway Light



E41350-BK, -BZ, -SA
Pathway Light




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information
A	E41352	BK	5W MR16 LED 3000K (Incl.)	3.75"L x 2.25"W x 9"H	90+	490	360	LED WET 12V
B	E41359	BK	5W MR16 LED 3000K (Incl.)	3.75"L x 2.25"W x 9"H	90+	490	360	LED WET 12V
C	E41350	BK, BZ, SA	5W MR16 LED 3000K (Incl.)	3.5"W x 13.75"H	90+	490	360	LED WET 12V

Finish Options: Black (BK) Bronze (BZ) Satin Aluminum (SA)

LANDSCAPE



- LED Integrated, 3000K Color Temperature
- 12-24V Low Voltage Input
- Outdoor Landscape Transformer required (not included)




EPOL8-BK
8" Pole



E41450-BK (with 16" Pole)
E41450-BK-24 (with 24" Pole)
Pathway Light



E41451-BK (with 16" Pole)
E41451-BK-24 (with 24" Pole)
Pathway Light



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS			Additional Information
						INIT.	DEL.		
A	E41450	BK	12W PCB LED 3000K (Inte.)	6"W x 17.25"H	90+	980	710	 	With 16" pole, 12V
A	E41450-24	BK	12W PCB LED 3000K (Inte.)	6"W x 25"H	90+	980	710	 	With 24" pole, 12V
B	E41451	BK	7W PCB LED 3000K (Inte.)	8"W x 21.75"H	90+	490	290	 	With 16" pole, 12V
B	E41451-24	BK	7W PCB LED 3000K (Inte.)	8"W x 29.75"H	90+	490	290	 	With 24" pole, 12V

Finish: Black (BK)



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS INIT.	DEL.	Additional Information
C	E41452	61BK	7W PCB LED 3000K (Inte.)	6"W x 23.75"H	90+	490	440	LED With 16" pole, 12V
C	E41452-24	61BK	7W PCB LED 3000K (Inte.)	6"W x 31.5"H	90+	490	440	LED With 24" pole, 12V
D	E41453	BK	7W PCB LED 3000K (Inte.)	8"W x 21.25"H	90+	490	260	LED With 16" pole, 12V
D	E41453-24	BK	7W PCB LED 3000K (Inte.)	8"W x 29"H	90+	490	260	LED With 24" pole, 12V
E	E41455	10BK	12W PCB LED 3000K (Inte.)	6"W x 20.75"H	90+	840	690	LED With 16" pole, 12V
E	E41455-24	10BK	12W PCB LED 3000K (Inte.)	6"W x 28.75"H	90+	840	690	LED With 24" pole, 12V

Finish: Clear/White glass (10) White Acrylic (61) Black (BK)

MARSH

- Matte Black finish
- AC Integrated (No Driver) Indoor Lighting Fixtures
- 12V Low Voltage Coordinating Garden Lighting
- LED Integrated, 3000K Color temperature
- See the full collection on page 243






	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24090	BK	1 x 5W 12V PCB LED 3000K (Inte.)	13"L x 6"W x 30"H	90+	500	300	LED DIM+ WET 12V
B	E24099	BK	3 x 5W 12V PCB LED 3000K (Inte.)	25"L x 25"W x 41"H	90+	1500	900	LED DIM+ WET 12V

Finish: Black (BK)

CITADEL

- Vertical struts of aluminum surround a cylindrical lamp body
- Integrated LED housed within glass tube with omnidirectional light
- Neutral 3000K Color Temperature
- 12-24V DC Input, label bolt & plastic spike
- Matching Outdoors found on page 453



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E30310	BK	10W PCB LED 3000K (Inte.)	3.25"W x 17.75"H	90+	700	450	LED  
B	E30319	BK	12W PCB LED 3000K (Inte.)	3.25"W x 35.5"H	90+	840	540	LED  

Finish: Black (BK)



REVEAL

- Non-corrosive Aluminum Frame
- Finished in Matte Black
- LED Integrated, 3000K Color Temperature
- 12-24V DC Input
- Interior version found on page 39
- Exterior version found on page 465



E34750-BK
Garden Light



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E34750	BK	15W PCB LED 3000K (Inte.)	6"W x 24"H	90+	1050	670	LED 
Finish: Black (BK)								

TREE HUGGER

LED spot light modules are connected with positionable joints designed to strap along vegetation and posts. Available in groupings of three, five, and eight, each section is supplied with a fabric strap to easily wrap the products around various structures. These are low voltage rated for inputs of 12-24V and require a landscape transformer that is not provided.




TREE HUGGER



E42311-BK
Spot Light


A



- Comes with in-ground spike and Adjustable Belt for wrapping on elevated structures or vegetation
- 12-24V low voltage input
- Outdoor Landscape Transformer Required (not included)



EMSC4231-BK (Belt Accessory)



EMSC423-3PK (3 pack colored lens)

EMSC423-5PK (5 pack colored lens)


EMSC423-8PK (8 pack colored lens)

EACH HEAD
ROTATES




E42313-BK
Spot Light

B




E42315-BK
Spot Light

C



E42318-BK
Spot Light

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI	INIT.	DEL.	Additional Information
A	E42311	BK	1 x 4W LED 3000K (Inte.)	1.75"W x 3.75"H	80+	450	400	LED WET
B	E42313	BK	3 x 4W LED 3000K (Inte.)	11.5"W x 3"H	90+	1200	1030	LED DIM WET
C	E42315	BK	5 x 4W LED 3000K (Inte.)	21"W x 3"H	90+	2000	1620	LED DIM WET
D	E42318	BK	8 x 4W LED 3000K (Inte.)	35.5"W x 3"H	90+	3200	1890	LED DIM WET

Finish: Black (BK)



PHOTO CREDIT

- Chip Wade for Wade Works...Pg. 1, 3
- Walter Banos Design...Pg. 2, 105, 167
- Sperling Group...Pg. 5
- Buchanan Price Homes, Boxwood Homes Staging, Foster Zimmerman Architecture...Pg. 9
- Carli Grommet Studios, MK Studio Architecture, Kristen Mayfield Photography...Pg. 13
- Alex Maloney Real Estate..Pg. 16
- Richard Builders...Pg. 22, 114
- Blank Slate Reno...Pg. 26
- Jordan Cohen Real...Pg. 28
- Collin Kayser of Studio Garrison...Pg. 29
- NJW Real Estate Ventures...Pg. 31
- Diego Carpio Design ...Pg. 33,40,47, 94, 120
- Megan Hunter Design, Shakespeare Design Group, Ben Witherwax...Pg. 34
- DJK Custom Homes... Pg.38
- Tim O'Brien...Pg. 48
- Mike Toltzis & Inna Eidelman of Compass...Pg. 52
- Color Design...p. 61
- Dena Zeb...P.63
- Grand Homes TX...Pg. 68, 147
- David Pivazian Design... Pg.72, 82brink, 168
- Mark Vandebrink of Dream House of Canada...Pg. 86
- Jordan Iverson Signature Homes... Pg. 96g.119
- RJS Builder, The Luxe Designer...Pg.99
- Farshad Yurashalomi Design Build...Pg. 116
- James Moss Photography ...Pg. 119,145
- Elena DeSoto Design, Build Nashville, Paul Nicol Photo, Grahams Living...Pg. 127
- Amy Yin Interiors ...Pg.146
- Christopher T. Doyle...Pg...176
- Maggie Felts Photography, Source Lighting MO...187

E11000.....112	E11203.....358	E21176.....275	E21382.....190
E11010.....102,350	E11204.....188	E21178.....274	E21384.....190
E11011.....102	E11390.....164	E21180.....242,350	E21389.....190,411
E11012.....102	E11394.....164	E21181.....242	E21392.....334
E11013.....101	E11395.....164	E21182.....242,412	E21393.....334
E11014.....102	E11521.....200	E21183.....241	E21431.....338
E11015.....101	E11523.....200	E21185.....241	E21432.....338
E11016.....102	E11525.....199	E21189.....240	E21433.....338
E11019.....100	E11529.....198	E21200.....282	E21441.....86
E11020.....90	E14370.....464	E21206.....282	E21448.....86
E11021.....90	E14373.....464	E21224.....280	E21471.....346
E11022.....90	E14374.....464	E21226.....280	E21472.....346
E11023.....89	E14390.....462	E21250.....272	E21473.....346
E11029.....89	E14392.....462	E21251.....272	E21482.....228
E11030.....88,350	E14394.....462	E21253.....271	E21484.....228
E11032.....88	E14396.....462	E21254.....270	E21486.....228
E11040.....76	E20082.....160	E21256.....271	E21491.....336
E11041.....76,350	E20084.....160	E21260.....250,351	E21492.....336
E11050.....16,349	E20086.....160	E21261.....249	E21493.....336
E11051.....15	E20090.....328	E21262.....249	E21511.....56,352
E11053.....16	E20118.....66	E21263.....250,351	E21513.....55
E11056.....16	E20254.....220	E21266.....248	E21515.....54
E11060.....186,350	E20255.....220	E21269.....250,351	E21516.....54
E11061.....186	E20256.....220	E21316.....374	E21518.....55
E11062.....186	E20350.....251,352	E21320.....266	E21519.....56
E11070.....2	E20352.....252	E21322.....266	E21540.....352
E11071.....2	E20354.....252	E21325.....266	E21561.....224
E11072.....2,352	E20361.....74	E21327.....265	E21562.....224
E11073.....4	E20363.....72	E21340.....342	E21563.....224
E11076.....4	E20364.....73	E21344.....342	E21566.....223
E11078.....3	E20366.....73	E21351.....347	E21569.....222
E11079.....3	E20369.....74,351	E21352.....348	E21620.....320
E11080.....193,349	E20412.....326	E21353.....347	E21720.....320
E11081.....193	E20413.....326	E21354.....212,348	E22000.....205
E11082.....193	E20454.....116	E21355.....212	E22082.....166
E11083.....192	E20455.....116	E21356.....347	E22088.....166
E11084.....192	E20456.....116	E21357.....212	E22271.....289
E11087.....194,412	E20468.....258	E21371.....98	E22720.....62
E11088.....194,411	E20495.....24	E21372.....98,340	E22724.....63
E11089.....194	E20497.....24	E21374.....340	E22726.....63
E11091.....196	E20540.....330	E21375.....97	E22728.....63
E11092.....196	E20980.....172	E21376.....98	E22729.....62
E11093.....195	E20982.....172	E21377.....96	E22757.....234
E11096.....196	E20983.....172	E21378.....97	E22760.....234,351
E11201.....188,358	E21172.....276	E21379.....96	E22761.....234
E11202.....188	E21174.....276	E21380.....190	E22770.....114,351

INDEX

E22771.....	114	E23426.....	380	E24189.....	120	E24662.....	168
E22775.....	114	E23432.....	378	E24211.....	94	E24669.....	168,412
E22871.....	232	E23434.....	378	E24213.....	94	E24711.....	142,349
E22873.....	232	E23436.....	378	E24217.....	93	E24712.....	142,362
E22875.....	232	E23442.....	368	E24219.....	92	E24713.....	362
E22877.....	232	E23443.....	368	E24220.....	106,350	E24714.....	142
E22922.....	260	E23480.....	344	E24221.....	104	E24716.....	141
E22924.....	260	E23482.....	344	E24225.....	105	E24718.....	140
E22941.....	184	E23484.....	344	E24227.....	106	E24751.....	42
E22943.....	184	E23910.....	34,352	E24229.....	105	E24753.....	42
E22945.....	183	E23911.....	34	E24230.....	104	E24757.....	41
E22954.....	216	E23913.....	34	E24260.....	70,351	E24758.....	40
E23111.....	66	E23916.....	33	E24261.....	70	E24771.....	146
E23133.....	284	E23918.....	32	E24263.....	70	E24772.....	146
E23146.....	284	E24023.....	290	E24264.....	68	E24774.....	145
E23210.....	327	E24030.....	132,349	E24266.....	69	E24775.....	145
E23211.....	444	E24031.....	131	E24269.....	68	E24776.....	144
E23212.....	353,444	E24033.....	131	E24320.....	46,352	E24778.....	146
E23214.....	444	E24035.....	130	E24321.....	44	E24833.....	208
E23214/MSP.....	444	E24072.....	128,350	E24322.....	45	E24835.....	208
E23215.....	444	E24075.....	128	E24323.....	46	E24837.....	208
E23216.....	446	E24080.....	352	E24325.....	44	E24853.....	52
E23217.....	446	E24088.....	30	E24326.....	46	E24871.....	152,352
E23218.....	446	E24089.....	30	E24327.....	46	E24873.....	150
E23219.....	446	E24090.....	506	E24328.....	45	E24874.....	153
E23222.....	448	E24092.....	246,352	E24424.....	366	E24875.....	153
E23224.....	448	E24093.....	245	E24426.....	366	E24877.....	152
E23233.....	332	E24094.....	245	E24431.....	364	E24878.....	154
E23234.....	353,450	E24095.....	244	E24432.....	364	E24880.....	151
E23235.....	332	E24099.....	506	E24433.....	364	E24881.....	149
E23236.....	450	E24132.....	268	E24590.....	38,351	E24882.....	149
E23299.....	406	E24134.....	268	E24591.....	38	E24883.....	148
E23301.....	290,372	E24136.....	268	E24593.....	37	E24891.....	138
E23307.....	372	E24151.....	226	E24595.....	38	E24894.....	138
E23308.....	372	E24152.....	226,370	E24598.....	37	E24895.....	138
E23400.....	388	E24153.....	370	E24599.....	36	E24900.....	174
E23402.....	388	E24154.....	226	E24608.....	230	E24902.....	174
E23404.....	388	E24155.....	226	E24613.....	48,352	E24904.....	174
E23406.....	388	E24162.....	84	E24616.....	50	E24906.....	174
E23408.....	388	E24165.....	84	E24617.....	48	E24914.....	176
E23412.....	386	E24167.....	83	E24618.....	49	E24916.....	176
E23414.....	386	E24169.....	82	E24641.....	238	E24924.....	176
E23421.....	380	E24181.....	120,349	E24643.....	238	E24926.....	176
E23422.....	380	E24182.....	120,349	E24646.....	236	E24930.....	210,350
E23423.....	380	E24187.....	118	E24648.....	237	E24932.....	210
E23424.....	380	E24188.....	119	E24660.....	168	E24938.....	210,350

E24943.....	182	E25140.....	8,349	E30110.....	418	E30252.....	434
E24946.....	182	E25141.....	8	E30112.....	418	E30254.....	434
E24964.....	178	E25142.....	8	E30114.....	419	E30260.....	476
E24966.....	178	E25150.....	79	E30116.....	419	E30262.....	476
E24968.....	178	E25151.....	79,350	E30117.....	420	E30264.....	476
E24971.....	136	E25152.....	80	E30118.....	420	E30271.....	458
E24972.....	136	E25153.....	80	E30119.....	418	E30273.....	458
E24973.....	136	E25154.....	80	E30122.....	480	E30275.....	458
E24974.....	135	E25156.....	79	E30123.....	480	E30282.....	440
E24975.....	135	E25158.....	78	E30124.....	480	E30283.....	440
E24979.....	134	E25165.....	21	E30126.....	480	E30285.....	440
E24983.....	288	E25166.....	20,412	E30132.....	428	E30286.....	440
E24987.....	288	E25167.....	20,412	E30134.....	428	E30290.....	424
E24988.....	287	E25168.....	19	E30136.....	428	E30292.....	424
E24989.....	286	E25169.....	18	E30142.....	432	E30294.....	424
E25002.....	180	E25171.....	360	E30144.....	432	E30310.....	507
E25004.....	180	E25172.....	14,360	E30146.....	432	E30314.....	454
E25034.....	204	E25173.....	360	E30151.....	456	E30316.....	454
E25037.....	202	E25174.....	360	E30152.....	456	E30318.....	454
E25038.....	202	E25176.....	14	E30156.....	456	E30319.....	507
E25050.....	294	E25178.....	14	E30160.....	484	E30362.....	436
E25051.....	294	E25179.....	14,412	E30161.....	484	E30363.....	436
E25052.....	294	E25180.....	10	E30162.....	482	E30392.....	442
E25058.....	294	E25181.....	10	E30163.....	482	E30393.....	442
E25060.....	324	E25182.....	10	E30164.....	353,483	E30394.....	442
E25061.....	324	E25184.....	10	E30165.....	483	E30395.....	442
E25062.....	22,324	E25186.....	10	E30166.....	482	E30520.....	410
E25063.....	22	E25193.....	6	E30170.....	484	E30521.....	352,410
E25064.....	22	E25194.....	6	E30171.....	484	E30523.....	410,412
E25065.....	22	E25212.....	12	E30175.....	483	E30529.....	410,411
E25066.....	21	E25214.....	12	E30182.....	438	E30574.....	254
E25067.....	21	E26003.....	214	E30184.....	438	E30576.....	254
E25068.....	19	E26004.....	214	E30186.....	438	E30582.....	278
E25069.....	20	E26008.....	214	E30214.....	460	E30640.....	256
E25071.....	126	E26142.....	470	E30218.....	460	E30644.....	256
E25073.....	126	E26144.....	470	E30220.....	353,452	E30647.....	256
E25077.....	125	E26146.....	470	E30221.....	452	E30660.....	264
E25079.....	126	E26380.....	218,351	E30222.....	452	E30662.....	264
E25087.....	124	E26381.....	218	E30223.....	452	E30664.....	264
E25088.....	122	E26382.....	218	E30230.....	430	E30666.....	262
E25089.....	123	E30092.....	384,468	E30232.....	430	E30667.....	263
E25131.....	382	E30093.....	384,468	E30234.....	430	E30668.....	262
E25133.....	382	E30094.....	384,468	E30242.....	486	E31240.....	110,351
E25134.....	156	E30102.....	478	E30243.....	322	E31241.....	109
E25135.....	382	E30104.....	478	E30244.....	486	E31242.....	109
E25136.....	156	E30106.....	478	E30245.....	322	E31243.....	109

INDEX

E31244.....	108	E41451.....	503	E42368.....	426	ETL24216.....	308
E31247.....	108	E41452.....	504	E42661.....	376	ETL25212.....	307
E32770.....	351	E41453.....	504	E42662.....	376	ETL25216.....	307
E32790.....	27	E41455.....	504	E42663.....	376	ETL26212.....	307
E32792.....	28,349	E41501.....	353,488	E51012.....	292	ETL26216.....	307
E32795.....	27	E41552.....	494	E51013.....	292	ETL26218.....	307
E32797.....	26	E41554.....	494	E51014.....	292	ETL28212.....	308
E32798.....	28	E41556.....	494	E51015.....	292	ETL28216.....	308
E34001.....	170	E42012.....	396	E51021.....	302	ETL29212.....	311
E34002.....	170	E42014.....	396	E51022.....	302	ETL29222.....	311
E34205.....	59	E42016.....	396	E51032.....	298	ETL29223.....	311
E34207.....	58	E42018.....	396	E51034.....	298	ETL29224.....	311
E34251.....	60,350	E42036.....	394	E51042.....	296	ETL31003.....	313
E34255.....	59	E42040.....	394	E51044.....	296	ETL31006.....	313
E34257.....	58	E42046.....	394	E51046.....	296	ETL31013.....	314
E34501.....	158	E42052.....	392	E52004.....	316	ETL31022.....	314
E34502.....	158	E42054.....	392	E52720.....	62	ETL31251.....	314
E34503.....	158	E42057.....	392	E52724.....	63	ETL31622.....	314
E34506.....	158	E42061.....	398	E52726.....	63	ETMSC01.....	306
E34508.....	158	E42062.....	398	E52728.....	63	ETMSC02.....	306
E34614.....	162	E42063.....	398	E52729.....	62	ETMSC03.....	306
E34616.....	162	E42064.....	398	E53009.....	206	ETMSC04.....	306
E34750.....	508	E42065.....	397	E63109.....	206	ETMSC180-2END....	305
E34752.....	42,466	E42070.....	390	EDCV24V40W.....	402	ETMSC-1END.....	305
E34754.....	466	E42071.....	390	EDHW-2496.....	306	ETMSC90-2WALL....	305
E34756.....	466	E42072.....	390	ELB24.....	402	ETMSC90-3TW.....	305
E35100.....	300	E42080.....	400	ELB30.....	402	ETMSC90-4XW.....	305
E35101.....	300	E42082.....	400	EMB2430.....	402	ETMSC90-W2C.....	305
E41280.....	353,487	E42084.....	400	EMB3036.....	402	ETRK25080.....	305
E41307.....	353,474	E42086.....	400	EMSC2600.....	214	ETRK25150.....	305
E41308.....	353,491	E42102.....	472	EMSC423.....	500	ETRK25200.....	305
E41329.....	353,492	E42104.....	472	EMSC4231.....	510	SWT898-2460...306,320	
E41331.....	489	E42106.....	472	EMSC423-3PK.....	510		
E41332.....	353,489	E42108.....	472	EMSC423-5PK.....	510		
E41342.....	422	E42311.....	510	EMSC423-8PK.....	510		
E41343.....	353,422	E42313.....	510	EPOL8.....	503		
E41344.....	422	E42315.....	510	ETDRV001-24100...	306		
E41348.....	422	E42318.....	510	ETL21210.....	310		
E41350.....	502	E42341.....	416	ETL21211.....	310		
E41352.....	502	E42342.....	416	ETL21212.....	310		
E41354.....	500	E42344.....	416	ETL21214.....	309		
E41355.....	500	E42348.....	416	ETL21216.....	312		
E41359.....	502	E42351.....	500	ETL21232.....	312		
E41388.....	353,490	E42361.....	426	ETL23212.....	308		
E41398.....	408	E42362.....	426	ETL23216.....	308		
E41450.....	503	E42364.....	426	ETL24212.....	308		

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BI40T8E12CL120V	I	E12	40	40W Incandescent E12 T8 120V Bulb Clear
	BI40T10E26IF120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BI60T10E26IF120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BI40ST58E26CL120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BI60ST64E26CL120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BL9E26FT120V30	L	E26	9	9W LED E26 3000K 120V Bulb Frost
	BL12E26FT120V30	L	E26	12	12W LED E26 3000K 120V Bulb Frost
	BL16E26FT120V30	L	E26	16	16W LED E26 3000K 120V Bulb Frost
	BL5GU10FT120V30	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear, T24 JA8 Compliant
	BL7GU10FT120V30	L	GU10	7	7W Dimmable LED GU10 3000K 120V Bulb Clear
	BL1-2G4FT12V30	L	G4	1.2	1.2W LED DC AC 12V 3000K CRI80
	BL1-5G4CL12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr)
	BL2G9CL120V30	L	G9	2	2W LED G9 3000K CRI80 Clear
	BL3G9CL120V30	L	G9	3	3W LED G9 3000K CRI80 Clear
	BL2-2G9FT120V30	L	G9	2.2	2.2W LED G9 3000K CRI80 Frost
	BL2-3G9CL120V35	L	G9	2.3	2.3W LED G9 3500K CRI80 Clear
	BL2-9G9CL120V27	L	G9	2.9	2.9W LED G9 2700K CRI80 Clear
	BL2-9G9CL120V35	L	G9	2.9	2.9W LED G9 3500K CRI80 Clear
	BL4G9CL120V830	L	G9	4	4W LED G9 3000K CRI90 Clear
	BX10G4CL12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BX10G4FT12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BX20G4CL12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BX20G4FT12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BX25G9CL12V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear
	BX25G9FT120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BX40G9CL120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear
	BX40G9FT120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BX50G9CL120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear
	BX50G9FT120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BH35GU10CL120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BH50GU10CL120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear

CF - Compact Fluorescent F - Fluorescent H - Halogen I - Incandescent L - LED X - Xenon

FINISHES, GLASS, SHADE

Code	Finish
AB	Antique Brass
ABZ	Architectural Bronze
ACP	Antique Copper
AL	Aluminum
ANB	Antique Bronze
AP	Antique Pecan
BBK	Brushed Black
BC	Black Chrome
BCN	Brushed Champagne
BGM	Brushed Gunmetal
BK	Black
BRK	Brick
BRZ	Anodized Bronze
BZ	Bronze
CHK	Chalky White
CHL	Charcoal
CHP	Champagne
COF	Coffee
DG	Dark Gray
DW	Driftwood
FG	French Gold
GL	Golden
GLD	Gold
GM	Gunmetal
GSN	Greystone
GY	Grey
MG	Metallic Gold
MPLT	Multi-Plated
MW	Matte White
NAB	Natural Aged Brass
OK	Oak
OY	Textured Oyster
PC	Polished Chrome
PG	Polished Gold
SA	Satin Aluminum
SBR	Satin Brass
SN	Satin Nickel
SSN	Sandstone
SV	Silver
TRC	Terra Cotta
TV	Travertine
TW	Textured White
WA	White Alabaster
WN	Walnut
WT	White

Code	Glass
01	White
04	Vibrant Green
05	Amber
09	Frost White
10	Clear/White
11	Matte White
18	Clear
20	Crystal
24	Clear
54	Translucent Fost
61	White Acrylic
75	Clear Acrylic
89	Etched Bubble
90	Frosted
91	Bubble
92	Satin White
93	Frost/Clear Acrylic
95	Rock Crystal
99	Linen
112	Clear/White
113	Marbe Swirl
118	Clampagne Bubble
122	Clear Crystal
124	Ripple
125	Polished Black
126	Prismatic Clear
133	Patterend Acrylic
138	Smoke
142	Graduating Smoke
144	Clear Ribbed
148	Multi-Color

Code	Shade
10	Mirror Chrome
DG	Dark Grey
GB	Glossy Black
GW	Glossy White
LC	Light Cream
OLV	Olive
WT	White
WTBK	White/Black

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes.
Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more.
We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China



ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.

StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.

All designs, logos, products and images © Copyright 2025 ET2 Contemporary Lighting.

All Rights Reserved.

#ET2lighting

